

C:\DOKUME~1\Sued\LOKALE~1\Temp\HISTORY.TMP\BIBLE .LOG  
 Calculation begin: 10-13-2016 21:50:54

Entry Cyrus	(1/120) is checked.	
3222.12.29.■ 3223. 2.29.	1st position to B Cyrus	1
Entry Zedekiah = Mattaniah	(2/120) is checked.	
Entry Jehoiachin	(3/120) is checked.	
Entry Daniel	(4/120) is checked.	
Entry Nebuchadnezzar	(5/120) is checked.	
3157. 3. 1.■ 3158. 4.30.	2nd position to B Nebuchadnezzar	5
Entry Captivity in Babylon	(6/120) is checked.	
Entry Jehoiakim = Eliakim	(7/120) is checked.	
Entry Jehoahaz (Josiah)	(8/120) is checked.	
Entry Jeremiah	(9/120) is checked.	
Entry Josiah	(10/120) is checked.	
Entry Amon	(11/120) is checked.	
Entry Manasseh	(12/120) is checked.	
Entry 14th Jubile Year	(13/120) is checked.	
Entry Hezekiah	(14/120) is checked.	
Entry Captivity of Israel	(15/120) is checked.	
Entry Hoshea	(16/120) is checked.	
Entry Ahaz	(17/120) is checked.	
Entry Ahaz	(18/120) is checked.	
Entry Jotham	(19/120) is checked.	
Entry Isaiah	(20/120) is checked.	
Entry Pekah	(21/120) is checked.	
Entry Pekahiah	(22/120) is checked.	
Entry Menahem	(23/120) is checked.	
Entry Shallum	(24/120) is checked.	
Entry Zachariah	(25/120) is checked.	
Entry Azariah = Uzziah	(26/120) is checked.	
Entry Jeroboam (Joash)	(27/120) is checked.	
Entry Amaziah	(28/120) is checked.	
Entry Amaziah	(29/120) is checked.	
Entry Joash (Jehoahaz)	(30/120) is checked.	
Entry Jehoahaz (Jehu)	(31/120) is checked.	
Entry Joash (Ahaziah)	(32/120) is checked.	
Entry Jehu	(33/120) is checked.	
Entry Athaliah	(34/120) is checked.	
Entry Ahaziah (Joram)	(35/120) is checked.	
Entry Ahaziah (Joram)	(36/120) is checked.	
Entry Joram (Ahab)	(37/120) is checked.	
Entry Joram (Ahab)	(38/120) is checked.	
Entry Elisha	(39/120) is checked.	
Entry Jehoram (Jehoshaphat)	(40/120) is checked.	
Entry Ahaziah (Ahab)	(41/120) is checked.	
Entry Jehoshaphat	(42/120) is checked.	
Entry Elijah	(43/120) is checked.	
Entry Ahab	(44/120) is checked.	
Entry Omri	(45/120) is checked.	
Entry Tibni	(46/120) is checked.	
Entry Zimri	(47/120) is checked.	
Entry Elah	(48/120) is checked.	
Entry Baasha	(49/120) is checked.	
Entry Nadab	(50/120) is checked.	
Entry Asa	(51/120) is checked.	
Entry Abijam = Abijah	(52/120) is checked.	
Entry Jeroboam (Nebat)	(53/120) is checked.	

Entry Rehoboam	(54/120) is checked.
Entry Building the Temple	(55/120) is checked.
Entry Building the Temple	(56/120) is checked.
Entry Solomon	(57/120) is checked.
Entry David	(58/120) is checked.
Entry Ishbosheth	(59/120) is checked.
Entry Saul	(60/120) is checked.
Entry Samuel	(61/120) is checked.
Entry Samson	(62/120) is checked.
Entry Philistines	(63/120) is checked.
Entry Eli	(64/120) is checked.
Entry Abdon	(65/120) is checked.
Entry Elon	(66/120) is checked.
Entry Ibzan	(67/120) is checked.
Entry Jephthah	(68/120) is checked.
Entry Philistines + Ammon	(69/120) is checked.
Entry Jair	(70/120) is checked.
Entry Tola	(71/120) is checked.
Entry Abimelech	(72/120) is checked.
Entry Gideon = Jerubbaal	(73/120) is checked.
Entry Midianites	(74/120) is checked.
Entry Deborah and Barak	(75/120) is checked.
Entry Sisera	(76/120) is checked.
Entry Ehud	(77/120) is checked.
Entry Eglon	(78/120) is checked.
Entry Othniel	(79/120) is checked.
Entry Chushanrishathaim	(80/120) is checked.
Entry Inheritance of Israel	(81/120) is checked.
Entry Caleb	(82/120) is checked.
Entry Joshua	(83/120) is checked.
Entry Moses' Speech	(84/120) is checked.
Entry Explorers of Canaan	(85/120) is checked.
Entry Moses	(86/120) is checked.
Entry Aaron	(87/120) is checked.
Entry Aaron	(88/120) is checked.
Entry Israel in Egypt	(89/120) is checked.
Entry Jacob = Israel	(90/120) is checked.
Entry Isaac	(91/120) is checked.
Entry Fire upon Sodom	(92/120) is checked.
Entry Ishmael	(93/120) is checked.
Entry Battle in Siddim Vale	(94/120) is checked.
Entry Sarai = Sarah	(95/120) is checked.
Entry Abram = Abraham	(96/120) is checked.
Entry Terah	(97/120) is checked.
Entry Nahor	(98/120) is checked.
Entry Serug	(99/120) is checked.
Entry Reu	(100/120) is checked.
Entry Peleg	(101/120) is checked.
Entry Tower of Babel	(102/120) is checked.
Entry Eber	(103/120) is checked.
Entry Salah	(104/120) is checked.
Entry Arphaxad	(105/120) is checked.
Entry Arphaxad	(106/120) is checked.
Entry Great Flood	(107/120) is checked.
Entry Great Flood	(108/120) is checked.
Entry Shem	(109/120) is checked.
Entry Noah	(110/120) is checked.
Entry Lamech	(111/120) is checked.

Entry Methuselah (112/120) is checked.  
 Entry Enoch (113/120) is checked.  
 Entry Jared (114/120) is checked.  
 Entry Mahalaleel (115/120) is checked.  
 Entry Cainan (116/120) is checked.  
 Entry Enos (117/120) is checked.  
 Entry Seth (118/120) is checked.  
 Entry Adam (119/120) is checked.  
 Entry Creation (120/120) is checked.  
 1. 1. 1. 1. 1. 1. 3rd position to B Creation 120

17016 Bytes free.

(1st/3) position: 3222.12.29. 3223. 2.29. B Cyrus 1  
 Forward relations for entry Cyrus (1/120) are generated.  
 Backward relations for entry Captivity in Babylon (6/120) are generated.  
 Backward relations for entry Daniel (4/120) are generated.  
 Optimize dates...

Cyrus	D	Kind	S	from:	to:	
3222.12.29. 3223. 2.29.	B	0	B	1	1	
	B	7	E	6	1	
	B	8	E	4	1	
	B	10	E	6	1	
	0	B	0	0	0	
3222.12.29. 3223. 2.29.	B	0	B	0	1	
3222.12.29. ≥				4th position to E Captivity in Babylon		6
3222.12.29. ≥				5th position to E Daniel		4
3222.12.29. 3225. 2.29.				6th position to E Captivity in Babylon		6

16492 Bytes free.

(2nd/6) position: 3157. 3. 1. 3158. 4.30. B Nebuchadnezzar 5  
 Forward relations for entry Nebuchadnezzar (5/120) are generated.  
 Optimize dates...

Nebuchadnezzar	D	Kind	S	from:	to:	
3157. 3. 1. 3158. 4.30.	B	0	B	5	5	
	B	3	B	7	5	
	B	4	B	9	5	
	B	10	E	2	5	
	B	10	B	4	5	
	0	B	0	0	0	
3157. 3. 1. 3158. 4.30.	B	0	B	0	5	
3152. 3. 1. 3155. 4.30.				7th position to B Jehoiakim = Eliakim		7
3133. 3. 1. 3136. 4.30.				8th position to B Jeremiah		9
3175. 3. 1. 3178. 4.30.				9th position to E Zedekiah = Mattaniah		2
3158. 3. 1. 3161. 4.30.				10th position to B Daniel		4

16492 Bytes free.

(3rd/10) position: 1. 1. 1. 1. 1. 1. B Creation 120  
 Forward relations for entry Creation (120/120) are generated.  
 Optimize dates...

Creation	D	Kind	S	from:	to:	
1. 1. 1. 1. 1. 1.	B	0	B	120	120	
	B	5	E	120	120	
	B	9	*	119	120	
	0	B	0	0	0	
1. 1. 1. 1. 1. 1.	B	0	B	0	120	
1. 1. 8. 1. 1. 8.				11th position to E Creation		120
1. 1. 6. 1. 1. 7.				12th position to * Adam		119

16492 Bytes free.

(4th/12) position: 3222.12.29. 3225. 2.29. E Captivity in Babylon 6  
 Forward relations for entry Captivity in Babylon (6/120) are generated.  
 Backward relations for entry Daniel (4/120) are generated.

Optimize dates...

Captivity in Babylon	D	Kind	S	from:	to:
3222.12.29. 3225. 2.29.	E	0	E	6	6
3222.12.29.≥	E	1	B	1	6
	E	5	B	6	6
3222.12.29. 3225. 2.29.	E	4	B	1	6
		0	E	0	0
3222.12.29. 3225. 2.29.	E	0	E	0	6
3151.12.29. 3156. 2.29.				13th position to B Captivity in Babylon	6

16492 Bytes free.

(5th/13) position: 3222.12.29.≥ E Daniel 4  
 Forward relations for entry Daniel (4/120) are generated.

Optimize dates...

Daniel	D	Kind	S	from:	to:
3222.12.29.≥	E	0	E	4	4
3222.12.29.≥	E	2	B	1	4
		0	E	0	0
3222.12.29.≥	E	0	E	0	4

16492 Bytes free.

(6th/13) position: 3222.12.29. 3225. 2.29. E Captivity in Babylon 6  
 Forward relations for entry Captivity in Babylon (6/120) are generated.  
 Backward relations for entry Daniel (4/120) are generated.

Optimize dates...

Captivity in Babylon	D	Kind	S	from:	to:
3222.12.29. 3225. 2.29.	E	0	E	6	6
3222.12.29.≥	E	1	B	1	6
3220.12.29. 3227. 2.29.	E	5	B	6	6
3222.12.29. 3225. 2.29.	E	4	B	1	6
		0	E	0	0
3222.12.29. 3225. 2.29.	E	0	E	0	6

16492 Bytes free.

(7th/13) position: 3152. 3. 1. 3155. 4.30. B Jehoiakim = Eliakim 7  
 Forward relations for entry Jehoiakim = Eliakim (7/120) are generated.  
 Backward relations for entry Jehoiachin (3/120) are generated.

Optimize dates...

Jehoiakim = Eliakim	D	Kind	S	from:	to:
3152. 3. 1. 3155. 4.30.	B	0	B	7	7
	B	1	E	8	7
	B	3	*	7	7
	B	5	E	7	7
3152. 3. 1. 3155. 4.30.	B	9	B	5	7
3147.12.29. 3154. 2.29.	B	9	B	6	7
		1Y 2M 1D	0	0	0
3152. 3. 1. 3154. 2.29.	B	0	B	0	7
3152. 3. 1. 3154. 2.29.				14th position to B Jehoiakim = Eliakim	7
3152. 3. 1. 3154. 2.29.				15th position to E Jehoahaz (Josiah)	8
3126. 3. 1. 3130. 2.29.				16th position to * Jehoiakim = Eliakim	7
3162. 3. 1. 3166. 2.29.				17th position to E Jehoiakim = Eliakim	7
3154. 3. 1. 3156. 2.29.				18th position to B Captivity in Babylon	6

16492 Bytes free.

(8th/18) position: 3133. 3. 1. 3136. 4.30. B Jeremiah 9  
 Forward relations for entry Jeremiah (9/120) are generated.

Optimize dates...

Jeremiah	D	Kn	S	from:	to:
3133. 3. 1. 3136. 4.30.	B	0	B	9	9
	B	3	B	10	9
3133. 3. 1. 3136. 4.30.	B	10	B	5	9
	0	B		0	0
3133. 3. 1. 3136. 4.30.	B	0	B	0	9
3119. 3. 1. 3124. 4.30.	19th position to B Josiah				10

16492 Bytes free.

(9th/19) position: 3175. 3. 1. 3178. 4.30. E Zedekiah = Mattaniah 2  
 Forward relations for entry Zedekiah = Mattaniah (2/120) are generated.

Optimize dates...

Zedekiah = Mattaniah	D	Kn	S	from:	to:
3175. 3. 1. 3178. 4.30.	E	0	E	2	2
	E	5	B	2	2
3175. 3. 1. 3178. 4.30.	E	4	B	5	2
	0	E		0	0
3175. 3. 1. 3178. 4.30.	E	0	E	0	2
3164.11.22. 3168. 1.22.	20th position to B Zedekiah = Mattaniah				2

16492 Bytes free.

(10th/20) position: 3158. 3. 1. 3161. 4.30. B Daniel 4  
 Forward relations for entry Daniel (4/120) are generated.

Optimize dates...

Daniel	D	Kn	S	from:	to:
3158. 3. 1. 3161. 4.30.	B	0	B	4	4
3154. 3. 1. >	B	1	B	6	4
3156. 3. 1. 3160. 2.29.	B	3	B	6	4
3158. 3. 1. 3161. 4.30.	B	4	B	5	4
	1Y	2M	1D	0	0
3158. 3. 1. 3160. 2.29.	B	0	B	0	4
3158. 3. 1. 3160. 2.29.	21st position to B Daniel				4

16492 Bytes free.

(11th/21) position: 1. 1. 8. 1. 1. 8. E Creation 120  
 Forward relations for entry Creation (120/120) are generated.

Optimize dates...

Creation	D	Kn	S	from:	to:
1. 1. 8. 1. 1. 8.	E	0	E	120	120
1. 1. 8. 1. 1. 8.	E	5	B	120	120
	0	E		0	0
1. 1. 8. 1. 1. 8.	E	0	E	0	120

16492 Bytes free.

(12th/21) position: 1. 1. 6. 1. 1. 7. \* Adam 119  
 Forward relations for entry Adam (119/120) are generated.

Optimize dates...

Adam	D	Kn	S	from:	to:
1. 1. 6. 1. 1. 7.	*	0	*	119	119
1. 1. 6. 1. 1. 7.	*	3	B	120	119
	*	5	+	119	119
	*	9	*	118	119
	0	*		0	0
1. 1. 6. 1. 1. 7.	*	0	*	0	119
930. 1. 6. 932. 1. 7.	22nd position to + Adam				119

130. 1. 6. 132. 1. 7. 23rd position to \* Seth

118

16492 Bytes free.

(13th/23) position: 3154. 3. 1. 3156. 2.29. B Captivity in Babylon 6

Forward relations for entry Captivity in Babylon (6/120) are generated.

Backward relations for entry Daniel (4/120) are generated.

Optimize dates...

Captivity in Babylon	D	Kind	S	from:	to:†
3154. 3. 1. 3156. 2.29. B	0	B		6	6
3154. 3. 1. 3158. 2.29. B	3	B		7	6
3151.12.29. 3156. 2.29. B	5	E		6	6
≤ 3160. 2.29. B	7	B		4	6
3154. 3. 1. 3158. 2.29. B	9	B		4	6
	0	B		0	0
3154. 3. 1. 3156. 2.29. B	0	B		0	6
3223. 3. 1. 3225. 2.29.				24th position to E	Captivity in Babylon 6

16492 Bytes free.

(14th/24) position: 3152. 3. 1. 3154. 2.29. B Jehoiakim = Eliakim 7

Forward relations for entry Jehoiakim = Eliakim (7/120) are generated.

Backward relations for entry Jehoiachin (3/120) are generated.

Optimize dates...

Jehoiakim = Eliakim	D	Kind	S	from:	to:†
3152. 3. 1. 3154. 2.29. B	0	B		7	7
3152. 3. 1. 3154. 2.29. B	1	E		8	7
3150. 3. 1. 3156. 2.29. B	3	*		7	7
3150. 3. 1. 3156. 2.29. B	5	E		7	7
3152. 3. 1. 3155. 4.30. B	9	B		5	7
3150. 3. 1. 3154. 2.29. B	9	B		6	7
	0	B		0	0
3152. 3. 1. 3154. 2.29. B	0	B		0	7

16492 Bytes free.

(15th/24) position: 3152. 3. 1. 3154. 2.29. E Jehoahaz (Josiah) 8

Forward relations for entry Jehoahaz (Josiah) (8/120) are generated.

Backward relations for entry Jehoiakim = Eliakim (7/120) are generated.

Optimize dates...

Jehoahaz (Josiah)	D	Kind	S	from:	to:†
3152. 3. 1. 3154. 2.29. E	0	E		8	8
	5	B		8	8
3152. 3. 1. 3154. 2.29. E	7	B		7	8
	0	E		0	0
3152. 3. 1. 3154. 2.29. E	0	E		0	8
3151.11. 1. 3153.12.29.				25th position to B	Jehoahaz (Josiah) 8

16492 Bytes free.

(16th/25) position: 3126. 3. 1. 3130. 2.29. \* Jehoiakim = Eliakim 7

Forward relations for entry Jehoiakim = Eliakim (7/120) are generated.

Backward relations for entry Jehoiachin (3/120) are generated.

Optimize dates...

Jehoiakim = Eliakim	D	Kind	S	from:	to:†
3126. 3. 1. 3130. 2.29. *	0	*		7	7
3126. 3. 1. 3130. 2.29. *	9	B		7	7
	0	*		0	0
3126. 3. 1. 3130. 2.29. *	0	*		0	7

16492 Bytes free.

(17th/25) position: 3162. 3. 1. 3166. 2.29. E Jehoiakim = Eliakim 7

Forward relations for entry Jehoiakim = Eliakim (7/120) are generated.

Backward relations for entry Jehoiachin (3/120) are generated.

Optimize dates...

Jehoiakim = Eliakim	D	Kind	S	from:	to:	
3162. 3. 1.	3166.	2.29.	E 0 E	7	7	
3162. 3. 1.	3166.	2.29.	E 5 B	7	7	
			E 7 B	3	7	
3162. 3. 1.	3166.	2.29.	+ 0 +	7	7	
			0 E	0	0	
3162. 3. 1.	3166.	2.29.	E 0 E	0	7	
3162. 3. 1.	3166.	2.29.	26th position to B Jehoiachin			3

16492 Bytes free.

(18th/26) position: 3154. 3. 1. 3156. 2.29. B Captivity in Babylon 6

Forward relations for entry Captivity in Babylon (6/120) are generated.

Backward relations for entry Daniel (4/120) are generated.

Optimize dates...

Captivity in Babylon	D	Kind	S	from:	to:	
3154. 3. 1.	3156.	2.29.	B 0 B	6	6	
3154. 3. 1.	3158.	2.29.	B 3 B	7	6	
3152. 3. 1.	3156.	2.29.	B 5 E	6	6	
	≤ 3160.	2.29.	B 7 B	4	6	
3154. 3. 1.	3158.	2.29.	B 9 B	4	6	
			0 B	0	0	
3154. 3. 1.	3156.	2.29.	B 0 B	0	6	

16492 Bytes free.

(19th/26) position: 3119. 3. 1. 3124. 4.30. B Josiah 10

Forward relations for entry Josiah (10/120) are generated.

Backward relations for entry Jehoahaz (Josiah) (8/120) are generated.

Optimize dates...

Josiah	D	Kind	S	from:	to:	
3119. 3. 1.	3124.	4.30.	B 0 B	10	10	
			B 1 E	11	10	
			B 3 *	10	10	
			B 5 E	10	10	
3119. 3. 1.	3124.	4.30.	B 9 B	9	10	
			0 B	0	0	
3119. 3. 1.	3124.	4.30.	B 0 B	0	10	
3119. 3. 1.	3124.	4.30.	27th position to E Amon			11
3110. 3. 1.	3117.	4.30.	28th position to * Josiah			10
3149. 3. 1.	3156.	4.30.	29th position to E Josiah			10

16492 Bytes free.

(20th/29) position: 3164.11.22. 3168. 1.22. B Zedekiah = Mattaniah 2

Forward relations for entry Zedekiah = Mattaniah (2/120) are generated.

Optimize dates...

Zedekiah = Mattaniah	D	Kind	S	from:	to:	
3164.11.22.	3168.	1.22.	B 0 B	2	2	
			B 1 E	3	2	
			B 3 *	2	2	
3164.11.22.	3168.	1.22.	B 5 E	2	2	
			B 10 E	9	2	
			0 B	0	0	
3164.11.22.	3168.	1.22.	B 0 B	0	2	
3164.11.22.	3168.	1.22.	30th position to E Jehoiachin			3
3142.11.22.	3148.	1.22.	31st position to * Zedekiah = Mattaniah			2
3175. 3.22.	3178.	6.22.	32nd position to E Jeremiah			9

16492 Bytes free.

(21st/32) position: 3158. 3. 1. 3160. 2.29. B Daniel 4  
Forward relations for entry Daniel (4/120) are generated.

Optimize dates...

Daniel	D	Kn	S	from:	to:†
3158. 3. 1. 3160. 2.29. B 0 B				4	4
3154. 3. 1. ≥		B	1 B	6	4
3156. 3. 1. 3160. 2.29. B 3 B				6	4
3158. 3. 1. 3161. 4.30. B 4 B				5	4
			0 B	0	0
3158. 3. 1. 3160. 2.29. B 0 B				0	4

16492 Bytes free.

(22nd/32) position: 930. 1. 6. 932. 1. 7. + Adam 119  
Forward relations for entry Adam (119/120) are generated.

Optimize dates...

Adam	D	Kn	S	from:	to:†
930. 1. 6. 932. 1. 7. + 0 +				119	119
930. 1. 6. 932. 1. 7. + 5 *				119	119
929. 1. 6. 933. 1. 7. + 4 *				118	119
			0 +	0	0
930. 1. 6. 932. 1. 7. + 0 +				0	119

16492 Bytes free.

(23rd/32) position: 130. 1. 6. 132. 1. 7. \* Seth 118  
Forward relations for entry Seth (118/120) are generated.

Optimize dates...

Seth	D	Kn	S	from:	to:†
130. 1. 6. 132. 1. 7. * 0 *				118	118
130. 1. 6. 132. 1. 7. * 3 *				119	118
			* 5 +	118	118
			* 9 *	117	118
129. 1. 6. 133. 1. 7. * 10 +				119	118
			0 *	0	0
130. 1. 6. 132. 1. 7. * 0 *				0	118
1041. 1. 6. 1045. 1. 7. 33rd position to + Seth					118
234. 1. 6. 238. 1. 7. 34th position to * Enos					117

16492 Bytes free.

(24th/34) position: 3223. 3. 1. 3225. 2.29. E Captivity in Babylon 6  
Forward relations for entry Captivity in Babylon (6/120) are generated.

Backward relations for entry Daniel (4/120) are generated.

Optimize dates...

Captivity in Babylon	D	Kn	S	from:	to:†
3223. 3. 1. 3225. 2.29. E 0 E				6	6
3222.12.29. ≥		E	1 B	1	6
3223. 3. 1. 3227. 2.29. E 5 B				6	6
3222.12.29. 3225. 2.29. E 4 B				1	6
			0 E	0	0
3223. 3. 1. 3225. 2.29. E 0 E				0	6

16492 Bytes free.

(25th/34) position: 3151.11. 1. 3153.12.29. B Jehoahaz (Josiah) 8  
Forward relations for entry Jehoahaz (Josiah) (8/120) are generated.

Backward relations for entry Jehoiakim = Eliakim (7/120) are generated.

Optimize dates...

Jehoahaz (Josiah)	D	Kn	S	from:	to:†
-------------------	---	----	---	-------	------



3151.11. 1.	3153.12.29.	B	0	B	8	8	
3149. 3. 1.	3156. 4.30.	B	1	E	10	8	
		B	3	*	8	8	
3151.11. 1.	3153.12.29.	B	5	E	8	8	
		0	B		0	0	
3151.11. 1.	3153.12.29.	B	0	B	0	8	
3151.11. 1.	3153.12.29.				35th position to E Josiah	10	
3127.11. 1.	3131.12.29.				36th position to * Jehoahaz (Josiah)	8	

16492 Bytes free.

(26th/36) position: 3162. 3. 1. 3166. 2.29. B Jehoiachin 3  
 Forward relations for entry Jehoiachin (3/120) are generated.  
 Backward relations for entry Zedekiah = Mattaniah (2/120) are generated.  
 Optimize dates...

Jehoiachin		D	Kn	S	from:	to:	
3162. 3. 1.	3166. 2.29.	B	0	B	3	3	
3162. 3. 1.	3166. 2.29.	B	1	E	7	3	
		B	3	*	3	3	
3164. 7.22.	3167.11.22.	B	5	E	3	3	
2Y 4M21D		0	B		0	0	
3164. 7.22.	3166. 2.29.	B	0	B	0	3	
3164. 7.22.	3166. 2.29.				37th position to B Jehoiachin	3	
3164. 7.22.	3166. 2.29.				38th position to E Jehoiakim = Eliakim	7	
3145. 7.22.	3149. 2.29.				39th position to * Jehoiachin	3	
3164.11.22.	3166. 6.29.				40th position to E Jehoiachin	3	

16492 Bytes free.

(27th/40) position: 3119. 3. 1. 3124. 4.30. E Amon 11  
 Forward relations for entry Amon (11/120) are generated.  
 Backward relations for entry Josiah (10/120) are generated.  
 Optimize dates...

Amon		D	Kn	S	from:	to:	
3119. 3. 1.	3124. 4.30.	E	0	E	11	11	
		E	5	B	11	11	
3119. 3. 1.	3124. 4.30.	E	7	B	10	11	
3119. 3. 1.	3124. 4.30.	+	0	+	11	11	
		0	E		0	0	
3119. 3. 1.	3124. 4.30.	E	0	E	0	11	
3116. 3. 1.	3123. 4.30.				41st position to B Amon	11	

16492 Bytes free.

(28th/41) position: 3110. 3. 1. 3117. 4.30. \* Josiah 10  
 Forward relations for entry Josiah (10/120) are generated.  
 Backward relations for entry Jehoahaz (Josiah) (8/120) are generated.  
 Optimize dates...

Josiah		D	Kn	S	from:	to:	
3110. 3. 1.	3117. 4.30.	*	0	*	10	10	
3110. 3. 1.	3117. 4.30.	*	9	B	10	10	
		0	*		0	0	
3110. 3. 1.	3117. 4.30.	*	0	*	0	10	

16492 Bytes free.

(29th/41) position: 3151.11. 1. 3153.12.29. E Josiah 10  
 Forward relations for entry Josiah (10/120) are generated.  
 Backward relations for entry Jehoahaz (Josiah) (8/120) are generated.  
 Optimize dates...

Josiah		D	Kn	S	from:	to:	
3151.11. 1.	3153.12.29.	E	0	E	10	10	

```

3149. 3. 1. 3156. 4.30. E 5 B      10      10||
3151.11. 1. 3153.12.29. E 7 B      8        10||
3151.11. 1. 3153.12.29. + 0 +      10        10||
                        0 E      0        0||
3151.11. 1. 3153.12.29. E 0 E      0        10||
3119.11. 1. 3123.12.29. 42nd position to B Josiah          10
    
```

16492 Bytes free.

(30th/42) position: 3164.11.22. 3166. 6.29. E Jehoiachin 3  
 Forward relations for entry Jehoiachin (3/120) are generated.  
 Backward relations for entry Zedekiah = Mattaniah (2/120) are generated.  
 Optimize dates...

```

Jehoiachin          D Knd S   from:   to:|
3164.11.22. 3166. 6.29. E 0 E     3       3||
3164. 9.22. 3166. 6.29. E 5 B     3       3||
3164.11.22. 3168. 1.22. E 7 B     2       3||
                        0 E     0       0||
3164.11.22. 3166. 6.29. E 0 E     0       3||
3164.11.22. 3166. 6.29. 43rd position to B Zedekiah = Mattaniah 2
    
```

16492 Bytes free.

(31st/43) position: 3142.11.22. 3148. 1.22. \* Zedekiah = Mattaniah 2  
 Forward relations for entry Zedekiah = Mattaniah (2/120) are generated.  
 Optimize dates...

```

Zedekiah = Mattaniah  D Knd S   from:   to:|
3142.11.22. 3148. 1.22. * 0 *     2       2||
3142.11.22. 3146. 6.29. * 9 B     2       2||
                        1Y 6M23D 0 *     0       0||
3142.11.22. 3146. 6.29. * 0 *     0       2||
3142.11.22. 3146. 6.29. 44th position to * Zedekiah = Mattaniah 2
    
```

16492 Bytes free.

(32nd/44) position: 3175. 3.22. 3178. 6.22. E Jeremiah 9  
 Forward relations for entry Jeremiah (9/120) are generated.  
 Optimize dates...

```

Jeremiah          D Knd S   from:   to:|
3175. 3.22. 3178. 6.22. E 0 E     9       9||
3175. 3.22. 3176.11.29. E 4 B     2       9||
                        1Y 6M23D 0 E     0       0||
3175. 3.22. 3176.11.29. E 0 E     0       9||
3175. 3.22. 3176.11.29. 45th position to E Jeremiah          9
    
```

16492 Bytes free.

(33rd/45) position: 1041. 1. 6. 1045. 1. 7. + Seth 118  
 Forward relations for entry Seth (118/120) are generated.  
 Optimize dates...

```

Seth          D Knd S   from:   to:|
1041. 1. 6. 1045. 1. 7. + 0 +    118    118||
1041. 1. 6. 1045. 1. 7. + 5 *    118    118||
1040. 1. 6. 1046. 1. 7. + 4 *    117    118||
                        0 +     0     0||
1041. 1. 6. 1045. 1. 7. + 0 +     0    118||
    
```

16492 Bytes free.

(34th/45) position: 234. 1. 6. 238. 1. 7. \* Enos 117  
 Forward relations for entry Enos (117/120) are generated.  
 Optimize dates...

```

Enos          D Knd S   from:   to:|
    
```

234. 1. 6.	238. 1. 7. *	0 *	117	117
234. 1. 6.	238. 1. 7. *	3 *	118	117
		* 5 +	117	117
		* 9 *	116	117
233. 1. 6.	239. 1. 7. *	10 +	118	117
		0 *	0	0
234. 1. 6.	238. 1. 7. *	0 *	0	117
1138. 1. 6.	1144. 1. 7.	46th position to +	Enos	117
323. 1. 6.	329. 1. 7.	47th position to *	Cainan	116

16492 Bytes free.

(35th/47) position: 3151.11. 1. 3153.12.29. E Josiah 10

Forward relations for entry Josiah (10/120) are generated.

Backward relations for entry Jehoahaz (Josiah) (8/120) are generated.

Optimize dates...

Josiah	D	Kind	S	from:	to:
3151.11. 1.	3153.12.29.	E	0 E	10	10
3149.11. 1.	3155.12.29.	E	5 B	10	10
3151.11. 1.	3153.12.29.	E	7 B	8	10
3151.11. 1.	3153.12.29.	+	0 +	10	10
			0 E	0	0
3151.11. 1.	3153.12.29.	E	0 E	0	10

16492 Bytes free.

(36th/47) position: 3127.11. 1. 3131.12.29. \* Jehoahaz (Josiah) 8

Forward relations for entry Jehoahaz (Josiah) (8/120) are generated.

Backward relations for entry Jehoiakim = Eliakim (7/120) are generated.

Optimize dates...

Jehoahaz (Josiah)	D	Kind	S	from:	to:
3127.11. 1.	3131.12.29.	*	0 *	8	8
3127.11. 1.	3131.12.29.	*	9 B	8	8
			0 *	0	0
3127.11. 1.	3131.12.29.	*	0 *	0	8

16492 Bytes free.

(37th/47) position: 3164. 7.22. 3166. 2.29. B Jehoiachin 3

Forward relations for entry Jehoiachin (3/120) are generated.

Backward relations for entry Zedekiah = Mattaniah (2/120) are generated.

Optimize dates...

Jehoiachin	D	Kind	S	from:	to:
3164. 7.22.	3166. 2.29.	B	0 B	3	3
3164. 7.22.	3166. 2.29.	B	1 E	7	3
3162. 7.22.	3168. 2.29.	B	3 *	3	3
3164. 7.22.	3166. 4.29.	B	5 E	3	3
			0 B	0	0
3164. 7.22.	3166. 2.29.	B	0 B	0	3

16492 Bytes free.

(38th/47) position: 3164. 7.22. 3166. 2.29. E Jehoiakim = Eliakim 7

Forward relations for entry Jehoiakim = Eliakim (7/120) are generated.

Backward relations for entry Jehoiachin (3/120) are generated.

Optimize dates...

Jehoiakim = Eliakim	D	Kind	S	from:	to:
3164. 7.22.	3166. 2.29.	E	0 E	7	7
3162. 3. 1.	3166. 2.29.	E	5 B	7	7
3164. 7.22.	3166. 2.29.	E	7 B	3	7
3164. 7.22.	3166. 2.29.	+	0 +	7	7
			0 E	0	0

3164. 7.22. 3166. 2.29. E 0 E 0 7||  
 3152. 7.22. 3154. 2.29. 48th position to B Jehoiakim = Eliakim 7

16492 Bytes free.

(39th/48) position: 3145. 7.22. 3149. 2.29. \* Jehoiachin 3  
 Forward relations for entry Jehoiachin (3/120) are generated.  
 Backward relations for entry Zedekiah = Mattaniah (2/120) are generated.  
 Optimize dates...

Jehoiachin	D	Kind	S	from:	to:
3145. 7.22. 3149. 2.29. * 0 *				3	3
3145. 7.22. 3149. 2.29. * 9 B				3	3
			0 *	0	0
3145. 7.22. 3149. 2.29. * 0 *				0	3

16492 Bytes free.

(40th/48) position: 3164.11.22. 3166. 6.29. E Jehoiachin 3  
 Forward relations for entry Jehoiachin (3/120) are generated.  
 Backward relations for entry Zedekiah = Mattaniah (2/120) are generated.  
 Optimize dates...

Jehoiachin	D	Kind	S	from:	to:
3164.11.22. 3166. 6.29. E 0 E				3	3
3164. 9.22. 3166. 6.29. E 5 B				3	3
3164.11.22. 3166. 6.29. E 7 B				2	3
			0 E	0	0
3164.11.22. 3166. 6.29. E 0 E				0	3

16492 Bytes free.

(41st/48) position: 3116. 3. 1. 3123. 4.30. B Amon 11  
 Forward relations for entry Amon (11/120) are generated.  
 Backward relations for entry Josiah (10/120) are generated.  
 Optimize dates...

Amon	D	Kind	S	from:	to:
3116. 3. 1. 3123. 4.30. B 0 B				11	11
			B 1 E	12	11
			B 3 *	11	11
3116. 3. 1. 3123. 4.30. B 5 E				11	11
			0 B	0	0
3116. 3. 1. 3123. 4.30. B 0 B				0	11
3116. 3. 1. 3123. 4.30. 49th position to E Manasseh					12
3093. 3. 1. 3102. 4.30. 50th position to * Amon					11

16492 Bytes free.

(42nd/50) position: 3119.11. 1. 3123.12.29. B Josiah 10  
 Forward relations for entry Josiah (10/120) are generated.  
 Backward relations for entry Jehoahaz (Josiah) (8/120) are generated.  
 Optimize dates...

Josiah	D	Kind	S	from:	to:
3119.11. 1. 3123.12.29. B 0 B				10	10
3119. 3. 1. 3124. 4.30. B 1 E				11	10
3117. 3. 1. 3126. 4.30. B 3 *				10	10
3119.11. 1. 3123.12.29. B 5 E				10	10
3119. 3. 1. 3124. 4.30. B 9 B				9	10
			0 B	0	0
3119.11. 1. 3123.12.29. B 0 B				0	10
3119.11. 1. 3123.12.29. 51st position to E Amon					11
3110.11. 1. 3116.12.29. 52nd position to * Josiah					10

16492 Bytes free.

(43rd/52) position: 3164.11.22. 3166. 6.29. B Zedekiah = Mattaniah 2  
Forward relations for entry Zedekiah = Mattaniah (2/120) are generated.

Optimize dates...

Zedekiah = Mattaniah	D	Kind	S	from:	to:
3164.11.22. 3166. 6.29. B	0	B		2	2
3164.11.22. 3166. 6.29. B	1	E		3	2
3162.11.22. 3168. 6.29. B	3	*		2	2
3164.11.22. 3168. 1.22. B	5	E		2	2
3164.10.22. 3166. 7.29. B	10	E		9	2
	0	B		0	0
3164.11.22. 3166. 6.29. B	0	B		0	2
3175. 3. 1. 3176.10. 8.	53rd position to E Zedekiah = Mattaniah 2				

16492 Bytes free.

(44th/53) position: 3142.11.22. 3146. 6.29. \* Zedekiah = Mattaniah 2  
Forward relations for entry Zedekiah = Mattaniah (2/120) are generated.

Optimize dates...

Zedekiah = Mattaniah	D	Kind	S	from:	to:
3142.11.22. 3146. 6.29. *	0	*		2	2
3142.11.22. 3146. 6.29. *	9	B		2	2
	0	*		0	0
3142.11.22. 3146. 6.29. *	0	*		0	2

16492 Bytes free.

(45th/53) position: 3175. 3.22. 3176.11.29. E Jeremiah 9  
Forward relations for entry Jeremiah (9/120) are generated.

Optimize dates...

Jeremiah	D	Kind	S	from:	to:
3175. 3.22. 3176.11.29. E	0	E		9	9
3175. 3.22. 3176.11.29. E	4	B		2	9
	0	E		0	0
3175. 3.22. 3176.11.29. E	0	E		0	9

16492 Bytes free.

(46th/53) position: 1138. 1. 6. 1144. 1. 7. + Enos 117  
Forward relations for entry Enos (117/120) are generated.

Optimize dates...

Enos	D	Kind	S	from:	to:
1138. 1. 6. 1144. 1. 7. +	0	+		117	117
1138. 1. 6. 1144. 1. 7. +	5	*		117	117
1137. 1. 6. 1145. 1. 7. +	4	*		116	117
	0	+		0	0
1138. 1. 6. 1144. 1. 7. +	0	+		0	117

16492 Bytes free.

(47th/53) position: 323. 1. 6. 329. 1. 7. \* Cainan 116  
Forward relations for entry Cainan (116/120) are generated.

Optimize dates...

Cainan	D	Kind	S	from:	to:
323. 1. 6. 329. 1. 7. *	0	*		116	116
323. 1. 6. 329. 1. 7. *	3	*		117	116
	5	+		116	116
	9	*		115	116
322. 1. 6. 330. 1. 7. *	10	+		117	116
	0	*		0	0
323. 1. 6. 329. 1. 7. *	0	*		0	116
1232. 1. 6. 1240. 1. 7.	54th position to + Cainan 116				
392. 1. 6. 400. 1. 7.	55th position to * Mahalaleel 115				

16492 Bytes free.  
 (48th/55) position: 3152. 7.22. 3154. 2.29. B Jehoiakim = Eliakim 7  
 Forward relations for entry Jehoiakim = Eliakim (7/120) are generated.  
 Backward relations for entry Jehoiachin (3/120) are generated.  
 Optimize dates...

Jehoiakim = Eliakim	D	Kind	S	from:	to:†
3152. 7.22. 3154. 2.29. B	0	B		7	7
3152. 3. 1. 3154. 2.29. B	1	E		8	7
3150. 3. 1. 3156. 2.29. B	3	*		7	7
3152. 7.22. 3156. 2.29. B	5	E		7	7
3152. 3. 1. 3155. 4.30. B	9	B		5	7
3150. 3. 1. 3154. 2.29. B	9	B		6	7
	0	B		0	0
3152. 7.22. 3154. 2.29. B	0	B		0	7
3152. 7.22. 3154. 2.29.				56th position to E	Jehoahaz (Josiah) 8
3126. 7.22. 3130. 2.29.				57th position to *	Jehoiakim = Eliakim 7
3154. 7.22. 3156. 2.29.				58th position to B	Captivity in Babylon 6

16492 Bytes free.  
 (49th/58) position: 3116. 3. 1. 3123. 4.30. E Manasseh 12  
 Forward relations for entry Manasseh (12/120) are generated.  
 Backward relations for entry Amon (11/120) are generated.  
 Optimize dates...

Manasseh	D	Kind	S	from:	to:†
3116. 3. 1. 3123. 4.30. E	0	E		12	12
					E 5 B 12
3116. 3. 1. 3123. 4.30. E	7	B		11	12
3116. 3. 1. 3123. 4.30. +	0	+		12	12
	0	E		0	0
3116. 3. 1. 3123. 4.30. E	0	E		0	12
3060. 3. 1. 3069. 4.30.				59th position to B	Manasseh 12

16492 Bytes free.  
 (50th/59) position: 3093. 3. 1. 3102. 4.30. \* Amon 11  
 Forward relations for entry Amon (11/120) are generated.  
 Backward relations for entry Josiah (10/120) are generated.  
 Optimize dates...

Amon	D	Kind	S	from:	to:†
3093. 3. 1. 3102. 4.30. *	0	*		11	11
3093. 3. 1. 3102. 4.30. *	9	B		11	11
	0	*		0	0
3093. 3. 1. 3102. 4.30. *	0	*		0	11

16492 Bytes free.  
 (51st/59) position: 3119.11. 1. 3123.12.29. E Amon 11  
 Forward relations for entry Amon (11/120) are generated.  
 Backward relations for entry Josiah (10/120) are generated.  
 Optimize dates...

Amon	D	Kind	S	from:	to:†
3119.11. 1. 3123.12.29. E	0	E		11	11
3117. 3. 1. 3126. 4.30. E	5	B		11	11
3119.11. 1. 3123.12.29. E	7	B		10	11
3119.11. 1. 3123.12.29. +	0	+		11	11
	0	E		0	0
3119.11. 1. 3123.12.29. E	0	E		0	11
3116.11. 1. 3122.12.29.				60th position to B	Amon 11

16492 Bytes free.  
 (52nd/60) position: 3110.11. 1. 3116.12.29. \* Josiah 10  
 Forward relations for entry Josiah (10/120) are generated.  
 Backward relations for entry Jehoahaz (Josiah) (8/120) are generated.  
 Optimize dates...

Josiah	D	Kind	S	from:	to:†
3110.11. 1. 3116.12.29. * 0 *				10	10
3110.11. 1. 3116.12.29. * 9 B				10	10
			0 *	0	0
3110.11. 1. 3116.12.29. * 0 *				0	10

16492 Bytes free.  
 (53rd/60) position: 3175. 3. 1. 3176.10. 8. E Zedekiah = Mattaniah 2  
 Forward relations for entry Zedekiah = Mattaniah (2/120) are generated.  
 Optimize dates...

Zedekiah = Mattaniah	D	Kind	S	from:	to:†
3175. 3. 1. 3176.10. 8. E 0 E				2	2
3175. 2.30. 3176.10. 8. E 5 B				2	2
3175. 3. 1. 3178. 4.30. E 4 B				5	2
			0 E	0	0
3175. 3. 1. 3176.10. 8. E 0 E				0	2

16492 Bytes free.  
 (54th/60) position: 1232. 1. 6. 1240. 1. 7. + Cainan 116  
 Forward relations for entry Cainan (116/120) are generated.  
 Optimize dates...

Cainan	D	Kind	S	from:	to:†
1232. 1. 6. 1240. 1. 7. + 0 +				116	116
1232. 1. 6. 1240. 1. 7. + 5 *				116	116
1231. 1. 6. 1241. 1. 7. + 4 *				115	116
			0 +	0	0
1232. 1. 6. 1240. 1. 7. + 0 +				0	116

16492 Bytes free.  
 (55th/60) position: 392. 1. 6. 400. 1. 7. \* Mahalaleel 115  
 Forward relations for entry Mahalaleel (115/120) are generated.  
 Optimize dates...

Mahalaleel	D	Kind	S	from:	to:†
392. 1. 6. 400. 1. 7. * 0 *				115	115
392. 1. 6. 400. 1. 7. * 3 *				116	115
			* 5 +	115	115
			* 9 *	114	115
391. 1. 6. 401. 1. 7. * 10 +				116	115
			0 *	0	0
392. 1. 6. 400. 1. 7. * 0 *				0	115
1286. 1. 6. 1296. 1. 7. 61st position to + Mahalaleel					115
456. 1. 6. 466. 1. 7. 62nd position to * Jared					114

16492 Bytes free.  
 (56th/62) position: 3152. 7.22. 3154. 2.29. E Jehoahaz (Josiah) 8  
 Forward relations for entry Jehoahaz (Josiah) (8/120) are generated.  
 Backward relations for entry Jehoiakim = Eliakim (7/120) are generated.  
 Optimize dates...

Jehoahaz (Josiah)	D	Kind	S	from:	to:†
3152. 7.22. 3154. 2.29. E 0 E				8	8
3152. 1. 1. 3154. 4.29. E 5 B				8	8
3152. 7.22. 3154. 2.29. E 7 B				7	8
			0 E	0	0

3152. 7.22. 3154. 2.29. E 0 E 0 8||  
 3152. 3.22. 3153.12.29. 63rd position to B Jehoahaz (Josiah) 8

16492 Bytes free.

(57th/63) position: 3126. 7.22. 3130. 2.29. \* Jehoiakim = Eliakim 7  
 Forward relations for entry Jehoiakim = Eliakim (7/120) are generated.  
 Backward relations for entry Jehoiachin (3/120) are generated.  
 Optimize dates...

Jehoiakim = Eliakim	D	Kind	S	from:	to:
3126. 7.22. 3130. 2.29. * 0 *				7	7
3126. 7.22. 3130. 2.29. * 9 B				7	7
			0 *	0	0
3126. 7.22. 3130. 2.29. * 0 *				0	7

16492 Bytes free.

(58th/63) position: 3154. 7.22. 3156. 2.29. B Captivity in Babylon 6  
 Forward relations for entry Captivity in Babylon (6/120) are generated.  
 Backward relations for entry Daniel (4/120) are generated.  
 Optimize dates...

Captivity in Babylon	D	Kind	S	from:	to:
3154. 7.22. 3156. 2.29. B 0 B				6	6
3154. 7.22. 3158. 2.29. B 3 B				7	6
3152. 3. 1. 3156. 2.29. B 5 E				6	6
≤ 3160. 2.29. B 7 B				4	6
3154. 3. 1. 3158. 2.29. B 9 B				4	6
			0 B	0	0
3154. 7.22. 3156. 2.29. B 0 B				0	6
3223. 7.22. 3225. 2.29. 64th position to E Captivity in Babylon					6

16492 Bytes free.

(59th/64) position: 3060. 3. 1. 3069. 4.30. B Manasseh 12  
 Forward relations for entry Manasseh (12/120) are generated.  
 Backward relations for entry Amon (11/120) are generated.  
 Optimize dates...

Manasseh	D	Kind	S	from:	to:
3060. 3. 1. 3069. 4.30. B 0 B				12	12
			B 1 E	14	12
			B 3 *	12	12
3060. 3. 1. 3069. 4.30. B 5 E				12	12
			0 B	0	0
3060. 3. 1. 3069. 4.30. B 0 B				0	12
3060. 3. 1. 3069. 4.30. 65th position to E Hezekiah					14
3047. 3. 1. 3058. 4.30. 66th position to * Manasseh					12

16492 Bytes free.

(60th/66) position: 3116.11. 1. 3122.12.29. B Amon 11  
 Forward relations for entry Amon (11/120) are generated.  
 Backward relations for entry Josiah (10/120) are generated.  
 Optimize dates...

Amon	D	Kind	S	from:	to:
3116.11. 1. 3122.12.29. B 0 B				11	11
3116. 3. 1. 3123. 4.30. B 1 E				12	11
3114. 3. 1. 3125. 4.30. B 3 *				11	11
3116.11. 1. 3122.12.29. B 5 E				11	11
			0 B	0	0
3116.11. 1. 3122.12.29. B 0 B				0	11
3116.11. 1. 3122.12.29. 67th position to E Manasseh					12
3093.11. 1. 3101.12.29. 68th position to * Amon					11



16492 Bytes free.

(61st/68) position: 1286. 1. 6. 1296. 1. 7. + Mahalaleel 115  
Forward relations for entry Mahalaleel (115/120) are generated.

Optimize dates...

Mahalaleel	D	Kind	S	from:	to:†
1286. 1. 6. 1296. 1. 7. +	0	+		115	115
1286. 1. 6. 1296. 1. 7. +	5	*		115	115
1285. 1. 6. 1297. 1. 7. +	4	*		114	115
	0	+		0	0
1286. 1. 6. 1296. 1. 7. +	0	+		0	115

16492 Bytes free.

(62nd/68) position: 456. 1. 6. 466. 1. 7. \* Jared 114  
Forward relations for entry Jared (114/120) are generated.

Backward relations for entry Great Flood (108/120) are generated.

Optimize dates...

Jared	D	Kind	S	from:	to:†
456. 1. 6. 466. 1. 7. *	0	*		114	114
456. 1. 6. 466. 1. 7. *	3	*		115	114
	5	+		114	114
	9	*		113	114
455. 1. 6. 467. 1. 7. *	10	+		115	114
	0	*		0	0
456. 1. 6. 466. 1. 7. *	0	*		0	114
1302. 1. 6. 1314. 1. 7.	69th position to + Jared				114
517. 1. 6. 529. 1. 7.	70th position to * Enoch				113

16492 Bytes free.

(63rd/70) position: 3152. 3.22. 3153.12.29. B Jehoahaz (Josiah) 8  
Forward relations for entry Jehoahaz (Josiah) (8/120) are generated.

Backward relations for entry Jehoiakim = Eliakim (7/120) are generated.

Optimize dates...

Jehoahaz (Josiah)	D	Kind	S	from:	to:†
3152. 3.22. 3153.12.29. B	0	B		8	8
3151.11. 1. 3153.12.29. B	1	E		10	8
3149.11. 1. 3155.12.29. B	3	*		8	8
3152. 3.22. 3153.12.29. B	5	E		8	8
	0	B		0	0
3152. 3.22. 3153.12.29. B	0	B		0	8
3152. 3.22. 3153.12.29.	71st position to E Josiah				10
3128. 3.22. 3131.12.29.	72nd position to * Jehoahaz (Josiah)				8

16492 Bytes free.

(64th/72) position: 3223. 7.22. 3225. 2.29. E Captivity in Babylon 6  
Forward relations for entry Captivity in Babylon (6/120) are generated.

Backward relations for entry Daniel (4/120) are generated.

Optimize dates...

Captivity in Babylon	D	Kind	S	from:	to:†
3223. 7.22. 3225. 2.29. E	0	E		6	6
3222.12.29. ≥	1	B		1	6
3223. 7.22. 3227. 2.29. E	5	B		6	6
3222.12.29. 3225. 2.29. E	4	B		1	6
	0	E		0	0
3223. 7.22. 3225. 2.29. E	0	E		0	6

16492 Bytes free.

(65th/72) position: 3060. 3. 1. 3069. 4.30. E Hezekiah 14

Forward relations for entry Hezekiah (14/120) are generated.  
 Backward relations for entry Manasseh (12/120) are generated.  
 Backward relations for entry Isaiah (20/120) are generated.  
 Optimize dates...

Hezekiah	D	Kind	S	from:	to:	
3060. 3. 1. 3069. 4.30.	E	0	E	14	14	
	E	2	E	20	14	
	E	6	B	14	14	
3060. 3. 1. 3069. 4.30.	E	7	B	12	14	
	E	7	E	20	14	
3060. 3. 1. 3069. 4.30.	+	0	+	14	14	
		0	E	0	0	
3060. 3. 1. 3069. 4.30.	E	0	E	0	14	
	≤			3069. 4.30. 73rd position to E Isaiah		20
3030. 3. 1. 3041. 4.30.				74th position to B Hezekiah		14
3060. 3. 1. 3069. 4.30.				75th position to E Isaiah		20

16492 Bytes free.

(66th/75) position: 3047. 3. 1. 3058. 4.30. \* Manasseh 12  
 Forward relations for entry Manasseh (12/120) are generated.  
 Backward relations for entry Amon (11/120) are generated.  
 Optimize dates...

Manasseh	D	Kind	S	from:	to:	
3047. 3. 1. 3058. 4.30.	*	0	*	12	12	
3047. 3. 1. 3058. 4.30.	*	9	B	12	12	
		0	*	0	0	
3047. 3. 1. 3058. 4.30.	*	0	*	0	12	

16492 Bytes free.

(67th/75) position: 3116.11. 1. 3122.12.29. E Manasseh 12  
 Forward relations for entry Manasseh (12/120) are generated.  
 Backward relations for entry Amon (11/120) are generated.  
 Optimize dates...

Manasseh	D	Kind	S	from:	to:	
3116.11. 1. 3122.12.29.	E	0	E	12	12	
3114. 3. 1. 3125. 4.30.	E	5	B	12	12	
3116.11. 1. 3122.12.29.	E	7	B	11	12	
3116.11. 1. 3122.12.29.	+	0	+	12	12	
		0	E	0	0	
3116.11. 1. 3122.12.29.	E	0	E	0	12	
3060.11. 1. 3068.12.29.				76th position to B Manasseh		12

16492 Bytes free.

(68th/76) position: 3093.11. 1. 3101.12.29. \* Amon 11  
 Forward relations for entry Amon (11/120) are generated.  
 Backward relations for entry Josiah (10/120) are generated.  
 Optimize dates...

Amon	D	Kind	S	from:	to:	
3093.11. 1. 3101.12.29.	*	0	*	11	11	
3093.11. 1. 3101.12.29.	*	9	B	11	11	
		0	*	0	0	
3093.11. 1. 3101.12.29.	*	0	*	0	11	

16492 Bytes free.

(69th/76) position: 1302. 1. 6. 1314. 1. 7. + Jared 114  
 Forward relations for entry Jared (114/120) are generated.  
 Backward relations for entry Great Flood (108/120) are generated.  
 Optimize dates...

```

Jared                D Knd S   from:   to:|
1302. 1. 6. 1314. 1. 7. + 0 +   114   114||
1302. 1. 6. 1314. 1. 7. + 5 *   114   114||
1301. 1. 6. 1315. 1. 7. + 4 *   113   114||
                + 7 B   108   114||
                0 +     0     0||
1302. 1. 6. 1314. 1. 7. + 0 +     0   114||
1302. 1. 6.≥                77th position to B Great Flood           108

```

16492 Bytes free.

```

(70th/77) position: 517. 1. 6. 529. 1. 7. * Enoch           113
Forward relations for entry Enoch (113/120) are generated.
Optimize dates...

```

```

Enoch                D Knd S   from:   to:|
517. 1. 6. 529. 1. 7. * 0 *   113   113||
517. 1. 6. 529. 1. 7. * 3 *   114   113||
                * 5 +   113   113||
                * 9 *   112   113||
516. 1. 6. 530. 1. 7. * 10 +  114   113||
                0 *     0     0||
517. 1. 6. 529. 1. 7. * 0 *     0   113||
881. 1. 6. 895. 1. 7. 78th position to + Enoch           113
581. 1. 6. 595. 1. 7. 79th position to * Methuselah       112

```

16492 Bytes free.

```

(71st/79) position: 3152. 3.22. 3153.12.29. E Josiah           10
Forward relations for entry Josiah (10/120) are generated.
Backward relations for entry Jehoahaz (Josiah) (8/120) are generated.
Optimize dates...

```

```

Josiah               D Knd S   from:   to:|
3152. 3.22. 3153.12.29. E 0 E    10    10||
3149.11. 1. 3155.12.29. E 5 B    10    10||
3152. 3.22. 3153.12.29. E 7 B     8    10||
3152. 3.22. 3153.12.29. + 0 +    10    10||
                0 E     0     0||
3152. 3.22. 3153.12.29. E 0 E     0    10||
3120. 3.22. 3123.12.29. 80th position to B Josiah           10

```

16492 Bytes free.

```

(72nd/80) position: 3128. 3.22. 3131.12.29. * Jehoahaz (Josiah) 8
Forward relations for entry Jehoahaz (Josiah) (8/120) are generated.
Backward relations for entry Jehoiakim = Eliakim (7/120) are generated.
Optimize dates...

```

```

Jehoahaz (Josiah)   D Knd S   from:   to:|
3128. 3.22. 3131.12.29. * 0 *     8     8||
3128. 3.22. 3131.12.29. * 9 B     8     8||
                0 *     0     0||
3128. 3.22. 3131.12.29. * 0 *     0     8||

```

16492 Bytes free.

```

(73rd/80) position: 3060. 3. 1. 3069. 4.30. E Isaiah           20
Forward relations for entry Isaiah (20/120) are generated.
Backward relations for entry Hezekiah (14/120) are generated.
Backward relations for entry Azariah = Uzziah (26/120) are generated.
Optimize dates...

```

```

Isaiah              D Knd S   from:   to:|
3060. 3. 1. 3069. 4.30. E 0 E    20    20||
3060. 3. 1.≥                E 1 E    14    20||

```

```

≤ 3069. 4.30. E 8 E      14      20||
                                0 E      0      0||
3060. 3. 1. 3069. 4.30. E 0 E      0      20||

```

16492 Bytes free.

```

(74th/80) position: 3030. 3. 1. 3041. 4.30.   B Hezekiah           14
Forward relations for entry Hezekiah           (14/120) are generated.
Backward relations for entry Manasseh         (12/120) are generated.
Backward relations for entry Isaiah           (20/120) are generated.
Optimize dates...

```

```

Hezekiah           D Knd S      from:      to:|
3030. 3. 1. 3041. 4.30. B 0 B      14      14||
                                B 1 E      17      14||
                                B 3 B      16      14||
                                B 4 *      14      14||
3030. 3. 1. 3041. 4.30. B 6 E      14      14||
                                B 9 B      13      14||
                                B 9 B      15      14||
                                0 B      0      0||
3030. 3. 1. 3041. 4.30. B 0 B      0      14||
3030. 3. 1. 3041. 4.30. 81st position to E Ahaz           17
3026. 3. 1. 3039. 4.30. 82nd position to B Hoshea          16
3004. 3. 1. 3017. 4.30. 83rd position to * Hezekiah         14
3044. 3. 1. 3057. 4.30. 84th position to B 14th Jubile Year  13
3035. 3. 1. 3048. 4.30. 85th position to B Captivity of Israel 15

```

16492 Bytes free.

```

(75th/85) position: 3060. 3. 1. 3069. 4.30.   E Isaiah             20
Forward relations for entry Isaiah             (20/120) are generated.
Backward relations for entry Hezekiah         (14/120) are generated.
Backward relations for entry Azariah = Uzziah (26/120) are generated.
Optimize dates...

```

```

Isaiah           D Knd S      from:      to:|
3060. 3. 1. 3069. 4.30. E 0 E      20      20||
3060. 3. 1. ≥           E 1 E      14      20||
≤ 3069. 4.30. E 8 E      14      20||
                                0 E      0      0||
3060. 3. 1. 3069. 4.30. E 0 E      0      20||

```

16492 Bytes free.

```

(76th/85) position: 3060.11. 1. 3068.12.29.   B Manasseh           12
Forward relations for entry Manasseh         (12/120) are generated.
Backward relations for entry Amon            (11/120) are generated.
Optimize dates...

```

```

Manasseh         D Knd S      from:      to:|
3060.11. 1. 3068.12.29. B 0 B      12      12||
3060. 3. 1. 3069. 4.30. B 1 E      14      12||
3058. 3. 1. 3071. 4.30. B 3 *      12      12||
3060.11. 1. 3068.12.29. B 5 E      12      12||
                                0 B      0      0||
3060.11. 1. 3068.12.29. B 0 B      0      12||
3060.11. 1. 3068.12.29. 86th position to E Hezekiah         14
3047.11. 1. 3057.12.29. 87th position to * Manasseh         12

```

16492 Bytes free.

```

(77th/87) position: 1302. 1. 6. ≥           B Great Flood        108
Forward relations for entry Great Flood       (107/120) are generated.
Forward relations for entry Great Flood       (108/120) are generated.

```

Optimize dates...

Great Flood	D	Kind	S	from:	to:†	
1302. 1. 6. ≥	B	0	B	107	107	
	B	1	+	111	107	
	B	2	+	112	107	
	B	3	*	110	107	
1302. 1. 6. ≥	B	1	+	114	108	
	0	B		0	0	
1302. 1. 6. ≥	B	0	B	0	107	
702.11.19. ≥				88th position to * Noah		110

16492 Bytes free.

(78th/88) position: 881. 1. 6. 895. 1. 7. + Enoch 113  
 Forward relations for entry Enoch (113/120) are generated.

Optimize dates...

Enoch	D	Kind	S	from:	to:†	
881. 1. 6. 895. 1. 7. + 0 +				113	113	
881. 1. 6. 895. 1. 7. + 5 *				113	113	
880. 1. 6. 896. 1. 7. + 4 *				112	113	
			0 +	0	0	
881. 1. 6. 895. 1. 7. + 0 +				0	113	

16492 Bytes free.

(79th/88) position: 581. 1. 6. 595. 1. 7. \* Methuselah 112  
 Forward relations for entry Methuselah (112/120) are generated.

Backward relations for entry Great Flood (107/120) are generated.

Optimize dates...

Methuselah	D	Kind	S	from:	to:†	
581. 1. 6. 595. 1. 7. * 0 *				112	112	
581. 1. 6. 595. 1. 7. * 3 *				113	112	
			* 5 +	112	112	
			* 9 *	111	112	
580. 1. 6. 596. 1. 7. * 10 +				113	112	
			0 *	0	0	
581. 1. 6. 595. 1. 7. * 0 *				0	112	
1300. 1. 6. 1316. 1. 7. 89th position to + Methuselah						112
647. 1. 6. 663. 1. 7. 90th position to * Lamech						111

16492 Bytes free.

(80th/90) position: 3120. 3.22. 3123.12.29. B Josiah 10  
 Forward relations for entry Josiah (10/120) are generated.

Backward relations for entry Jehoahaz (Josiah) (8/120) are generated.

Optimize dates...

Josiah	D	Kind	S	from:	to:†	
3120. 3.22. 3123.12.29. B 0 B				10	10	
3119.11. 1. 3123.12.29. B 1 E				11	10	
3117.11. 1. 3125.12.29. B 3 *				10	10	
3120. 3.22. 3123.12.29. B 5 E				10	10	
3119. 3. 1. 3124. 4.30. B 9 B				9	10	
			0 B	0	0	
3120. 3.22. 3123.12.29. B 0 B				0	10	
3120. 3.22. 3123.12.29. 91st position to E Amon						11
3111. 3.22. 3116.12.29. 92nd position to * Josiah						10

16492 Bytes free.

(81st/92) position: 3030. 3. 1. 3041. 4.30. E Ahaz 17  
 Forward relations for entry Ahaz (17/120) are generated.

Backward relations for entry Hezekiah (14/120) are generated.

Forward relations for entry Ahaz (18/120) are generated.  
Optimize dates...

Ahaz	D	Kn	S	from:	to:	
3030. 3. 1. 3041. 4.30.	Ω	0	Ω	17	17	
3030. 3. 1. 3041. 4.30.	E	0	E	17	17	
3030. 3. 1. 3041. 4.30.	E	7	B	14	17	
	E	5	B	18	18	
3030. 3. 1. 3041. 4.30.	+	0	+	17	17	
	0	Ω		0	0	
3030. 3. 1. 3041. 4.30.	Ω	0	Ω	0	17	
3013. 3. 1. 3026. 4.30.				93rd position to B Ahaz		18

16492 Bytes free.

(82nd/93) position: 3026. 3. 1. 3039. 4.30. B Hoshea 16  
Forward relations for entry Hoshea (16/120) are generated.  
Backward relations for entry Captivity of Israel (15/120) are generated.  
Optimize dates...

Hoshea	D	Kn	S	from:	to:	
3026. 3. 1. 3039. 4.30.	B	0	B	16	16	
	B	1	E	21	16	
3024. 3. 1. 3039. 4.30.	B	3	B	17	16	
	B	5	E	16	16	
	B	4	α	19	16	
3026. 3. 1. 3039. 4.30.	B	9	B	14	16	
3025. 3. 1. 3040. 4.30.	B	10	B	15	16	
	0	B		0	0	
3026. 3. 1. 3039. 4.30.	B	0	B	0	16	
3026. 3. 1. 3039. 4.30.				94th position to E Pekah		21
3034. 3. 1. 3049. 4.30.				95th position to E Hoshea		16
3005. 3. 1. 3020. 4.30.				96th position to α Jotham		19

16492 Bytes free.

(83rd/96) position: 3004. 3. 1. 3017. 4.30. \* Hezekiah 14  
Forward relations for entry Hezekiah (14/120) are generated.  
Backward relations for entry Manasseh (12/120) are generated.  
Backward relations for entry Isaiah (20/120) are generated.  
Optimize dates...

Hezekiah	D	Kn	S	from:	to:	
3004. 3. 1. 3017. 4.30.	*	0	*	14	14	
3004. 3. 1. 3017. 4.30.	*	10	B	14	14	
	0	*		0	0	
3004. 3. 1. 3017. 4.30.	*	0	*	0	14	

16492 Bytes free.

(84th/96) position: 3044. 3. 1. 3057. 4.30. B 14th Jubile Year 13  
Forward relations for entry 14th Jubile Year (13/120) are generated.  
Optimize dates...

14th Jubile Year	D	Kn	S	from:	to:	
3044. 3. 1. 3057. 4.30.	B	0	B	13	13	
3044. 3. 1. 3057. 4.30.	B	3	B	14	13	
	B	4	B	81	13	
	B	6	E	13	13	
	0	B		0	0	
3044. 3. 1. 3057. 4.30.	B	0	B	0	13	
2345. 3. 1. 2358. 4.30.				97th position to B Inheritance of Israel		81
3045. 3. 1. 3058. 4.30.				98th position to E 14th Jubile Year		13

16492 Bytes free.

(85th/98) position: 3035. 3. 1. 3048. 4.30. B Captivity of Israel 15  
 Forward relations for entry Captivity of Israel (15/120) are generated.  
 Optimize dates...

Captivity of Israel	D	Kind	S	from:	to:†	
3035. 3. 1. 3048. 4.30. B	0	B		15	15	
3034. 3. 1. 3049. 4.30. B	1	E		16	15	
3035. 3. 1. 3048. 4.30. B	3	B		14	15	
3034. 3. 1. 3049. 4.30. B	4	B		16	15	
	0	B		0	0	
3035. 3. 1. 3048. 4.30. B	0	B		0	15	
3035. 3. 1. 3048. 4.30.				99th position to E Hoshea		16

16492 Bytes free.

(86th/99) position: 3060.11. 1. 3068.12.29. E Hezekiah 14  
 Forward relations for entry Hezekiah (14/120) are generated.  
 Backward relations for entry Manasseh (12/120) are generated.  
 Backward relations for entry Isaiah (20/120) are generated.  
 Optimize dates...

Hezekiah	D	Kind	S	from:	to:†	
3060.11. 1. 3068.12.29. E	0	E		14	14	
3060. 3. 1. ≥	E	2	E	20	14	
3058. 3. 1. 3071. 4.30. E	6	B		14	14	
3060.11. 1. 3068.12.29. E	7	B		12	14	
≤ 3069. 4.30. E	7	E		20	14	
3060.11. 1. 3068.12.29. +	0	+		14	14	
	0	E		0	0	
3060.11. 1. 3068.12.29. E	0	E		0	14	
3060. 3. 1. 3068.12.29.				100th position to E Isaiah		20
3030.11. 1. 3040.12.29.				101st position to B Hezekiah		14
3060.11. 1. 3068.12.29.				102nd position to E Isaiah		20

16492 Bytes free.

(87th/102) position: 3047.11. 1. 3057.12.29. \* Manasseh 12  
 Forward relations for entry Manasseh (12/120) are generated.  
 Backward relations for entry Amon (11/120) are generated.  
 Optimize dates...

Manasseh	D	Kind	S	from:	to:†	
3047.11. 1. 3057.12.29. *	0	*		12	12	
3047.11. 1. 3057.12.29. *	9	B		12	12	
	0	*		0	0	
3047.11. 1. 3057.12.29. *	0	*		0	12	

16492 Bytes free.

(88th/102) position: 702.11.19. ≥ \* Noah 110  
 Forward relations for entry Noah (110/120) are generated.  
 Optimize dates...

Noah	D	Kind	S	from:	to:†	
702.11.19. ≥	*	0	*	110	110	
699. 1. 6. 717. 1. 7. *	3	*		111	110	
	*	5	+	110	110	
702.11.19. ≥	*	9	B	107	110	
	*	9	E	108	110	
	*	9	*	109	110	
	*	10	Ω	107	110	
	*	10	+	111	110	
	716Y	6D	0	*	0	0
702.11.19. 717. 1. 7. *	0	*		0	110	
702.11.19. 717. 1. 7.				103rd position to * Noah		110

648.11.19. 663. 1. 7. 104th position to \* Lamech 111  
 1651.11.19. 1668. 1. 7. 105th position to + Noah 110  
 1302. 1. 6. 1316. 2.24. 106th position to B Great Flood 107  
 1303. 1.15. 1317. 3. 4. 107th position to E Great Flood 108  
 1201.11.19. 1218. 1. 7. 108th position to \* Shem 109  
 1302.11.19. 1317. 1. 8. 109th position to Ω Great Flood 107  
 1301.11.19. 1318. 1. 7. 110th position to + Lamech 111

16492 Bytes free.

(89th/110) position: 1300. 1. 6. 1316. 1. 7. + Methuselah 112  
 Forward relations for entry Methuselah (112/120) are generated.  
 Backward relations for entry Great Flood (107/120) are generated.  
 Optimize dates...

Methuselah D Knd S from: to:|  
 1300. 1. 6. 1316. 1. 7. + 0 + 112 112||  
 1300. 1. 6. 1316. 1. 7. + 5 \* 112 112||  
 1300.11.19. 1317. 1. 7. + 4 \* 111 112||  
 ≤ 1316. 2.24. + 8 B 107 112||  
 10M13D 0 + 0 0||  
 1300.11.19. 1316. 1. 7. + 0 + 0 112||  
 1300.11.19. 1316. 1. 7. 111th position to + Methuselah 112

16492 Bytes free.

(90th/111) position: 648.11.19. 663. 1. 7. \* Lamech 111  
 Forward relations for entry Lamech (111/120) are generated.  
 Backward relations for entry Great Flood (107/120) are generated.  
 Optimize dates...

Lamech D Knd S from: to:|  
 648.11.19. 663. 1. 7. \* 0 \* 111 111||  
 647. 1. 6. 663. 1. 7. \* 3 \* 112 111||  
 647.11.19. 666. 1. 7. \* 5 + 111 111||  
 648.11.19. 665. 1. 7. \* 9 \* 110 111||  
 646.11.19. 664. 1. 7. \* 10 + 112 111||  
 0 \* 0 0||  
 648.11.19. 663. 1. 7. \* 0 \* 0 111||  
 1301.11.19. 1317. 1. 7. 112th position to + Lamech 111

16492 Bytes free.

(91st/112) position: 3120. 3.22. 3123.12.29. E Amon 11  
 Forward relations for entry Amon (11/120) are generated.  
 Backward relations for entry Josiah (10/120) are generated.  
 Optimize dates...

Amon D Knd S from: to:|  
 3120. 3.22. 3123.12.29. E 0 E 11 11||  
 3117.11. 1. 3125.12.29. E 5 B 11 11||  
 3120. 3.22. 3123.12.29. E 7 B 10 11||  
 3120. 3.22. 3123.12.29. + 0 + 11 11||  
 0 E 0 0||  
 3120. 3.22. 3123.12.29. E 0 E 0 11||  
 3117. 3.22. 3122.12.29. 113th position to B Amon 11

16492 Bytes free.

(92nd/113) position: 3111. 3.22. 3116.12.29. \* Josiah 10  
 Forward relations for entry Josiah (10/120) are generated.  
 Backward relations for entry Jehoahaz (Josiah) (8/120) are generated.  
 Optimize dates...

Josiah D Knd S from: to:|  
 3111. 3.22. 3116.12.29. \* 0 \* 10 10||



```

3111. 3.22. 3116.12.29. * 9 B      10      10||
                          0 *      0        0||
3111. 3.22. 3116.12.29. * 0 *      0        10||

```

16492 Bytes free.

```

(93rd/113) position: 3013. 3. 1. 3026. 4.30.  B Ahaz                18
Forward relations for entry Ahaz                (17/120) are generated.
Backward relations for entry Hezekiah           (14/120) are generated.
Forward relations for entry Ahaz                (18/120) are generated.
Optimize dates...

```

```

Ahaz          D Knd S      from:      to:|
3013. 3. 1. 3026. 4.30. B 0 B      17        17||
                          B 1 E      19        17||
                          B 4 *      17        17||
3013. 3. 1. 3028. 4.30. B 9 B      16        17||
3013. 3. 1. 3026. 4.30. B 5 E      18        18||
                          0 B      0         0||
3013. 3. 1. 3026. 4.30. B 0 B      0         17||
3013. 3. 1. 3026. 4.30. 114th position to E Jotham          19
2992. 3. 1. 3007. 4.30. 115th position to * Ahaz            17

```

16492 Bytes free.

```

(94th/115) position: 3026. 3. 1. 3039. 4.30.  E Pekah                21
Forward relations for entry Pekah                (21/120) are generated.
Backward relations for entry Hoshea              (16/120) are generated.
Optimize dates...

```

```

Pekah        D Knd S      from:      to:|
3026. 3. 1. 3039. 4.30. E 0 E      21        21||
                          E 5 B      21        21||
3026. 3. 1. 3039. 4.30. E 7 B      16        21||
3026. 3. 1. 3039. 4.30. + 0 +      21        21||
                          0 E      0         0||
3026. 3. 1. 3039. 4.30. E 0 E      0         21||
3005. 3. 1. 3020. 4.30. 116th position to B Pekah          21

```

16492 Bytes free.

```

(95th/116) position: 3035. 3. 1. 3048. 4.30.  E Hoshea                16
Forward relations for entry Hoshea              (16/120) are generated.
Backward relations for entry Captivity of Israel (15/120) are generated.
Optimize dates...

```

```

Hoshea       D Knd S      from:      to:|
3035. 3. 1. 3048. 4.30. E 0 E      16        16||
3034. 3. 1. 3049. 4.30. E 5 B      16        16||
3035. 3. 1. 3048. 4.30. E 7 B      15        16||
                          0 E      0         0||
3035. 3. 1. 3048. 4.30. E 0 E      0         16||

```

16492 Bytes free.

```

(96th/116) position: 3005. 3. 1. 3020. 4.30.  α Jotham                19
Forward relations for entry Jotham              (19/120) are generated.
Backward relations for entry Ahaz                (17/120) are generated.
Backward relations for entry Ahaz                (17/120) are generated.
Optimize dates...

```

```

Jotham       D Knd S      from:      to:|
3005. 3. 1. 3020. 4.30. α 0 α      19        19||
                          α 1 E      26        19||
3006. 3. 1. 3023. 4.30. α 3 B      21        19||
3005. 3. 1. 3020. 4.30. α 10 B     16        19||

```

1Y				0	α	0	0	0		
3006.	3.	1.	3020.	4.30.	α	0	α	0	19	
3006.	3.	1.	3020.	4.30.				117th position to α	Jotham	19
3006.	3.	1.	3020.	4.30.				118th position to E	Azariah = Uzziah	26
3005.	3.	1.	3019.	4.30.				119th position to B	Pekah	21

16492 Bytes free.

(97th/119) position: 2345. 3. 1. 2358. 4.30. B Inheritance of Israel 81  
 Forward relations for entry Inheritance of Israel (81/120) are generated.  
 Backward relations for entry Caleb (82/120) are generated.  
 Backward relations for entry Joshua (83/120) are generated.  
 Optimize dates...

Inheritance of Israel			D	Kn	S	from:	to:			
2345.	3.	1.	2358.	4.30.	B	0	B	81	81	
					B	3	B	85	81	
					B	4	*	82	81	
					B	7	+	82	81	
					B	8	+	83	81	
2345.	3.	1.	2358.	4.30.	B	10	B	13	81	
					0	B		0	0	
2345.	3.	1.	2358.	4.30.	B	0	B	0	81	
2299.	3.	1.	2314.	4.30.				120th position to B	Explorers of Canaan	85
2259.	3.	1.	2274.	4.30.				121st position to *	Caleb	82
2345.	3.	1.≥						122nd position to +	Caleb	82
2345.	3.	1.≥						123rd position to +	Joshua	83

16492 Bytes free.

(98th/123) position: 3045. 3. 1. 3058. 4.30. E 14th Jubile Year 13  
 Forward relations for entry 14th Jubile Year (13/120) are generated.  
 Optimize dates...

14th Jubile Year			D	Kn	S	from:	to:			
3045.	3.	1.	3058.	4.30.	E	0	E	13	13	
3045.	3.	1.	3058.	4.30.	E	6	B	13	13	
					0	E		0	0	
3045.	3.	1.	3058.	4.30.	E	0	E	0	13	

16492 Bytes free.

(99th/123) position: 3035. 3. 1. 3048. 4.30. E Hoshea 16  
 Forward relations for entry Hoshea (16/120) are generated.  
 Backward relations for entry Captivity of Israel (15/120) are generated.  
 Optimize dates...

Hoshea			D	Kn	S	from:	to:			
3035.	3.	1.	3048.	4.30.	E	0	E	16	16	
3034.	3.	1.	3049.	4.30.	E	5	B	16	16	
3035.	3.	1.	3048.	4.30.	E	7	B	15	16	
					0	E		0	0	
3035.	3.	1.	3048.	4.30.	E	0	E	0	16	

16492 Bytes free.

(100th/123) position: 3060.11. 1. 3068.12.29. E Isaiah 20  
 Forward relations for entry Isaiah (20/120) are generated.  
 Backward relations for entry Hezekiah (14/120) are generated.  
 Backward relations for entry Azariah = Uzziah (26/120) are generated.  
 Optimize dates...

Isaiah			D	Kn	S	from:	to:			
3060.11.	1.	1.	3068.12.29.		E	0	E	20	20	
3060.11.	1.≥				E	1	E	14	20	
	≤	3068.12.29.			E	8	E	14	20	

```

          0 E      0      0||
3060.11. 1. 3068.12.29. E 0 E      0      20||

```

16492 Bytes free.

(101st/123) position: 3030.11. 1. 3040.12.29. B Hezekiah 14

Forward relations for entry Hezekiah (14/120) are generated.

Backward relations for entry Manasseh (12/120) are generated.

Backward relations for entry Isaiah (20/120) are generated.

Optimize dates...

```

Hezekiah          D Knd S   from:   to:|
3030.11. 1. 3040.12.29. B 0 B     14     14||
3030. 3. 1. 3041. 4.30. B 1 E     17     14||
3028. 3. 1. 3043. 4.30. B 3 B     16     14||
3028. 3. 1. 3043. 4.30. B 4 *     14     14||
3030.11. 1. 3040.12.29. B 6 E     14     14||
3028. 3. 1. 3043. 4.30. B 9 B     13     14||
3028. 3. 1. 3043. 4.30. B 9 B     15     14||
          0 B      0      0||
3030.11. 1. 3040.12.29. B 0 B      0     14||
3030.11. 1. 3040.12.29. 124th position to E Ahaz 17
3026.11. 1. 3038.12.29. 125th position to B Hoshea 16
3004.11. 1. 3016.12.29. 126th position to * Hezekiah 14
3044.11. 1. 3056.12.29. 127th position to B 14th Jubile Year 13
3035.11. 1. 3047.12.29. 128th position to B Captivity of Israel 15

```

16492 Bytes free.

(102nd/128) position: 3060.11. 1. 3068.12.29. E Isaiah 20

Forward relations for entry Isaiah (20/120) are generated.

Backward relations for entry Hezekiah (14/120) are generated.

Backward relations for entry Azariah = Uzziah (26/120) are generated.

Optimize dates...

```

Isaiah          D Knd S   from:   to:|
3060.11. 1. 3068.12.29. E 0 E     20     20||
3060.11. 1. ≥          E 1 E     14     20||
          ≤ 3068.12.29. E 8 E     14     20||
          0 E      0      0||
3060.11. 1. 3068.12.29. E 0 E      0     20||

```

16492 Bytes free.

(103rd/128) position: 702.11.19. 717. 1. 7. \* Noah 110

Forward relations for entry Noah (110/120) are generated.

Optimize dates...

```

Noah          D Knd S   from:   to:|
702.11.19. 717. 1. 7. * 0 *     110    110||
700.11.19. 717. 1. 7. * 3 *     111    110||
700.11.19. 719. 1. 7. * 5 +     110    110||
702.11.19. 717. 1. 8. * 9 B     107    110||
702.11.18. 717. 1. 8. * 9 E     108    110||
700.11.19. 719. 1. 7. * 9 *     109    110||
702.11.18. 717. 1. 8. * 10 Ω    107    110||
700.11.19. 718. 1. 7. * 10 +     111    110||
          0 *      0      0||
702.11.19. 717. 1. 7. * 0 *      0     110||

```

16492 Bytes free.

(104th/128) position: 648.11.19. 663. 1. 7. \* Lamech 111

Forward relations for entry Lamech (111/120) are generated.

Backward relations for entry Great Flood (107/120) are generated.

Optimize dates...

Lamech		D	Kind	S	from:	to:†
648.11.19.	663. 1. 7. *	0	*		111	111
647. 1. 6.	663. 1. 7. *	3	*		112	111
647.11.19.	665. 1. 7. *	5	+		111	111
648.11.19.	665. 1. 7. *	9	*		110	111
646.11.19.	664. 1. 7. *	10	+		112	111
		0	*		0	0
648.11.19.	663. 1. 7. *	0	*		0	111

16492 Bytes free.

(105th/128) position: 1651.11.19. 1668. 1. 7. + Noah 110  
 Forward relations for entry Noah (110/120) are generated.

Optimize dates...

Noah		D	Kind	S	from:	to:†	
1651.11.19.	1668. 1. 7. +	0	+		110	110	
1651.11.19.	1668. 1. 7. +	5	*		110	110	
1652. 1.15.	1668. 3. 4. +	4	E		107	110	
1M26D		0	+		0	0	
1652. 1.15.	1668. 1. 7. +	0	+		0	110	
1652. 1.15.	1668. 1. 7.	129th position to + Noah				110	

16492 Bytes free.

(106th/129) position: 1302. 1. 6. 1316. 2.24. B Great Flood 107  
 Forward relations for entry Great Flood (107/120) are generated.  
 Forward relations for entry Great Flood (108/120) are generated.

Optimize dates...

Great Flood		D	Kind	S	from:	to:†	
1302. 1. 6.	1316. 2.24. B	0	B		107	107	
1301.11.19.≥		B	1	+	111	107	
1300.11.19.≥		B	2	+	112	107	
1302. 1. 5.	1316. 2.24. B	3	*		110	107	
1302. 1. 6.≥		B	1	+	114	108	
		0	B		0	0	
1302. 1. 6.	1316. 2.24. B	0	B		0	107	
1301.11.19.	1316. 2.24.	130th position to + Lamech				111	

16492 Bytes free.

(107th/130) position: 1303. 1.15. 1317. 3. 4. E Great Flood 108  
 Forward relations for entry Great Flood (107/120) are generated.  
 Forward relations for entry Great Flood (108/120) are generated.

Optimize dates...

Great Flood		D	Kind	S	from:	to:†	
1303. 1.15.	1317. 3. 4. E	0	E		107	107	
		E	9	*	105	107	
1301. 1.15.	1319. 1. 7. E	10	+		110	107	
1303. 1.15.	1317. 3. 4. E	3	*		110	108	
		0	E		0	0	
1303. 1.15.	1317. 3. 4. E	0	E		0	107	
1304. 1.15.	1320. 3. 4.	131st position to * Arphaxad				105	

16492 Bytes free.

(108th/131) position: 1201.11.19. 1218. 1. 7. \* Shem 109  
 Forward relations for entry Shem (109/120) are generated.

Optimize dates...

Shem		D	Kind	S	from:	to:†
1201.11.19.	1218. 1. 7. *	0	*		109	109
1201.11.19.	1218. 1. 7. *	3	*		110	109

```

1203. 1.15. 1221. 3. 4. * 10 *      105      109||
      1Y 1M26D                      0 *      0      0||
1203. 1.15. 1218. 1. 7. * 0 *      0      109||
1203. 1.15. 1218. 1. 7. 132nd position to * Shem      109
1304. 1.15. 1319. 1. 7. 133rd position to * Arphaxad    105

```

16492 Bytes free.

```

(109th/133) position: 1302.11.19. 1317. 1. 8.  Ω Great Flood      107
Forward relations for entry Great Flood      (107/120) are generated.
Forward relations for entry Great Flood      (108/120) are generated.

```

Optimize dates...

```

Great Flood          D Knd S   from:   to:|
1302.11.19. 1317. 1. 8. Ω 0 Ω   107    107||
1302.11.19. 1317. 1. 8. Ω 4 *   110    107||
                   0 Ω       0      0||
1302.11.19. 1317. 1. 8. Ω 0 Ω   0      107||

```

16492 Bytes free.

```

(110th/133) position: 1301.11.19. 1316. 2.24. + Lamech      111
Forward relations for entry Lamech           (111/120) are generated.
Backward relations for entry Great Flood     (107/120) are generated.

```

Optimize dates...

```

Lamech              D Knd S   from:   to:|
1301.11.19. 1316. 2.24. + 0 +   111    111||
1300.11.19. 1317. 1. 7. + 5 *   111    111||
1301.11.19. 1318. 1. 7. + 4 *   110    111||
      ≤ 1316. 2.24. + 7 B   107    111||
                   0 +       0      0||
1301.11.19. 1316. 2.24. + 0 +   0      111||

```

16492 Bytes free.

```

(111th/133) position: 1300.11.19. 1316. 1. 7. + Methuselah    112
Forward relations for entry Methuselah      (112/120) are generated.
Backward relations for entry Great Flood     (107/120) are generated.

```

Optimize dates...

```

Methuselah         D Knd S   from:   to:|
1300.11.19. 1316. 1. 7. + 0 +   112    112||
1300. 1. 6. 1316. 1. 7. + 5 *   112    112||
1300.11.19. 1317. 1. 7. + 4 *   111    112||
      ≤ 1316. 2.24. + 8 B   107    112||
                   0 +       0      0||
1300.11.19. 1316. 1. 7. + 0 +   0      112||

```

16492 Bytes free.

```

(112th/133) position: 1301.11.19. 1316. 2.24. + Lamech      111
Forward relations for entry Lamech           (111/120) are generated.
Backward relations for entry Great Flood     (107/120) are generated.

```

Optimize dates...

```

Lamech              D Knd S   from:   to:|
1301.11.19. 1316. 2.24. + 0 +   111    111||
1300.11.19. 1317. 1. 7. + 5 *   111    111||
1301.11.19. 1318. 1. 7. + 4 *   110    111||
      ≤ 1316. 2.24. + 7 B   107    111||
                   0 +       0      0||
1301.11.19. 1316. 2.24. + 0 +   0      111||

```

16492 Bytes free.

```

(113th/133) position: 3117. 3.22. 3122.12.29. B Amon      11

```

Forward relations for entry Amon (11/120) are generated.  
 Backward relations for entry Josiah (10/120) are generated.  
 Optimize dates...

Amon	D	Kind	S	from:	to:	
3117. 3.22. 3122.12.29.	B	0	B	11	11	
3116.11. 1. 3122.12.29.	B	1	E	12	11	
3114.11. 1. 3124.12.29.	B	3	*	11	11	
3117. 3.22. 3122.12.29.	B	5	E	11	11	
		0	B	0	0	
3117. 3.22. 3122.12.29.	B	0	B	0	11	
3117. 3.22. 3122.12.29.				134th position to	E Manasseh	12
3094. 3.22. 3101.12.29.				135th position to	* Amon	11

16492 Bytes free.

(114th/135) position: 3013. 3. 1. 3026. 4.30. E Jotham 19  
 Forward relations for entry Jotham (19/120) are generated.  
 Backward relations for entry Ahaz (17/120) are generated.  
 Backward relations for entry Ahaz (17/120) are generated.  
 Optimize dates...

Jotham	D	Kind	S	from:	to:	
3013. 3. 1. 3026. 4.30.	E	0	E	19	19	
		E	6	B	19	
3013. 3. 1. 3026. 4.30.	E	7	B	17	19	
		0	E	0	0	
3013. 3. 1. 3026. 4.30.	E	0	E	0	19	
2996. 3. 1. 3011. 4.30.				136th position to	B Jotham	19

16492 Bytes free.

(115th/136) position: 2992. 3. 1. 3007. 4.30. \* Ahaz 17  
 Forward relations for entry Ahaz (17/120) are generated.  
 Backward relations for entry Hezekiah (14/120) are generated.  
 Forward relations for entry Ahaz (18/120) are generated.  
 Optimize dates...

Ahaz	D	Kind	S	from:	to:	
2992. 3. 1. 3007. 4.30.	*	0	*	17	17	
2992. 3. 1. 3007. 4.30.	*	10	B	17	17	
		0	*	0	0	
2992. 3. 1. 3007. 4.30.	*	0	*	0	17	

16492 Bytes free.

(116th/136) position: 3005. 3. 1. 3019. 4.30. B Pekah 21  
 Forward relations for entry Pekah (21/120) are generated.  
 Backward relations for entry Hoshea (16/120) are generated.  
 Optimize dates...

Pekah	D	Kind	S	from:	to:	
3005. 3. 1. 3019. 4.30.	B	0	B	21	21	
		B	1	E	22	
		B	3	B	26	
3005. 3. 1. 3020. 4.30.	B	5	E	21	21	
		B	9	α	17	
3003. 3. 1. 3019. 4.30.	B	9	α	19	21	
		0	B	0	0	
3005. 3. 1. 3019. 4.30.	B	0	B	0	21	
3005. 3. 1. 3019. 4.30.				137th position to	E Pekahiah	22
2952. 3. 1. 2968. 4.30.				138th position to	B Azariah = Uzziah	26
3021. 3. 1. 3037. 4.30.				139th position to	α Ahaz	17

16492 Bytes free.

(117th/139) position: 3006. 3. 1. 3020. 4.30. α Jotham 19

Forward relations for entry Jotham (19/120) are generated.

Backward relations for entry Ahaz (17/120) are generated.

Backward relations for entry Ahaz (17/120) are generated.

Optimize dates...

Jotham	D	Kind	S	from:	to:†	
3006. 3. 1. 3020. 4.30.	α	0	α	19	19	
3006. 3. 1. 3020. 4.30.	α	1	E	26	19	
3006. 3. 1. 3022. 4.30.	α	3	B	21	19	
3005.11. 1. 3019.12.29.	α	10	B	16	19	
	4M 1D	0	α	0	0	
3006. 3. 1. 3019.12.29.	α	0	α	0	19	
3006. 3. 1. 3019.12.29.				140th position to α Jotham		19
3006. 3. 1. 3019.12.29.				141st position to E Azariah = Uzziah		26
3005. 3. 1. 3018.12.29.				142nd position to B Pekah		21

16492 Bytes free.

(118th/142) position: 3006. 3. 1. 3019.12.29. E Azariah = Uzziah 26

Forward relations for entry Azariah = Uzziah (26/120) are generated.

Backward relations for entry Jotham (19/120) are generated.

Optimize dates...

Azariah = Uzziah	D	Kind	S	from:	to:†	
3006. 3. 1. 3019.12.29.	E	0	E	26	26	
3003. 3. 1. 3021. 4.30.	E	6	B	26	26	
3006. 3. 1. 3019.12.29.	E	7	α	19	26	
3006. 3. 1. 3019.12.29.	+	0	+	26	26	
		2	B	20	26	
		0	E	0	0	
3006. 3. 1. 3019.12.29.	E	0	E	0	26	
2953. 3. 1. 2968. 4.30.				143rd position to B Azariah = Uzziah		26
	≤			3019.12.29. 144th position to B Isaiah		20

16492 Bytes free.

(119th/144) position: 3005. 3. 1. 3018.12.29. B Pekah 21

Forward relations for entry Pekah (21/120) are generated.

Backward relations for entry Hoshea (16/120) are generated.

Optimize dates...

Pekah	D	Kind	S	from:	to:†	
3005. 3. 1. 3018.12.29.	B	0	B	21	21	
3005. 3. 1. 3019. 4.30.	B	1	E	22	21	
3004. 3. 1. 3021. 4.30.	B	3	B	26	21	
3005. 3. 1. 3020. 4.30.	B	5	E	21	21	
3003. 3. 1. 3021. 4.30.	B	9	α	17	21	
3003. 3. 1. 3018.12.29.	B	9	α	19	21	
		0	B	0	0	
3005. 3. 1. 3018.12.29.	B	0	B	0	21	
3005. 3. 1. 3018.12.29.				145th position to E Pekahiah		22
2953. 3. 1. 2967.12.29.				146th position to B Azariah = Uzziah		26
3021. 3. 1. 3036.12.29.				147th position to α Ahaz		17

16492 Bytes free.

(120th/147) position: 2299. 3. 1. 2314. 4.30. B Explorers of Canaan 85

Forward relations for entry Explorers of Canaan (85/120) are generated.

Optimize dates...

Explorers of Canaan	D	Kind	S	from:	to:†	
2299. 3. 1. 2314. 4.30.	B	0	B	85	85	
		3	E	89	85	
		5	E	85	85	

```

2298. 3. 1. 2315. 4.30. B 4 *      82      85||
2299. 3. 1. 2314. 4.30. B 9 B      81      85||
                        B 9 B      84      85||
                        0 B       0       0||
2299. 3. 1. 2314. 4.30. B 0 B       0      85||
2297. 3. 1. 2313. 4.30. 148th position to E Israel in Egypt      89
2299. 4.11. 2314. 6.10. 149th position to E Explorers of Canaan 85
2336. 3. 1. 2353. 4.30. 150th position to B Moses' Speech      84
    
```

16492 Bytes free.

(121st/150) position: 2259. 3. 1. 2274. 4.30. \* Caleb 82  
 Forward relations for entry Caleb (82/120) are generated.

Optimize dates...

```

Caleb          D Knd S   from:   to:|
2259. 3. 1. 2274. 4.30. * 0 *     82    82||
2259. 3. 1. 2274. 4.30. * 10 B    81    82||
2258. 3. 1. 2275. 4.30. * 10 B    85    82||
                        0 *       0     0||
2259. 3. 1. 2274. 4.30. * 0 *       0     82||
    
```

16492 Bytes free.

(122nd/150) position: 2345. 3. 1.> + Caleb 82  
 Forward relations for entry Caleb (82/120) are generated.

Optimize dates...

```

Caleb          D Knd S   from:   to:|
2345. 3. 1.>      + 0 +     82    82||
2345. 3. 1.>      + 1 B     81    82||
                        0 +       0     0||
2345. 3. 1.>      + 0 +       0     82||
    
```

16492 Bytes free.

(123rd/150) position: 2345. 3. 1.> + Joshua 83  
 Forward relations for entry Joshua (83/120) are generated.  
 Backward relations for entry Chushanrishathaim (80/120) are generated.

Optimize dates...

```

Joshua         D Knd S   from:   to:|
2345. 3. 1.>      E 0 E     83    83||
                        E 7 B     80    83||
2345. 3. 1.>      + 0 +     83    83||
2345. 3. 1.>      + 2 B     81    83||
                        + 5 *     83    83||
                        0 E       0     0||
2345. 3. 1.>      E 0 E       0     83||
2345. 3. 1.>      151st position to B Chushanrishathaim 80
2234. 3. 1.>      152nd position to * Joshua      83
    
```

16492 Bytes free.

(124th/152) position: 3030.11. 1. 3040.12.29. E Ahaz 17  
 Forward relations for entry Ahaz (17/120) are generated.  
 Backward relations for entry Hezekiah (14/120) are generated.  
 Forward relations for entry Ahaz (18/120) are generated.

Optimize dates...

```

Ahaz           D Knd S   from:   to:|
3030.11. 1. 3040.12.29. Ω 0 Ω     17    17||
3030.11. 1. 3040.12.29. E 0 E     17    17||
3030.11. 1. 3040.12.29. E 7 B     14    17||
3028. 3. 1. 3043. 4.30. E 5 B     18    18||
3030.11. 1. 3040.12.29. + 0 +     17    17||
    
```



0 Ω 0 0||  
 3030.11. 1. 3040.12.29. Ω 0 Ω 0 17||  
 3013.11. 1. 3025.12.29. 153rd position to B Ahaz 18

16492 Bytes free.

(125th/153) position: 3026.11. 1. 3038.12.29. B Hoshea 16

Forward relations for entry Hoshea (16/120) are generated.

Backward relations for entry Captivity of Israel (15/120) are generated.

Optimize dates...

Hoshea	D	Kind	S	from:	to:	
3026.11. 1.	3038.12.29.	B	0 B	16	16	
3026. 3. 1.	3039. 4.30.	B	1 E	21	16	
3024.11. 1.	3038.12.29.	B	3 B	17	16	
3025. 3. 1.	3040. 4.30.	B	5 E	16	16	
3025. 3. 1.	3040.12.29.	B	4 α	19	16	
3026.11. 1.	3038.12.29.	B	9 B	14	16	
3025.11. 1.	3039.12.29.	B	10 B	15	16	
			0 B	0	0	
3026.11. 1.	3038.12.29.	B	0 B	0	16	
3026.11. 1.	3038.12.29.			154th position to E Pekah		21

16492 Bytes free.

(126th/154) position: 3004.11. 1. 3016.12.29. \* Hezekiah 14

Forward relations for entry Hezekiah (14/120) are generated.

Backward relations for entry Manasseh (12/120) are generated.

Backward relations for entry Isaiah (20/120) are generated.

Optimize dates...

Hezekiah	D	Kind	S	from:	to:
3004.11. 1.	3016.12.29.	*	0 *	14	14
3004.11. 1.	3016.12.29.	*	10 B	14	14
			0 *	0	0
3004.11. 1.	3016.12.29.	*	0 *	0	14

16492 Bytes free.

(127th/154) position: 3044.11. 1. 3056.12.29. B 14th Jubile Year 13

Forward relations for entry 14th Jubile Year (13/120) are generated.

Optimize dates...

14th Jubile Year	D	Kind	S	from:	to:	
3044.11. 1.	3056.12.29.	B	0 B	13	13	
3044.11. 1.	3056.12.29.	B	3 B	14	13	
3044. 3. 1.	3057. 4.30.	B	4 B	81	13	
3044. 3. 1.	3057. 4.30.	B	6 E	13	13	
			0 B	0	0	
3044.11. 1.	3056.12.29.	B	0 B	0	13	
2345.11. 1.	2357.12.29.			155th position to B Inheritance of Israel		81
3045.11. 1.	3057.12.29.			156th position to E 14th Jubile Year		13

16492 Bytes free.

(128th/156) position: 3035.11. 1. 3047.12.29. B Captivity of Israel 15

Forward relations for entry Captivity of Israel (15/120) are generated.

Optimize dates...

Captivity of Israel	D	Kind	S	from:	to:
3035.11. 1.	3047.12.29.	B	0 B	15	15
3035. 3. 1.	3048. 4.30.	B	1 E	16	15
3035.11. 1.	3047.12.29.	B	3 B	14	15
3034.11. 1.	3048.12.29.	B	4 B	16	15
			0 B	0	0
3035.11. 1.	3047.12.29.	B	0 B	0	15

3035.11. 1. 3047.12.29. 157th position to E Hoshea 16

16492 Bytes free.

(129th/157) position: 1652. 1.15. 1668. 1. 7. + Noah 110

Forward relations for entry Noah (110/120) are generated.

Optimize dates...

Noah		D	Kind	S	from:	to:
1652. 1.15.	1668. 1. 7.	+	0	+	110	110
1651.11.19.	1668. 1. 7.	+	5	*	110	110
1652. 1.15.	1668. 3. 4.	+	4	E	107	110
			0	+	0	0
1652. 1.15.	1668. 1. 7.	+	0	+	0	110

16492 Bytes free.

(130th/157) position: 1301.11.19. 1316. 2.24. + Lamech 111

Forward relations for entry Lamech (111/120) are generated.

Backward relations for entry Great Flood (107/120) are generated.

Optimize dates...

Lamech		D	Kind	S	from:	to:
1301.11.19.	1316. 2.24.	+	0	+	111	111
1300.11.19.	1317. 1. 7.	+	5	*	111	111
1301.11.19.	1318. 1. 7.	+	4	*	110	111
	≤ 1316. 2.24.	+	7	B	107	111
			0	+	0	0
1301.11.19.	1316. 2.24.	+	0	+	0	111

16492 Bytes free.

(131st/157) position: 1304. 1.15. 1319. 1. 7. \* Arphaxad 105

Forward relations for entry Arphaxad (105/120) are generated.

Forward relations for entry Arphaxad (106/120) are generated.

Optimize dates...

Arphaxad		D	Kind	S	from:	to:
1304. 1.15.	1319. 1. 7.	*	0	*	105	105
1304. 1.15.	1320. 3. 4.	*	3	E	107	105
1302. 1.15.	1319. 1. 7.	*	4	*	109	105
			*	9	104	105
			*	10	109	105
			0	*	0	0
1304. 1.15.	1319. 1. 7.	*	0	*	0	105
1338. 1.15.	1355. 1. 7.				158th position to * Salah	104
1803. 1.15.	1820. 1. 7.				159th position to + Shem	109

16492 Bytes free.

(132nd/159) position: 1203. 1.15. 1218. 1. 7. \* Shem 109

Forward relations for entry Shem (109/120) are generated.

Optimize dates...

Shem		D	Kind	S	from:	to:
1203. 1.15.	1218. 1. 7.	*	0	*	109	109
1201.11.19.	1218. 1. 7.	*	3	*	110	109
1203. 1.15.	1220. 1. 7.	*	10	*	105	109
			0	*	0	0
1203. 1.15.	1218. 1. 7.	*	0	*	0	109

16492 Bytes free.

(133rd/159) position: 1304. 1.15. 1319. 1. 7. \* Arphaxad 105

Forward relations for entry Arphaxad (105/120) are generated.

Forward relations for entry Arphaxad (106/120) are generated.

Optimize dates...

Arphaxad	D	Kn	S	from:	to:†
1304. 1.15. 1319. 1. 7. * 0 *				105	105
1304. 1.15. 1320. 3. 4. * 3 E				107	105
1302. 1.15. 1319. 1. 7. * 4 *				109	105
1302. 1.15. 1321. 1. 7. * 9 *				104	105
1302. 1.15. 1321. 1. 7. * 10 +				109	105
				0 *	0
1304. 1.15. 1319. 1. 7. * 0 *				0	105

16492 Bytes free.

(134th/159) position: 3117. 3.22. 3122.12.29. E Manasseh 12

Forward relations for entry Manasseh (12/120) are generated.

Backward relations for entry Amon (11/120) are generated.

Optimize dates...

Manasseh	D	Kn	S	from:	to:†
3117. 3.22. 3122.12.29. E 0 E				12	12
3114.11. 1. 3124.12.29. E 5 B				12	12
3117. 3.22. 3122.12.29. E 7 B				11	12
3117. 3.22. 3122.12.29. + 0 +				12	12
				0 E	0
3117. 3.22. 3122.12.29. E 0 E				0	12
3061. 3.22. 3068.12.29. 160th position to B Manasseh					12

16492 Bytes free.

(135th/160) position: 3094. 3.22. 3101.12.29. \* Amon 11

Forward relations for entry Amon (11/120) are generated.

Backward relations for entry Josiah (10/120) are generated.

Optimize dates...

Amon	D	Kn	S	from:	to:†
3094. 3.22. 3101.12.29. * 0 *				11	11
3094. 3.22. 3101.12.29. * 9 B				11	11
				0 *	0
3094. 3.22. 3101.12.29. * 0 *				0	11

16492 Bytes free.

(136th/160) position: 2996. 3. 1. 3011. 4.30. B Jotham 19

Forward relations for entry Jotham (19/120) are generated.

Backward relations for entry Ahaz (17/120) are generated.

Backward relations for entry Ahaz (17/120) are generated.

Optimize dates...

Jotham	D	Kn	S	from:	to:†
2996. 3. 1. 3011. 4.30. B 0 B				19	19
				B 4 *	19
2996. 3. 1. 3011. 4.30. B 6 E				19	19
				0 B	0
2996. 3. 1. 3011. 4.30. B 0 B				0	19
2970. 3. 1. 2987. 4.30. 161st position to * Jotham					19

16492 Bytes free.

(137th/161) position: 3005. 3. 1. 3018.12.29. E Pekahiah 22

Forward relations for entry Pekahiah (22/120) are generated.

Backward relations for entry Pekah (21/120) are generated.

Optimize dates...

Pekahiah	D	Kn	S	from:	to:†
3005. 3. 1. 3018.12.29. E 0 E				22	22
				E 5 B	22
3005. 3. 1. 3018.12.29. E 7 B				21	22
3005. 3. 1. 3018.12.29. + 0 +				22	22

```

0 E      0      0||
3005. 3. 1. 3018.12.29. E 0 E      0      22||
3002. 3. 1. 3017.12.29. 162nd position to B Pekahiah      22
    
```

16492 Bytes free.

(138th/162) position: 2953. 3. 1. 2967.12.29. B Azariah = Uzziah 26

Forward relations for entry Azariah = Uzziah (26/120) are generated.

Backward relations for entry Jotham (19/120) are generated.

Optimize dates...

```

Azariah = Uzziah      D Knd S      from:      to:|
2953. 3. 1. 2967.12.29. B 0 B      26      26||
                        B 1 Ω      28      26||
                        B 3 *      27      26||
                        B 4 *      26      26||
2953. 3. 1. 2968.12.29. B 6 E      26      26||
2952. 3. 1. 2967.12.29. B 9 B      21      26||
2951. 3. 1. 2968.12.29. B 9 B      22      26||
                        B 9 B      23      26||
                        B 9 B      24      26||
                        B 9 B      25      26||
                        0 B      0      0||
2953. 3. 1. 2967.12.29. B 0 B      0      26||
2953. 3. 1. 2967.12.29. 163rd position to Ω Amaziah      28
2925. 3. 1. 2941.12.29. 164th position to * Jeroboam (Joash)      27
2936. 3. 1. 2952.12.29. 165th position to * Azariah = Uzziah      26
2991. 3. 1. 3007.12.29. 166th position to B Menahem      23
2991. 3. 1. 3007.12.29. 167th position to B Shallum      24
2990. 3. 1. 3006.12.29. 168th position to B Zachariah      25
    
```

16492 Bytes free.

(139th/168) position: 3021. 3. 1. 3036.12.29. α Ahaz 17

Forward relations for entry Ahaz (17/120) are generated.

Backward relations for entry Hezekiah (14/120) are generated.

Forward relations for entry Ahaz (18/120) are generated.

Optimize dates...

```

Ahaz      D Knd S      from:      to:|
3021. 3. 1. 3036.12.29. α 0 α      17      17||
                        α 2 Ω      19      17||
3021. 3. 1. 3036.12.29. α 3 B      21      17||
                        0 α      0      0||
3021. 3. 1. 3036.12.29. α 0 α      0      17||
3021. 3. 1. 3036.12.29. 169th position to Ω Jotham      19
    
```

16492 Bytes free.

(140th/169) position: 3006. 3. 1. 3019.12.29. α Jotham 19

Forward relations for entry Jotham (19/120) are generated.

Backward relations for entry Ahaz (17/120) are generated.

Backward relations for entry Ahaz (17/120) are generated.

Optimize dates...

```

Jotham      D Knd S      from:      to:|
3006. 3. 1. 3019.12.29. α 0 α      19      19||
3006. 3. 1. 3019.12.29. α 1 E      26      19||
3006. 3. 1. 3021.12.29. α 3 B      21      19||
3005.11. 1. 3019.12.29. α 10 B      16      19||
                        0 α      0      0||
3006. 3. 1. 3019.12.29. α 0 α      0      19||
    
```

16492 Bytes free.

(141st/169) position: 3006. 3. 1. 3019.12.29. E Azariah = Uzziah 26  
 Forward relations for entry Azariah = Uzziah (26/120) are generated.  
 Backward relations for entry Jotham (19/120) are generated.  
 Optimize dates...

Azariah = Uzziah	D	Kind	S	from:	to:
3006. 3. 1. 3019.12.29. E	0	E		26	26
3004. 3. 1. 3020.12.29. E	6	B		26	26
3006. 3. 1. 3019.12.29. E	7	α		19	26
3006. 3. 1. 3019.12.29. +	0	+		26	26
	+	2	B	20	26
		0	E	0	0
3006. 3. 1. 3019.12.29. E	0	E		0	26

16492 Bytes free.

(142nd/169) position: 3005. 3. 1. 3018.12.29. B Pekah 21  
 Forward relations for entry Pekah (21/120) are generated.  
 Backward relations for entry Hoshea (16/120) are generated.  
 Optimize dates...

Pekah	D	Kind	S	from:	to:
3005. 3. 1. 3018.12.29. B	0	B		21	21
3005. 3. 1. 3018.12.29. B	1	E		22	21
3004. 3. 1. 3020.12.29. B	3	B		26	21
3005.11. 1. 3019.12.29. B	5	E		21	21
3003. 3. 1. 3020.12.29. B	9	α		17	21
3003. 3. 1. 3018.12.29. B	9	α		19	21
8M		0	B	0	0
3005.11. 1. 3018.12.29. B	0	B		0	21
3005.11. 1. 3018.12.29.				170th position to B Pekah	21
3005.11. 1. 3018.12.29.				171st position to E Pekahiah	22
3021.11. 1. 3036.12.29.				172nd position to α Ahaz	17
3006.11. 1. 3019.12.29.				173rd position to α Jotham	19

16492 Bytes free.

(143rd/173) position: 2953. 3. 1. 2967.12.29. B Azariah = Uzziah 26  
 Forward relations for entry Azariah = Uzziah (26/120) are generated.  
 Backward relations for entry Jotham (19/120) are generated.  
 Optimize dates...

Azariah = Uzziah	D	Kind	S	from:	to:
2953. 3. 1. 2967.12.29. B	0	B		26	26
2953. 3. 1. 2967.12.29. B	1	Ω		28	26
2951. 3. 1. 2969.12.29. B	3	*		27	26
2951. 3. 1. 2969.12.29. B	4	*		26	26
2953. 3. 1. 2968.12.29. B	6	E		26	26
2952.11. 1. 2967.12.29. B	9	B		21	26
2951. 3. 1. 2968.12.29. B	9	B		22	26
2951. 3. 1. 2969.12.29. B	9	B		23	26
2951. 3. 1. 2969.12.29. B	9	B		24	26
2951. 3. 1. 2969.12.29. B	9	B		25	26
		0	B	0	0
2953. 3. 1. 2967.12.29. B	0	B		0	26

16492 Bytes free.

(144th/173) position: ≤ 3019.12.29. B Isaiah 20  
 Forward relations for entry Isaiah (20/120) are generated.  
 Backward relations for entry Hezekiah (14/120) are generated.  
 Backward relations for entry Azariah = Uzziah (26/120) are generated.  
 Optimize dates...

Isaiah	D	Kind	S	from:	to:
--------	---	------	---	-------	-----

≤ 3019.12.29.	B	0 B	20	20	
≤ 3019.12.29.	B	8 +	26	20	
		0 B	0	0	
≤ 3019.12.29.	B	0 B	0	20	

16492 Bytes free.

(145th/173) position: 3005.11. 1. 3018.12.29. E Pekahiah 22

Forward relations for entry Pekahiah (22/120) are generated.

Backward relations for entry Pekah (21/120) are generated.

Optimize dates...

Pekahiah	D	Kind	S	from:	to:	
3005.11. 1.	3018.12.29.	E	0 E	22	22	
3003. 3. 1.	3020.12.29.	E	5 B	22	22	
3005.11. 1.	3018.12.29.	E	7 B	21	22	
3005.11. 1.	3018.12.29.	+	0 +	22	22	
			0 E	0	0	
3005.11. 1.	3018.12.29.	E	0 E	0	22	
3002.11. 1.	3017.12.29.		174th position to B Pekahiah		22	

16492 Bytes free.

(146th/174) position: 2953. 3. 1. 2967.12.29. B Azariah = Uzziah 26

Forward relations for entry Azariah = Uzziah (26/120) are generated.

Backward relations for entry Jotham (19/120) are generated.

Optimize dates...

Azariah = Uzziah	D	Kind	S	from:	to:	
2953. 3. 1.	2967.12.29.	B	0 B	26	26	
2953. 3. 1.	2967.12.29.	B	1 Ω	28	26	
2951. 3. 1.	2969.12.29.	B	3 *	27	26	
2951. 3. 1.	2969.12.29.	B	4 *	26	26	
2953. 3. 1.	2968.12.29.	B	6 E	26	26	
2952.11. 1.	2967.12.29.	B	9 B	21	26	
2951.11. 1.	2968.12.29.	B	9 B	22	26	
2951. 3. 1.	2969.12.29.	B	9 B	23	26	
2951. 3. 1.	2969.12.29.	B	9 B	24	26	
2951. 3. 1.	2969.12.29.	B	9 B	25	26	
			0 B	0	0	
2953. 3. 1.	2967.12.29.	B	0 B	0	26	

16492 Bytes free.

(147th/174) position: 3021.11. 1. 3036.12.29. α Ahaz 17

Forward relations for entry Ahaz (17/120) are generated.

Backward relations for entry Hezekiah (14/120) are generated.

Forward relations for entry Ahaz (18/120) are generated.

Optimize dates...

Ahaz	D	Kind	S	from:	to:	
3021.11. 1.	3036.12.29.	α	0 α	17	17	
3021. 3. 1.	3036.12.29.	α	2 Ω	19	17	
3021.11. 1.	3036.12.29.	α	3 B	21	17	
			0 α	0	0	
3021.11. 1.	3036.12.29.	α	0 α	0	17	
3021.11. 1.	3036.12.29.		175th position to Ω Jotham		19	

16492 Bytes free.

(148th/175) position: 2297. 3. 1. 2313. 4.30. E Israel in Egypt 89

Forward relations for entry Israel in Egypt (89/120) are generated.

Optimize dates...

Israel in Egypt	D	Kind	S	from:	to:	
2297. 3. 1.	2313. 4.30.	E	0 E	89	89	

			E 1 B	86	89	
			E 2 B	87	89	
			E 6 B	89	89	
2297.	3. 1.	2313. 4.30.	E 9 B	85	89	
			E 9 +	88	89	
			E 10 B	55	89	
			E 10 E	56	89	
2296.	4.30.	2313. 6.30.	E 10 B	84	89	
			0 E	0	0	
2297.	3. 1.	2313. 4.30.	E 0 E	0	89	
	≤	2313. 4.30.	176th position to	B Moses	86	
	≤	2313. 4.30.	177th position to	B Aaron	87	
1866.	3. 1.	1884. 4.30.	178th position to	B Israel in Egypt	89	
2336.	7. 1.	2352. 9. 1.	179th position to	+ Aaron	88	
2776.	4. 1.	2792. 6.30.	180th position to	B Building the Temple	55	
2783.10.	1. 1.	2799.12.30.	181st position to	E Building the Temple	56	
2337.	1. 1.	2353. 3. 1.	182nd position to	B Moses' Speech	84	

16492 Bytes free.

(149th/182) position: 2299. 4.11. 2314. 6.10. E Explorers of Canaan 85

Forward relations for entry Explorers of Canaan (85/120) are generated.

Optimize dates...

Explorers of Canaan	D	Kind	S	from:	to:
2299. 4.11. 2314. 6.10.	E	0	E	85	85
2299. 4.11. 2314. 6.10.	E	5	B	85	85
		0	E	0	0
2299. 4.11. 2314. 6.10.	E	0	E	0	85

16492 Bytes free.

(150th/182) position: 2337. 1. 1. 2353. 3. 1. B Moses' Speech 84

Forward relations for entry Moses' Speech (84/120) are generated.

Backward relations for entry Moses (86/120) are generated.

Optimize dates...

Moses' Speech	D	Kind	S	from:	to:
2337. 1. 1. 2353. 3. 1.	B	0	B	84	84
2336. 3. 1. 2353. 4.30.	B	3	B	85	84
2337. 1. 1. 2353. 3. 1.	B	4	E	89	84
	B	7	E	86	84
	B	9	B	68	84
		0	B	0	0
2337. 1. 1. 2353. 3. 1.	B	0	B	0	84
2337. 1. 1. 2353. 3. 1.				183rd position to	E Moses 86
2636. 1. 1. 2654. 3. 1.				184th position to	B Jephthah 68

16492 Bytes free.

(151st/184) position: 2345. 3. 1.≥ B Chushanrishathaim 80

Forward relations for entry Chushanrishathaim (80/120) are generated.

Backward relations for entry Othniel (79/120) are generated.

Optimize dates...

Chushanrishathaim	D	Kind	S	from:	to:
2345. 3. 1.≥	B	0	B	80	80
2345. 3. 1.≥	B	1	E	83	80
	B	5	E	80	80
		0	B	0	0
2345. 3. 1.≥	B	0	B	0	80
2352. 3. 1.≥				185th position to	E Chushanrishathaim 80

16492 Bytes free.

(152nd/185) position: 2234. 3. 1.≥ \* Joshua 83  
 Forward relations for entry Joshua (83/120) are generated.  
 Backward relations for entry Chushanrishathaim (80/120) are generated.  
 Optimize dates...

Joshua	D	Kind	S	from:	to:†
2234. 3. 1.≥	*	0	*	83	83
2234. 3. 1.≥	*	5	+	83	83
		0	*	0	0
2234. 3. 1.≥	*	0	*	0	83

16492 Bytes free.

(153rd/185) position: 3013.11. 1. 3025.12.29. B Ahaz 18  
 Forward relations for entry Ahaz (17/120) are generated.  
 Backward relations for entry Hezekiah (14/120) are generated.  
 Forward relations for entry Ahaz (18/120) are generated.  
 Optimize dates...

Ahaz	D	Kind	S	from:	to:†	
3013.11. 1. 3025.12.29.	B	0	B	17	17	
3013. 3. 1. 3026. 4.30.	B	1	E	19	17	
3011. 3. 1. 3028. 4.30.	B	4	*	17	17	
3013.11. 1. 3027.12.29.	B	9	B	16	17	
3013.11. 1. 3025.12.29.	B	5	E	18	18	
		0	B	0	0	
3013.11. 1. 3025.12.29.	B	0	B	0	17	
3013.11. 1. 3025.12.29.				186th position to	E Jotham	19
2992.11. 1. 3006.12.29.				187th position to	* Ahaz	17

16492 Bytes free.

(154th/187) position: 3026.11. 1. 3038.12.29. E Pekah 21  
 Forward relations for entry Pekah (21/120) are generated.  
 Backward relations for entry Hoshea (16/120) are generated.  
 Optimize dates...

Pekah	D	Kind	S	from:	to:†
3026.11. 1. 3038.12.29.	E	0	E	21	21
3024.11. 1. 3039.12.29.	E	5	B	21	21
3026.11. 1. 3038.12.29.	E	7	B	16	21
3026.11. 1. 3038.12.29.	+	0	+	21	21
		0	E	0	0
3026.11. 1. 3038.12.29.	E	0	E	0	21

16492 Bytes free.

(155th/187) position: 2345.11. 1. 2357.12.29. B Inheritance of Israel 81  
 Forward relations for entry Inheritance of Israel (81/120) are generated.  
 Backward relations for entry Caleb (82/120) are generated.  
 Backward relations for entry Joshua (83/120) are generated.  
 Optimize dates...

Inheritance of Israel	D	Kind	S	from:	to:†	
2345.11. 1. 2357.12.29.	B	0	B	81	81	
2343. 3. 1. 2360. 4.30.	B	3	B	85	81	
2343. 3. 1. 2360. 4.30.	B	4	*	82	81	
		B	7	+	82	81
		B	8	+	83	81
2345.11. 1. 2357.12.29.	B	10	B	13	81	
		0	B	0	0	
2345.11. 1. 2357.12.29.	B	0	B	0	81	
2299.11. 1. 2313.12.29.				188th position to	B Explorers of Canaan	85
2259.11. 1. 2273.12.29.				189th position to	* Caleb	82
2345.11. 1.≥				190th position to	+ Caleb	82



2345.11. 1.≥ 191st position to + Joshua 83

16492 Bytes free.

(156th/191) position: 3045.11. 1. 3057.12.29. E 14th Jubile Year 13

Forward relations for entry 14th Jubile Year (13/120) are generated.

Optimize dates...

14th Jubile Year	D	Kind	S	from:	to:†
3045.11. 1.	3057.12.29.	E	0 E	13	13
3045.11. 1.	3057.12.29.	E	6 B	13	13
			0 E	0	0
3045.11. 1.	3057.12.29.	E	0 E	0	13

16492 Bytes free.

(157th/191) position: 3035.11. 1. 3047.12.29. E Hoshea 16

Forward relations for entry Hoshea (16/120) are generated.

Backward relations for entry Captivity of Israel (15/120) are generated.

Optimize dates...

Hoshea	D	Kind	S	from:	to:†
3035.11. 1.	3047.12.29.	E	0 E	16	16
3034.11. 1.	3048.12.29.	E	5 B	16	16
3035.11. 1.	3047.12.29.	E	7 B	15	16
			0 E	0	0
3035.11. 1.	3047.12.29.	E	0 E	0	16

16492 Bytes free.

(158th/191) position: 1338. 1.15. 1355. 1. 7. \* Salah 104

Forward relations for entry Salah (104/120) are generated.

Optimize dates...

Salah	D	Kind	S	from:	to:†
1338. 1.15.	1355. 1. 7.	*	0 *	104	104
1338. 1.15.	1355. 1. 7.	*	3 *	105	104
			* 9 *	103	104
			* 9 +	106	104
			0 *	0	0
1338. 1.15.	1355. 1. 7.	*	0 *	0	104
1367. 1.15.	1386. 1. 7.			192nd position to * Eber	103
1740. 1.15.	1759. 1. 7.			193rd position to + Arphaxad	106

16492 Bytes free.

(159th/193) position: 1803. 1.15. 1820. 1. 7. + Shem 109

Forward relations for entry Shem (109/120) are generated.

Optimize dates...

Shem	D	Kind	S	from:	to:†
1803. 1.15.	1820. 1. 7.	+	0 +	109	109
1803. 1.15.	1820. 1. 7.	+	4 *	105	109
			0 +	0	0
1803. 1.15.	1820. 1. 7.	+	0 +	0	109

16492 Bytes free.

(160th/193) position: 3061. 3.22. 3068.12.29. B Manasseh 12

Forward relations for entry Manasseh (12/120) are generated.

Backward relations for entry Amon (11/120) are generated.

Optimize dates...

Manasseh	D	Kind	S	from:	to:†
3061. 3.22.	3068.12.29.	B	0 B	12	12
3060.11. 1.	3068.12.29.	B	1 E	14	12
3058.11. 1.	3070.12.29.	B	3 *	12	12
3061. 3.22.	3068.12.29.	B	5 E	12	12

```

          0 B      0      0||
3061. 3.22. 3068.12.29. B 0 B      0      12||
3061. 3.22. 3068.12.29. 194th position to E Hezekiah      14
3048. 3.22. 3057.12.29. 195th position to * Manasseh      12

```

16492 Bytes free.

```

(161st/195) position: 2970. 3. 1. 2987. 4.30. * Jotham      19
Forward relations for entry Jotham      (19/120) are generated.
Backward relations for entry Ahaz      (17/120) are generated.
Backward relations for entry Ahaz      (17/120) are generated.
Optimize dates...

```

```

Jotham          D Knd S   from:   to:|
2970. 3. 1. 2987. 4.30. * 0 *     19     19||
2970. 3. 1. 2987. 4.30. * 10 B    19     19||
                0 *       0       0||
2970. 3. 1. 2987. 4.30. * 0 *       0     19||

```

16492 Bytes free.

```

(162nd/195) position: 3002.11. 1. 3017.12.29. B Pekahiah      22
Forward relations for entry Pekahiah      (22/120) are generated.
Backward relations for entry Pekah      (21/120) are generated.
Optimize dates...

```

```

Pekahiah        D Knd S   from:   to:|
3002.11. 1. 3017.12.29. B 0 B      22     22||
                B 1 E      23     22||
3002. 3. 1. 3018.12.29. B 3 B      26     22||
3002.11. 1. 3017.12.29. B 5 E      22     22||
                0 B       0       0||
3002.11. 1. 3017.12.29. B 0 B       0     22||
3002.11. 1. 3017.12.29. 196th position to E Menahem      23

```

16492 Bytes free.

```

(163rd/196) position: 2953. 3. 1. 2967.12.29. Ω Amaziah      28
Forward relations for entry Amaziah      (28/120) are generated.
Backward relations for entry Azariah = Uzziah      (26/120) are generated.
Forward relations for entry Amaziah      (29/120) are generated.
Optimize dates...

```

```

Amaziah          D Knd S   from:   to:|
2953. 3. 1. 2967.12.29. Ω 0 Ω      28     28||
2953. 3. 1. 2967.12.29. Ω 7 B      26     28||
                0 Ω       0       0||
2953. 3. 1. 2967.12.29. Ω 0 Ω       0     28||

```

16492 Bytes free.

```

(164th/196) position: 2925. 3. 1. 2941.12.29. * Jeroboam (Joash)      27
Forward relations for entry Jeroboam (Joash)      (27/120) are generated.
Backward relations for entry Zachariah      (25/120) are generated.
Optimize dates...

```

```

Jeroboam (Joash) D Knd S   from:   to:|
2925. 3. 1. 2941.12.29. * 0 *     27     27||
2925. 3. 1. 2941.12.29. * 9 B     26     27||
                0 *       0       0||
2925. 3. 1. 2941.12.29. * 0 *       0     27||

```

16492 Bytes free.

```

(165th/196) position: 2936. 3. 1. 2952.12.29. * Azariah = Uzziah      26
Forward relations for entry Azariah = Uzziah      (26/120) are generated.
Backward relations for entry Jotham      (19/120) are generated.

```

Optimize dates...

Azariah = Uzziah	D	Kind	S	from:	to:
2936. 3. 1. 2952.12.29. * 0 *				26	26
2936. 3. 1. 2952.12.29. * 10 B				26	26
			0 *	0	0
2936. 3. 1. 2952.12.29. * 0 *				0	26

16492 Bytes free.

(166th/196) position: 2991. 3. 1. 3007.12.29. B Menahem 23  
 Forward relations for entry Menahem (23/120) are generated.  
 Backward relations for entry Pekahiah (22/120) are generated.

Optimize dates...

Menahem	D	Kind	S	from:	to:
2991. 3. 1. 3007.12.29. B 0 B				23	23
			B 1 E	24	23
2991. 3. 1. 3007.12.29. B 3 B				26	23
2991.11. 1. 3008.12.29. B 5 E				23	23
8M			0 B	0	0
2991.11. 1. 3007.12.29. B 0 B				0	23
2991.11. 1. 3007.12.29. 197th position to B Menahem					23
2991.11. 1. 3007.12.29. 198th position to E Shallum					24

16492 Bytes free.

(167th/198) position: 2991. 3. 1. 3007.12.29. B Shallum 24  
 Forward relations for entry Shallum (24/120) are generated.  
 Backward relations for entry Menahem (23/120) are generated.

Optimize dates...

Shallum	D	Kind	S	from:	to:
2991. 3. 1. 3007.12.29. B 0 B				24	24
			B 1 E	25	24
2991. 3. 1. 3007.12.29. B 3 B				26	24
2991. 9. 1. 3007.12.29. B 5 E				24	24
6M			0 B	0	0
2991. 9. 1. 3007.12.29. B 0 B				0	24
2991. 9. 1. 3007.12.29. 199th position to B Shallum					24
2991. 9. 1. 3007.12.29. 200th position to E Zachariah					25

16492 Bytes free.

(168th/200) position: 2990. 3. 1. 3006.12.29. B Zachariah 25  
 Forward relations for entry Zachariah (25/120) are generated.  
 Backward relations for entry Shallum (24/120) are generated.

Optimize dates...

Zachariah	D	Kind	S	from:	to:
2990. 3. 1. 3006.12.29. B 0 B				25	25
			B 1 E	27	25
2990. 3. 1. 3006.12.29. B 3 B				26	25
2991. 2. 1. 3007. 7.29. B 5 E				25	25
11M			0 B	0	0
2991. 2. 1. 3006.12.29. B 0 B				0	25
2991. 2. 1. 3006.12.29. 201st position to B Zachariah					25
2991. 2. 1. 3006.12.29. 202nd position to E Jeroboam (Joash)					27
2991. 9. 1. 3007. 7.29. 203rd position to E Zachariah					25

16492 Bytes free.

(169th/203) position: 3021.11. 1. 3036.12.29. Ω Jotham 19  
 Forward relations for entry Jotham (19/120) are generated.  
 Backward relations for entry Ahaz (17/120) are generated.  
 Backward relations for entry Ahaz (17/120) are generated.

Optimize dates...

Jotham		D	Kind	S	from:	to:†
3021.11. 1.	3036.12.29.	Ω	0	Ω	19	19
3021.11. 1.	3036.12.29.	Ω	8	α	17	19
3021.11. 1.	3036.12.29.	+	0	+	19	19
			0	Ω	0	0
3021.11. 1.	3036.12.29.	Ω	0	Ω	0	19

16492 Bytes free.

(170th/203) position: 3005.11. 1. 3018.12.29. B Pekah 21  
 Forward relations for entry Pekah (21/120) are generated.  
 Backward relations for entry Hoshea (16/120) are generated.

Optimize dates...

Pekah		D	Kind	S	from:	to:†
3005.11. 1.	3018.12.29.	B	0	B	21	21
3005.11. 1.	3018.12.29.	B	1	E	22	21
3004. 3. 1.	3020.12.29.	B	3	B	26	21
3005.11. 1.	3019.12.29.	B	5	E	21	21
3003.11. 1.	3020.12.29.	B	9	α	17	21
3003.11. 1.	3018.12.29.	B	9	α	19	21
			0	B	0	0
3005.11. 1.	3018.12.29.	B	0	B	0	21

16492 Bytes free.

(171st/203) position: 3005.11. 1. 3018.12.29. E Pekahiah 22  
 Forward relations for entry Pekahiah (22/120) are generated.  
 Backward relations for entry Pekah (21/120) are generated.

Optimize dates...

Pekahiah		D	Kind	S	from:	to:†
3005.11. 1.	3018.12.29.	E	0	E	22	22
3003.11. 1.	3020.12.29.	E	5	B	22	22
3005.11. 1.	3018.12.29.	E	7	B	21	22
3005.11. 1.	3018.12.29.	+	0	+	22	22
			0	E	0	0
3005.11. 1.	3018.12.29.	E	0	E	0	22

16492 Bytes free.

(172nd/203) position: 3021.11. 1. 3036.12.29. α Ahaz 17  
 Forward relations for entry Ahaz (17/120) are generated.  
 Backward relations for entry Hezekiah (14/120) are generated.  
 Forward relations for entry Ahaz (18/120) are generated.

Optimize dates...

Ahaz		D	Kind	S	from:	to:†
3021.11. 1.	3036.12.29.	α	0	α	17	17
3021.11. 1.	3036.12.29.	α	2	Ω	19	17
3021.11. 1.	3036.12.29.	α	3	B	21	17
			0	α	0	0
3021.11. 1.	3036.12.29.	α	0	α	0	17

16492 Bytes free.

(173rd/203) position: 3006.11. 1. 3019.12.29. α Jotham 19  
 Forward relations for entry Jotham (19/120) are generated.  
 Backward relations for entry Ahaz (17/120) are generated.  
 Backward relations for entry Ahaz (17/120) are generated.

Optimize dates...

Jotham		D	Kind	S	from:	to:†
3006.11. 1.	3019.12.29.	α	0	α	19	19
3006. 3. 1.	3019.12.29.	α	1	E	26	19

```

3006.11. 1. 3021.12.29. α 3 B      21      19||
3005.11. 1. 3019.12.29. α 10 B     16      19||
                                0 α      0      0||
3006.11. 1. 3019.12.29. α 0 α      0      19||
3006.11. 1. 3019.12.29. 204th position to E Azariah = Uzziah      26

```

16492 Bytes free.

```

(174th/204) position: 3002.11. 1. 3017.12.29. B Pekahiah      22
Forward relations for entry Pekahiah (22/120) are generated.
Backward relations for entry Pekah (21/120) are generated.
Optimize dates...

```

```

Pekahiah          D Knd S   from:   to:|
3002.11. 1. 3017.12.29. B 0 B     22     22||
3002.11. 1. 3017.12.29. B 1 E     23     22||
3002. 3. 1. 3018.12.29. B 3 B     26     22||
3002.11. 1. 3017.12.29. B 5 E     22     22||
                                0 B      0      0||
3002.11. 1. 3017.12.29. B 0 B      0     22||

```

16492 Bytes free.

```

(175th/204) position: 3021.11. 1. 3036.12.29. Ω Jotham      19
Forward relations for entry Jotham (19/120) are generated.
Backward relations for entry Ahaz (17/120) are generated.
Backward relations for entry Ahaz (17/120) are generated.
Optimize dates...

```

```

Jotham           D Knd S   from:   to:|
3021.11. 1. 3036.12.29. Ω 0 Ω     19     19||
3021.11. 1. 3036.12.29. Ω 8 α     17     19||
3021.11. 1. 3036.12.29. + 0 +     19     19||
                                0 Ω      0      0||
3021.11. 1. 3036.12.29. Ω 0 Ω      0     19||

```

16492 Bytes free.

```

(176th/204) position: ≤ 2313. 4.30. B Moses      86
Forward relations for entry Moses (86/120) are generated.
Backward relations for entry Joshua (83/120) are generated.
Backward relations for entry Aaron (87/120) are generated.
Backward relations for entry Israel in Egypt (89/120) are generated.
Optimize dates...

```

```

Moses           D Knd S   from:   to:|
                ≤ 2313. 4.30. B 0 B     86     86||
                                B 3 *     86     86||
2296. 1. 1. 2314. 3. 1. B 5 E     86     86||
                ≤ 2313. 4.30. B 7 B     87     86||
                ≤ 2313. 4.30. B 7 E     89     86||
2295Y           0 B      0      0||
2296. 1. 1. 2313. 4.30. B 0 B      0     86||
2296. 1. 1. 2313. 4.30. 205th position to B Moses      86
2215. 1. 1. 2234. 4.30. 206th position to * Moses      86
2296. 1. 1. 2313. 4.30. 207th position to B Aaron      87

```

16492 Bytes free.

```

(177th/207) position: 2296. 1. 1. 2313. 4.30. B Aaron      87
Forward relations for entry Aaron (87/120) are generated.
Backward relations for entry Israel in Egypt (89/120) are generated.
Forward relations for entry Aaron (88/120) are generated.
Optimize dates...

```

```

Aaron           D Knd S   from:   to:|

```

```

2296. 1. 1. 2313. 4.30. B 0 B      87      87||
2296. 1. 1. 2313. 4.30. B 1 B      86      87||
                        B 3 *      87      87||
                ≤ 2313. 4.30. B 8 E      89      87||
                        0 B          0          0||
2296. 1. 1. 2313. 4.30. B 0 B          0      87||
2212. 1. 1. 2231. 4.30. 208th position to * Aaron      87

```

16492 Bytes free.

(178th/208) position: 1866. 3. 1. 1884. 4.30. B Israel in Egypt 89  
 Forward relations for entry Israel in Egypt (89/120) are generated.

Optimize dates...

```

Israel in Egypt      D Knd S      from:      to:|
1866. 3. 1. 1884. 4.30. B 0 B      89      89||
                        B 3 *      90      89||
1866. 3. 1. 1884. 4.30. B 6 E      89      89||
                        B 10 +      90      89||
                        0 B          0          0||
1866. 3. 1. 1884. 4.30. B 0 B          0      89||
1735. 3. 1. 1755. 4.30. 209th position to * Jacob = Israel      90
1882. 3. 1. 1902. 4.30. 210th position to + Jacob = Israel      90

```

16492 Bytes free.

(179th/210) position: 2336. 7. 1. 2352. 9. 1. + Aaron 88  
 Forward relations for entry Aaron (87/120) are generated.

Backward relations for entry Israel in Egypt (89/120) are generated.  
 Forward relations for entry Aaron (88/120) are generated.

Optimize dates...

```

Aaron      D Knd S      from:      to:|
2336. 7. 1. 2352. 9. 1. E 0 E      87      87||
2336. 7. 1. 2352. 9. 1. + 0 +      87      87||
2334. 1. 1. 2355. 4.30. + 6 *      87      87||
2336. 7. 1. 2352. 9. 1. + 3 E      89      88||
                        0 E          0          0||
2336. 7. 1. 2352. 9. 1. E 0 E          0      87||
2212. 7. 1. 2230. 9. 1. 211th position to * Aaron      87

```

16492 Bytes free.

(180th/211) position: 2776. 4. 1. 2792. 6.30. B Building the Temple 55  
 Forward relations for entry Building the Temple (55/120) are generated.

Forward relations for entry Building the Temple (56/120) are generated.

Optimize dates...

```

Building the Temple  D Knd S      from:      to:|
2776. 4. 1. 2792. 6.30. B 0 B      55      55||
                        B 3 B      57      55||
2775.10. 1. 2793.12.30. B 5 E      55      55||
2776. 4. 1. 2792. 6.30. B 4 E      89      55||
                        0 B          0          0||
2776. 4. 1. 2792. 6.30. B 0 B          0      55||
2771. 4. 1. 2789. 6.30. 212th position to B Solomon      57

```

16492 Bytes free.

(181st/212) position: 2783.10. 1. 2799.12.30. E Building the Temple 56  
 Forward relations for entry Building the Temple (55/120) are generated.

Forward relations for entry Building the Temple (56/120) are generated.

Optimize dates...

```

Building the Temple  D Knd S      from:      to:|
2783.10. 1. 2799.12.30. E 0 E      55      55||

```

```

2782. 4. 1. 2800. 6.30. E 5 B      55      55||
2781. 4. 1. 2801. 6.30. E 3 B      57      56||
2783.10. 1. 2799.12.30. E 4 E      89      56||
                0 E      0      0||
2783.10. 1. 2799.12.30. E 0 E      0      55||
2771.10. 1. 2789. 6.30. 213th position to B Solomon          57

```

16492 Bytes free.

```

(182nd/213) position: 2337. 1. 1. 2353. 3. 1. B Moses' Speech      84
Forward relations for entry Moses' Speech      (84/120) are generated.
Backward relations for entry Moses      (86/120) are generated.

```

Optimize dates...

```

Moses' Speech      D Knd S      from:      to:|
2337. 1. 1. 2353. 3. 1. B 0 B      84      84||
2336.11. 1. 2352.12.29. B 3 B      85      84||
2337. 1. 1. 2353. 3. 1. B 4 E      89      84||
2337. 1. 1. 2353. 3. 1. B 7 E      86      84||
2335. 1. 1. 2355. 3. 1. B 9 B      68      84||
                2M 2D 0 B      0      0||
2337. 1. 1. 2352.12.29. B 0 B      0      84||
2337. 1. 1. 2352.12.29. 214th position to B Moses' Speech      84
2297. 3. 1. 2313. 2.29. 215th position to E Israel in Egypt      89
2337. 1. 1. 2352.12.29. 216th position to E Moses      86
2636. 1. 1. 2653.12.29. 217th position to B Jephthah      68

```

16492 Bytes free.

```

(183rd/217) position: 2337. 1. 1. 2352.12.29. E Moses      86
Forward relations for entry Moses      (86/120) are generated.
Backward relations for entry Joshua      (83/120) are generated.

```

```

Backward relations for entry Aaron      (87/120) are generated.
Backward relations for entry Israel in Egypt      (89/120) are generated.

```

Optimize dates...

```

Moses      D Knd S      from:      to:|
2337. 1. 1. 2352.12.29. E 0 E      86      86||
2337. 1. 1. 2352.12.29. E 1 B      84      86||
2335. 1. 1. 2354. 4.30. E 5 B      86      86||
                E 7 B      83      86||
2337. 1. 1. 2352.12.29. + 0 +      86      86||
2335. 1. 1. 2355. 4.30. + 6 *      86      86||
                0 E      0      0||
2337. 1. 1. 2352.12.29. E 0 E      0      86||
2337. 1. 1. 2352.12.29. 218th position to B Joshua      83
2216. 1. 1. 2232.12.29. 219th position to * Moses      86

```

16492 Bytes free.

```

(184th/219) position: 2636. 1. 1. 2653.12.29. B Jephthah      68
Forward relations for entry Jephthah      (68/120) are generated.
Backward relations for entry Philistines      (63/120) are generated.

```

```

Backward relations for entry Ibzan      (67/120) are generated.

```

Optimize dates...

```

Jephthah      D Knd S      from:      to:|
2636. 1. 1. 2653.12.29. B 0 B      68      68||
                B 1 E      69      68||
2636. 1. 1. 2653.12.29. B 3 B      84      68||
                B 6 E      68      68||
                0 B      0      0||
2636. 1. 1. 2653.12.29. B 0 B      0      68||
2636. 1. 1. 2653.12.29. 220th position to E Philistines + Ammon      69

```

2641. 1. 1. 2660.12.29. 221st position to E Jephthah 68

16492 Bytes free.

(185th/221) position: 2352. 3. 1. ≥ E Chushanrishathaim 80

Forward relations for entry Chushanrishathaim (80/120) are generated.

Backward relations for entry Othniel (79/120) are generated.

Optimize dates...

Chushanrishathaim	D	Kind	S	from:	to:†	
2352. 3. 1. ≥	E	0	E	80	80	
2352. 3. 1. ≥	E	5	B	80	80	
	E	7	B	79	80	
		0	E	0	0	
2352. 3. 1. ≥	E	0	E	0	80	
2352. 3. 1. ≥				222nd position to B Othniel		79

16492 Bytes free.

(186th/222) position: 3013.11. 1. 3025.12.29. E Jotham 19

Forward relations for entry Jotham (19/120) are generated.

Backward relations for entry Ahaz (17/120) are generated.

Backward relations for entry Ahaz (17/120) are generated.

Optimize dates...

Jotham	D	Kind	S	from:	to:†	
3013.11. 1. 3025.12.29.	E	0	E	19	19	
3011. 3. 1. 3028. 4.30.	E	6	B	19	19	
3013.11. 1. 3025.12.29.	E	7	B	17	19	
		0	E	0	0	
3013.11. 1. 3025.12.29.	E	0	E	0	19	
2996.11. 1. 3010.12.29.				223rd position to B Jotham		19

16492 Bytes free.

(187th/223) position: 2992.11. 1. 3006.12.29. \* Ahaz 17

Forward relations for entry Ahaz (17/120) are generated.

Backward relations for entry Hezekiah (14/120) are generated.

Forward relations for entry Ahaz (18/120) are generated.

Optimize dates...

Ahaz	D	Kind	S	from:	to:†	
2992.11. 1. 3006.12.29.	*	0	*	17	17	
2992.11. 1. 3006.12.29.	*	10	B	17	17	
		0	*	0	0	
2992.11. 1. 3006.12.29.	*	0	*	0	17	

16492 Bytes free.

(188th/223) position: 2299.11. 1. 2313.12.29. B Explorers of Canaan 85

Forward relations for entry Explorers of Canaan (85/120) are generated.

Optimize dates...

Explorers of Canaan	D	Kind	S	from:	to:†	
2299.11. 1. 2313.12.29.	B	0	B	85	85	
2298. 3. 1. 2315. 2.29.	B	3	E	89	85	
2299. 3. 1. 2314. 4.30.	B	5	E	85	85	
2298.11. 1. 2314.12.29.	B	4	*	82	85	
2299.11. 1. 2313.12.29.	B	9	B	81	85	
2298. 1. 1. 2315.12.29.	B	9	B	84	85	
		0	B	0	0	
2299.11. 1. 2313.12.29.	B	0	B	0	85	
2297.11. 1. 2312.12.29.				224th position to E Israel in Egypt		89
2299.12.11. 2314. 2. 9.				225th position to E Explorers of Canaan		85

16492 Bytes free.



(189th/225) position: 2259.11. 1. 2273.12.29. \* Caleb 82  
 Forward relations for entry Caleb (82/120) are generated.

Optimize dates...

Caleb	D	Kind	S	from:	to:
2259.11. 1. 2273.12.29.	*	0	*	82	82
2259.11. 1. 2273.12.29.	*	10	B	81	82
2258.11. 1. 2274.12.29.	*	10	B	85	82
		0	*	0	0
2259.11. 1. 2273.12.29.	*	0	*	0	82

16492 Bytes free.

(190th/225) position: 2345.11. 1.≥ + Caleb 82  
 Forward relations for entry Caleb (82/120) are generated.

Optimize dates...

Caleb	D	Kind	S	from:	to:
2345.11. 1.≥	+	0	+	82	82
2345.11. 1.≥	+	1	B	81	82
		0	+	0	0
2345.11. 1.≥	+	0	+	0	82

16492 Bytes free.

(191st/225) position: 2345.11. 1.≥ + Joshua 83  
 Forward relations for entry Joshua (83/120) are generated.

Backward relations for entry Chushanrishathaim (80/120) are generated.

Optimize dates...

Joshua	D	Kind	S	from:	to:
2345.11. 1.≥	E	0	E	83	83
	E	7	B	80	83
2345.11. 1.≥	+	0	+	83	83
2345.11. 1.≥	+	2	B	81	83
2343. 3. 1.≥	+	5	*	83	83
		0	E	0	0
2345.11. 1.≥	E	0	E	0	83
2345.11. 1.≥				226th position to B Chushanrishathaim	80
2234.11. 1.≥				227th position to * Joshua	83

16492 Bytes free.

(192nd/227) position: 1367. 1.15. 1386. 1. 7. \* Eber 103  
 Forward relations for entry Eber (103/120) are generated.

Optimize dates...

Eber	D	Kind	S	from:	to:
1367. 1.15. 1386. 1. 7.	*	0	*	103	103
1367. 1.15. 1386. 1. 7.	*	3	*	104	103
	*	9	*	101	103
	*	10	+	104	103
		0	*	0	0
1367. 1.15. 1386. 1. 7.	*	0	*	0	103
1400. 1.15. 1421. 1. 7.				228th position to * Peleg	101
1769. 1.15. 1790. 1. 7.				229th position to + Salah	104

16492 Bytes free.

(193rd/229) position: 1740. 1.15. 1759. 1. 7. + Arphaxad 106  
 Forward relations for entry Arphaxad (105/120) are generated.

Forward relations for entry Arphaxad (106/120) are generated.

Optimize dates...

Arphaxad	D	Kind	S	from:	to:
1740. 1.15. 1759. 1. 7.	+	0	+	105	105
1740. 1.15. 1759. 1. 7.	+	3	*	104	106

```

          0 +      0      0 ||
1740. 1.15. 1759. 1. 7. + 0 +      0      105 ||

```

16492 Bytes free.

(194th/229) position: 3061. 3.22. 3068.12.29. E Hezekiah 14

Forward relations for entry Hezekiah (14/120) are generated.

Backward relations for entry Manasseh (12/120) are generated.

Backward relations for entry Isaiah (20/120) are generated.

Optimize dates...

```

Hezekiah          D Knd S   from:   to: ||
3061. 3.22. 3068.12.29. E 0 E    14     14 ||
3060.11. 1. >          E 2 E    20     14 ||
3058.11. 1. 3070.12.29. E 6 B    14     14 ||
3061. 3.22. 3068.12.29. E 7 B    12     14 ||
          ≤ 3068.12.29. E 7 E    20     14 ||
3061. 3.22. 3068.12.29. + 0 +    14     14 ||
          0 E      0      0 ||
3061. 3.22. 3068.12.29. E 0 E      0     14 ||
3031. 3.22. 3040.12.29. 230th position to B Hezekiah 14
3061. 3.22. 3068.12.29. 231st position to E Isaiah 20

```

16492 Bytes free.

(195th/231) position: 3048. 3.22. 3057.12.29. \* Manasseh 12

Forward relations for entry Manasseh (12/120) are generated.

Backward relations for entry Amon (11/120) are generated.

Optimize dates...

```

Manasseh          D Knd S   from:   to: ||
3048. 3.22. 3057.12.29. * 0 *    12     12 ||
3048. 3.22. 3057.12.29. * 9 B    12     12 ||
          0 *      0      0 ||
3048. 3.22. 3057.12.29. * 0 *      0     12 ||

```

16492 Bytes free.

(196th/231) position: 3002.11. 1. 3017.12.29. E Menahem 23

Forward relations for entry Menahem (23/120) are generated.

Backward relations for entry Pekahiah (22/120) are generated.

Optimize dates...

```

Menahem          D Knd S   from:   to: ||
3002.11. 1. 3017.12.29. E 0 E    23     23 ||
3000.11. 1. 3018.12.29. E 5 B    23     23 ||
3002.11. 1. 3017.12.29. E 7 B    22     23 ||
3002.11. 1. 3017.12.29. + 0 +    23     23 ||
          0 E      0      0 ||
3002.11. 1. 3017.12.29. E 0 E      0     23 ||

```

16492 Bytes free.

(197th/231) position: 2991.11. 1. 3007.12.29. B Menahem 23

Forward relations for entry Menahem (23/120) are generated.

Backward relations for entry Pekahiah (22/120) are generated.

Optimize dates...

```

Menahem          D Knd S   from:   to: ||
2991.11. 1. 3007.12.29. B 0 B    23     23 ||
2991.11. 1. 3007.12.29. B 1 E    24     23 ||
2991. 3. 1. 3007.12.29. B 3 B    26     23 ||
2991.11. 1. 3008.12.29. B 5 E    23     23 ||
          0 B      0      0 ||
2991.11. 1. 3007.12.29. B 0 B      0     23 ||

```

16492 Bytes free.  
 (198th/231) position: 2991.11. 1. 3007.12.29. E Shallum 24  
 Forward relations for entry Shallum (24/120) are generated.  
 Backward relations for entry Menahem (23/120) are generated.  
 Optimize dates...

Shallum	D	Kind	S	from:	to:
2991.11. 1. 3007.12.29.	E	0	E	24	24
2991. 9. 1. 3008. 2.29.	E	5	B	24	24
2991.11. 1. 3007.12.29.	E	7	B	23	24
2991.11. 1. 3007.12.29.	+	0	+	24	24
		0	E	0	0
2991.11. 1. 3007.12.29.	E	0	E	0	24

16492 Bytes free.  
 (199th/231) position: 2991. 9. 1. 3007.12.29. B Shallum 24  
 Forward relations for entry Shallum (24/120) are generated.  
 Backward relations for entry Menahem (23/120) are generated.  
 Optimize dates...

Shallum	D	Kind	S	from:	to:
2991. 9. 1. 3007.12.29.	B	0	B	24	24
2991. 9. 1. 3007. 7.29.	B	1	E	25	24
2991. 3. 1. 3007.12.29.	B	3	B	26	24
2991. 9. 1. 3007.12.29.	B	5	E	24	24
	5M	0	B	0	0
2991. 9. 1. 3007. 7.29.	B	0	B	0	24
2991. 9. 1. 3007. 7.29.				232nd position to B Shallum	24
2991.11. 1. 3007. 9.29.				233rd position to E Shallum	24

16492 Bytes free.  
 (200th/233) position: 2991. 9. 1. 3007. 7.29. E Zachariah 25  
 Forward relations for entry Zachariah (25/120) are generated.  
 Backward relations for entry Shallum (24/120) are generated.  
 Optimize dates...

Zachariah	D	Kind	S	from:	to:
2991. 9. 1. 3007. 7.29.	E	0	E	25	25
2991. 7. 1. 3007. 7.29.	E	5	B	25	25
2991. 9. 1. 3007. 7.29.	E	7	B	24	25
2991. 9. 1. 3007. 7.29.	+	0	+	25	25
		0	E	0	0
2991. 9. 1. 3007. 7.29.	E	0	E	0	25

16492 Bytes free.  
 (201st/233) position: 2991. 2. 1. 3006.12.29. B Zachariah 25  
 Forward relations for entry Zachariah (25/120) are generated.  
 Backward relations for entry Shallum (24/120) are generated.  
 Optimize dates...

Zachariah	D	Kind	S	from:	to:
2991. 2. 1. 3006.12.29.	B	0	B	25	25
2991. 2. 1. 3006.12.29.	B	1	E	27	25
2990. 3. 1. 3006.12.29.	B	3	B	26	25
2991. 2. 1. 3007. 2.29.	B	5	E	25	25
		0	B	0	0
2991. 2. 1. 3006.12.29.	B	0	B	0	25

16492 Bytes free.  
 (202nd/233) position: 2991. 2. 1. 3006.12.29. E Jeroboam (Joash) 27  
 Forward relations for entry Jeroboam (Joash) (27/120) are generated.  
 Backward relations for entry Zachariah (25/120) are generated.

Optimize dates...

Jeroboam (Joash)		D	Kind	S	from:	to:
2991.	2. 1.	3006.12.29.	E	0 E	27	27
			E	5 B	27	27
2991.	2. 1.	3006.12.29.	E	7 B	25	27
2991.	2. 1.	3006.12.29.	+	0 +	27	27
				0 E	0	0
2991.	2. 1.	3006.12.29.	E	0 E	0	27
2949.	2. 1.	2966.12.29.			234th position to B Jeroboam (Joash)	27

16492 Bytes free.

(203rd/234) position: 2991. 9. 1. 3007. 7.29. E Zachariah 25  
 Forward relations for entry Zachariah (25/120) are generated.  
 Backward relations for entry Shallum (24/120) are generated.

Optimize dates...

Zachariah		D	Kind	S	from:	to:
2991.	9. 1.	3007. 7.29.	E	0 E	25	25
2991.	7. 1.	3007. 7.29.	E	5 B	25	25
2991.	9. 1.	3007. 7.29.	E	7 B	24	25
2991.	9. 1.	3007. 7.29.	+	0 +	25	25
				0 E	0	0
2991.	9. 1.	3007. 7.29.	E	0 E	0	25

16492 Bytes free.

(204th/234) position: 3006.11. 1. 3019.12.29. E Azariah = Uzziah 26  
 Forward relations for entry Azariah = Uzziah (26/120) are generated.  
 Backward relations for entry Jotham (19/120) are generated.

Optimize dates...

Azariah = Uzziah		D	Kind	S	from:	to:
3006.11.	1. 1.	3019.12.29.	E	0 E	26	26
3004.	3. 1.	3020.12.29.	E	6 B	26	26
3006.11.	1. 1.	3019.12.29.	E	7 α	19	26
3006.11.	1. 1.	3019.12.29.	+	0 +	26	26
				+ 2 B	20	26
				0 E	0	0
3006.11.	1. 1.	3019.12.29.	E	0 E	0	26
2953.11.	1. 1.	2967.12.29.			235th position to B Azariah = Uzziah	26

16492 Bytes free.

(205th/235) position: 2296. 1. 1. 2313. 4.30. B Moses 86  
 Forward relations for entry Moses (86/120) are generated.  
 Backward relations for entry Joshua (83/120) are generated.  
 Backward relations for entry Aaron (87/120) are generated.  
 Backward relations for entry Israel in Egypt (89/120) are generated.

Optimize dates...

Moses		D	Kind	S	from:	to:
2296.	1. 1.	2313. 4.30.	B	0 B	86	86
2295.	1. 1.	2313.12.29.	B	3 *	86	86
2296.	1. 1.	2313.12.29.	B	5 E	86	86
2296.	1. 1.	2313. 4.30.	B	7 B	87	86
		≤ 2312.12.29.	B	7 E	89	86
		4M 1D		0 B	0	0
2296.	1. 1.	2312.12.29.	B	0 B	0	86
2296.	1. 1.	2312.12.29.			236th position to B Moses	86
2296.	1. 1.	2312.12.29.			237th position to B Aaron	87

16492 Bytes free.

(206th/237) position: 2216. 1. 1. 2232.12.29. \* Moses 86

Forward relations for entry Moses (86/120) are generated.  
 Backward relations for entry Joshua (83/120) are generated.  
 Backward relations for entry Aaron (87/120) are generated.  
 Backward relations for entry Israel in Egypt (89/120) are generated.  
 Optimize dates...

Moses		D	Kind	S	from:	to:
2216.	1.	1.	2232.12.29.	* 0 *	86	86
2216.	1.	1.	2232.12.29.	* 6 +	86	86
2215.	1.	1.	2233.12.29.	* 9 B	86	86
				0 *	0	0
2216.	1.	1.	2232.12.29.	* 0 *	0	86

16492 Bytes free.

(207th/237) position: 2296. 1. 1. 2312.12.29. B Aaron 87  
 Forward relations for entry Aaron (87/120) are generated.  
 Backward relations for entry Israel in Egypt (89/120) are generated.  
 Forward relations for entry Aaron (88/120) are generated.  
 Optimize dates...

Aaron		D	Kind	S	from:	to:
2296.	1.	1.	2312.12.29.	B 0 B	87	87
2296.	1.	1.	2312.12.29.	B 1 B	86	87
2294.	7.	1.	2314. 9. 1.	B 3 *	87	87
			≤ 2312.12.29.	B 8 E	89	87
				0 B	0	0
2296.	1.	1.	2312.12.29.	B 0 B	0	87

16492 Bytes free.

(208th/237) position: 2212. 7. 1. 2230. 9. 1. \* Aaron 87  
 Forward relations for entry Aaron (87/120) are generated.  
 Backward relations for entry Israel in Egypt (89/120) are generated.  
 Forward relations for entry Aaron (88/120) are generated.  
 Optimize dates...

Aaron		D	Kind	S	from:	to:
2212.	7.	1.	2230. 9. 1.	* 0 *	87	87
2212.	7.	1.	2230. 9. 1.	* 6 +	87	87
2212.	1.	1.	2230.12.29.	* 9 B	87	87
				0 *	0	0
2212.	7.	1.	2230. 9. 1.	* 0 *	0	87

16492 Bytes free.

(209th/237) position: 1735. 3. 1. 1755. 4.30. \* Jacob = Israel 90  
 Forward relations for entry Jacob = Israel (90/120) are generated.  
 Optimize dates...

Jacob = Israel		D	Kind	S	from:	to:
1735.	3.	1.	1755. 4.30.	* 0 *	90	90
				* 3 *	91	90
1734.	3.	1.	1756. 4.30.	* 5 +	90	90
1735.	3.	1.	1755. 4.30.	* 9 B	89	90
				0 *	0	0
1735.	3.	1.	1755. 4.30.	* 0 *	0	90
1674.	3.	1.	1696. 4.30.	238th position to * Isaac		91

16492 Bytes free.

(210th/238) position: 1882. 3. 1. 1902. 4.30. + Jacob = Israel 90  
 Forward relations for entry Jacob = Israel (90/120) are generated.  
 Optimize dates...

Jacob = Israel		D	Kind	S	from:	to:
1882.	3.	1.	1902. 4.30.	+ 0 +	90	90

```

1881. 3. 1. 1903. 4.30. + 5 *      90      90||
1882. 3. 1. 1902. 4.30. + 4 B      89      90||
                                0 +      0      0||
1882. 3. 1. 1902. 4.30. + 0 +      0      90||

```

16492 Bytes free.

```

(211th/238) position: 2212. 7. 1. 2230. 9. 1. * Aaron      87
Forward relations for entry Aaron      (87/120) are generated.
Backward relations for entry Israel in Egypt (89/120) are generated.
Forward relations for entry Aaron      (88/120) are generated.
Optimize dates...

```

```

Aaron          D Knd S      from:      to:|
2212. 7. 1. 2230. 9. 1. * 0 *      87      87||
2212. 7. 1. 2230. 9. 1. * 6 +      87      87||
2212. 1. 1. 2230.12.29. * 9 B      87      87||
                                0 *      0      0||
2212. 7. 1. 2230. 9. 1. * 0 *      0      87||

```

16492 Bytes free.

```

(212th/238) position: 2771.10. 1. 2789. 6.30. B Solomon    57
Forward relations for entry Solomon    (57/120) are generated.
Backward relations for entry Jeroboam (Nebat) (53/120) are generated.
Backward relations for entry Rehoboam    (54/120) are generated.
Optimize dates...

```

```

Solomon        D Knd S      from:      to:|
2771.10. 1. 2789. 6.30. B 0 B      57      57||
                                B 1 E      58      57||
                                B 5 E      57      57||
2771. 4. 1. 2789. 6.30. B 9 B      55      57||
2771.10. 1. 2789.12.30. B 9 E      56      57||
                                0 B      0      0||
2771.10. 1. 2789. 6.30. B 0 B      0      57||
2771.10. 1. 2789. 6.30. 239th position to E David      58
2810.10. 1. 2830. 6.30. 240th position to E Solomon      57

```

16492 Bytes free.

```

(213th/240) position: 2771.10. 1. 2789. 6.30. B Solomon    57
Forward relations for entry Solomon    (57/120) are generated.
Backward relations for entry Jeroboam (Nebat) (53/120) are generated.
Backward relations for entry Rehoboam    (54/120) are generated.
Optimize dates...

```

```

Solomon        D Knd S      from:      to:|
2771.10. 1. 2789. 6.30. B 0 B      57      57||
2771.10. 1. 2789. 6.30. B 1 E      58      57||
2769.10. 1. 2791. 6.30. B 5 E      57      57||
2771. 4. 1. 2789. 6.30. B 9 B      55      57||
2771.10. 1. 2789.12.30. B 9 E      56      57||
                                0 B      0      0||
2771.10. 1. 2789. 6.30. B 0 B      0      57||

```

16492 Bytes free.

```

(214th/240) position: 2337. 1. 1. 2352.12.29. B Moses' Speech  84
Forward relations for entry Moses' Speech (84/120) are generated.
Backward relations for entry Moses      (86/120) are generated.
Optimize dates...

```

```

Moses' Speech  D Knd S      from:      to:|
2337. 1. 1. 2352.12.29. B 0 B      84      84||
2336.11. 1. 2352.12.29. B 3 B      85      84||

```

2337.	9.	1.	2352.10.30.	B	4	E	89	84	
2337.	1.	1.	2352.12.29.	B	7	E	86	84	
2335.	1.	1.	2354.12.29.	B	9	B	68	84	
	Y	8M	1M29D	0	B		0	0	
2337.	9.	1.	2352.10.30.	B	0	B	0	84	
2337.	9.	1.	2352.10.30.				241st position to	B Moses' Speech	84
2337.	9.	1.	2352.10.30.				242nd position to	E Moses	86
2636.	9.	1.	2653.10.30.				243rd position to	B Jephthah	68

16492 Bytes free.

(215th/243) position: 2297.11. 1. 2312.12.29. E Israel in Egypt 89  
 Forward relations for entry Israel in Egypt (89/120) are generated.

Optimize dates...

Israel in Egypt			D	Kn	S	from:	to:	
2297.11. 1.	2312.12.29.	E	0	E		89	89	
2296. 1. 1.>		E	1	B		86	89	
2296. 1. 1.>		E	2	B		87	89	
2295. 3. 1.	2315. 4.30.	E	6	B		89	89	
2297.11. 1.	2312.12.29.	E	9	B		85	89	
2297. 2.30.	2313. 5. 1.	E	9	+		88	89	
2297. 2. 1.	2313. 5.30.	E	10	B		55	89	
2297. 2. 1.	2313. 5.30.	E	10	E		56	89	
2297.10.30.	2312.12.30.	E	10	B		84	89	
			0	E		0	0	
2297.11. 1.	2312.12.29.	E	0	E		0	89	
1866.11. 1.	1883.12.29.				244th position to	B Israel in Egypt	89	
2337. 3. 1.	2352. 4.30.				245th position to	+ Aaron	88	
2776.12. 1.	2792. 2.29.				246th position to	B Building the Temple	55	
2784. 6. 1.	2799. 8.29.				247th position to	E Building the Temple	56	

16492 Bytes free.

(216th/247) position: 2337. 9. 1. 2352.10.30. E Moses 86  
 Forward relations for entry Moses (86/120) are generated.

Backward relations for entry Joshua (83/120) are generated.

Backward relations for entry Aaron (87/120) are generated.

Backward relations for entry Israel in Egypt (89/120) are generated.

Optimize dates...

Moses			D	Kn	S	from:	to:	
2337. 9. 1.	2352.10.30.	E	0	E		86	86	
2337. 9. 1.	2352.10.30.	E	1	B		84	86	
2335. 1. 1.	2353.12.29.	E	5	B		86	86	
2337. 1. 1.	2352.12.29.	E	7	B		83	86	
2337. 9. 1.	2352.10.30.	+	0	+		86	86	
2336. 1. 1.	2353.12.29.	+	6	*		86	86	
			0	E		0	0	
2337. 9. 1.	2352.10.30.	E	0	E		0	86	
2296. 9. 1.	2312.12.29.				248th position to	B Moses	86	
2337. 9. 1.	2352.10.30.				249th position to	B Joshua	83	
2216. 9. 1.	2232.10.30.				250th position to	* Moses	86	

16492 Bytes free.

(217th/250) position: 2636. 9. 1. 2653.10.30. B Jephthah 68  
 Forward relations for entry Jephthah (68/120) are generated.

Backward relations for entry Philistines (63/120) are generated.

Backward relations for entry Ibzan (67/120) are generated.

Optimize dates...

Jephthah			D	Kn	S	from:	to:	
2636. 9. 1.	2653.10.30.	B	0	B		68	68	

```

2636. 1. 1. 2653.12.29. B 1 E      69      68||
2636. 9. 1. 2653.10.30. B 3 B      84      68||
2634. 1. 1. 2655.12.29. B 6 E      68      68||
                0 B      0      0||
2636. 9. 1. 2653.10.30. B 0 B      0      68||
2636. 9. 1. 2653.10.30. 251st position to E Philistines + Ammon 69
2641. 9. 1. 2660.10.30. 252nd position to E Jephthah 68

```

16492 Bytes free.

```

(218th/252) position: 2337. 9. 1. 2352.10.30. B Joshua 83
Forward relations for entry Joshua (83/120) are generated.
Backward relations for entry Chushanrishathaim (80/120) are generated.
Optimize dates...

```

```

Joshua D Knd S from: to:|
2337. 9. 1. 2352.10.30. B 0 B 83 83||
2337. 9. 1. 2352.10.30. B 1 E 86 83||
                0 B 0 0||
2337. 9. 1. 2352.10.30. B 0 B 0 83||

```

16492 Bytes free.

```

(219th/252) position: 2216. 9. 1. 2232.10.30. * Moses 86
Forward relations for entry Moses (86/120) are generated.
Backward relations for entry Joshua (83/120) are generated.
Backward relations for entry Aaron (87/120) are generated.
Backward relations for entry Israel in Egypt (89/120) are generated.
Optimize dates...

```

```

Moses D Knd S from: to:|
2216. 9. 1. 2232.10.30. * 0 * 86 86||
2216. 9. 1. 2232.10.30. * 6 + 86 86||
2215. 9. 1. 2233.12.29. * 9 B 86 86||
                0 * 0 0||
2216. 9. 1. 2232.10.30. * 0 * 0 86||

```

16492 Bytes free.

```

(220th/252) position: 2636. 9. 1. 2653.10.30. E Philistines + Ammon 69
Forward relations for entry Philistines + Ammon (69/120) are generated.
Backward relations for entry Jephthah (68/120) are generated.
Optimize dates...

```

```

Philistines + Ammon D Knd S from: to:|
2636. 9. 1. 2653.10.30. E 0 E 69 69||
                E 5 B 69 69||
2636. 9. 1. 2653.10.30. E 7 B 68 69||
                0 E 0 0||
2636. 9. 1. 2653.10.30. E 0 E 0 69||
2617. 9. 1. 2636.10.30. 253rd position to B Philistines + Ammon 69

```

16492 Bytes free.

```

(221st/253) position: 2641. 9. 1. 2660.10.30. E Jephthah 68
Forward relations for entry Jephthah (68/120) are generated.
Backward relations for entry Philistines (63/120) are generated.
Backward relations for entry Ibzan (67/120) are generated.
Optimize dates...

```

```

Jephthah D Knd S from: to:|
2641. 9. 1. 2660.10.30. E 0 E 68 68||
2641. 9. 1. 2660.10.30. E 6 B 68 68||
                E 7 B 63 68||
                E 7 B 67 68||
2641. 9. 1. 2660.10.30. + 0 + 68 68||

```



```

0 E      0      0||
2641. 9. 1. 2660.10.30. E 0 E      0      68||
2641. 9. 1.≥      254th position to B Philistines      63
2641. 9. 1.≥      255th position to B Ibzan      67

16492 Bytes free.
(222nd/255) position: 2352. 3. 1.≥      B Othniel      79
Forward relations for entry Othniel      (79/120) are generated.
Backward relations for entry Eglon      (78/120) are generated.
Optimize dates...
Othniel      D Knd S      from:      to:|
2352. 3. 1.≥      B 0 B      79      79||
2352. 3. 1.≥      B 1 E      80      79||
      B 5 E      79      79||
      0 B      0      0||
2352. 3. 1.≥      B 0 B      0      79||
2391. 3. 1.≥      256th position to E Othniel      79

16492 Bytes free.
(223rd/256) position: 2996.11. 1. 3010.12.29. B Jotham      19
Forward relations for entry Jotham      (19/120) are generated.
Backward relations for entry Ahaz      (17/120) are generated.
Backward relations for entry Ahaz      (17/120) are generated.
Optimize dates...
Jotham      D Knd S      from:      to:|
2996.11. 1. 3010.12.29. B 0 B      19      19||
2994. 3. 1. 3013. 4.30. B 4 *      19      19||
2996.11. 1. 3010.12.29. B 6 E      19      19||
      0 B      0      0||
2996.11. 1. 3010.12.29. B 0 B      0      19||
2970.11. 1. 2986.12.29. 257th position to * Jotham      19

16492 Bytes free.
(224th/257) position: 2297.11. 1. 2312.12.29. E Israel in Egypt      89
Forward relations for entry Israel in Egypt      (89/120) are generated.
Optimize dates...
Israel in Egypt      D Knd S      from:      to:|
2297.11. 1. 2312.12.29. E 0 E      89      89||
2296. 9. 1.≥      E 1 B      86      89||
2296. 1. 1.≥      E 2 B      87      89||
2295.11. 1. 2314.12.29. E 6 B      89      89||
2297.11. 1. 2312.12.29. E 9 B      85      89||
2297.10.30. 2312.12.30. E 9 +      88      89||
2297.10. 1. 2313. 1.29. E 10 B      55      89||
2297.10. 1. 2313. 1.29. E 10 E      56      89||
2297.10.30. 2312.12.30. E 10 B      84      89||
      0 E      0      0||
2297.11. 1. 2312.12.29. E 0 E      0      89||

16492 Bytes free.
(225th/257) position: 2299.12.11. 2314. 2. 9. E Explorers of Canaan      85
Forward relations for entry Explorers of Canaan      (85/120) are generated.
Optimize dates...
Explorers of Canaan      D Knd S      from:      to:|
2299.12.11. 2314. 2. 9. E 0 E      85      85||
2299.12.11. 2314. 2. 9. E 5 B      85      85||
      0 E      0      0||
2299.12.11. 2314. 2. 9. E 0 E      0      85||

```

16492 Bytes free.  
 (226th/257) position: 2345.11. 1.≥ B Chushanrishathaim 80  
 Forward relations for entry Chushanrishathaim (80/120) are generated.  
 Backward relations for entry Othniel (79/120) are generated.  
 Optimize dates...  
 Chushanrishathaim D Knd S from: to:†  
 2345.11. 1.≥ B 0 B 80 80||  
 2345.11. 1.≥ B 1 E 83 80||  
 2343. 3. 1.≥ B 5 E 80 80||  
 0 B 0 0||  
 2345.11. 1.≥ B 0 B 0 80||  
 2352.11. 1.≥ 258th position to E Chushanrishathaim 80

16492 Bytes free.  
 (227th/258) position: 2234.11. 1.≥ \* Joshua 83  
 Forward relations for entry Joshua (83/120) are generated.  
 Backward relations for entry Chushanrishathaim (80/120) are generated.  
 Optimize dates...  
 Joshua D Knd S from: to:†  
 2234.11. 1.≥ \* 0 \* 83 83||  
 2234.11. 1.≥ \* 5 + 83 83||  
 0 \* 0 0||  
 2234.11. 1.≥ \* 0 \* 0 83||

16492 Bytes free.  
 (228th/258) position: 1400. 1.15. 1421. 1. 7. \* Peleg 101  
 Forward relations for entry Peleg (101/120) are generated.  
 Optimize dates...  
 Peleg D Knd S from: to:†  
 1400. 1.15. 1421. 1. 7. \* 0 \* 101 101||  
 \* 1 B 102 101||  
 1400. 1.15. 1421. 1. 7. \* 3 \* 103 101||  
 \* 9 \* 100 101||  
 \* 10 + 103 101||  
 0 \* 0 0||  
 1400. 1.15. 1421. 1. 7. \* 0 \* 0 101||  
 1400. 1.15. 1421. 1. 7. 259th position to B Tower of Babel 102  
 1429. 1.15. 1452. 1. 7. 260th position to \* Reu 100  
 1829. 1.15. 1852. 1. 7. 261st position to + Eber 103

16492 Bytes free.  
 (229th/261) position: 1769. 1.15. 1790. 1. 7. + Salah 104  
 Forward relations for entry Salah (104/120) are generated.  
 Optimize dates...  
 Salah D Knd S from: to:†  
 1769. 1.15. 1790. 1. 7. + 0 + 104 104||  
 1769. 1.15. 1790. 1. 7. + 4 \* 103 104||  
 0 + 0 0||  
 1769. 1.15. 1790. 1. 7. + 0 + 0 104||

16492 Bytes free.  
 (230th/261) position: 3031. 3.22. 3040.12.29. B Hezekiah 14  
 Forward relations for entry Hezekiah (14/120) are generated.  
 Backward relations for entry Manasseh (12/120) are generated.  
 Backward relations for entry Isaiah (20/120) are generated.  
 Optimize dates...  
 Hezekiah D Knd S from: to:†

3031.	3.22.	3040.12.29.	B	0	B	14	14		
3030.	11.	1.	3040.12.29.	B	1	E	17	14	
3028.	11.	1.	3042.12.29.	B	3	B	16	14	
3028.	11.	1.	3042.12.29.	B	4	*	14	14	
3031.	3.22.	3040.12.29.	B	6	E	14	14		
3028.	11.	1.	3042.12.29.	B	9	B	13	14	
3028.	11.	1.	3042.12.29.	B	9	B	15	14	
				0	B	0	0	0	
3031.	3.22.	3040.12.29.	B	0	B	0	14		
3031.	3.22.	3040.12.29.				262nd position to	E Ahaz	17	
3027.	3.22.	3038.12.29.				263rd position to	B Hoshea	16	
3005.	3.22.	3016.12.29.				264th position to	* Hezekiah	14	
3045.	3.22.	3056.12.29.				265th position to	B 14th Jubile Year	13	
3036.	3.22.	3047.12.29.				266th position to	B Captivity of Israel	15	

16492 Bytes free.

(231st/266) position: 3061. 3.22. 3068.12.29. E Isaiah 20  
 Forward relations for entry Isaiah (20/120) are generated.  
 Backward relations for entry Hezekiah (14/120) are generated.  
 Backward relations for entry Azariah = Uzziah (26/120) are generated.

Optimize dates...

Isaiah	D	Kind	S	from:	to:	
3061. 3.22. 3068.12.29.	E	0	E	20	20	
3061. 3.22. ≥	E	1	E	14	20	
≤ 3068.12.29.	E	8	E	14	20	
		0	E	0	0	
3061. 3.22. 3068.12.29.	E	0	E	0	20	

16492 Bytes free.

(232nd/266) position: 2991. 9. 1. 3007. 7.29. B Shallum 24  
 Forward relations for entry Shallum (24/120) are generated.  
 Backward relations for entry Menahem (23/120) are generated.

Optimize dates...

Shallum	D	Kind	S	from:	to:	
2991. 9. 1. 3007. 7.29.	B	0	B	24	24	
2991. 9. 1. 3007. 7.29.	B	1	E	25	24	
2991.11. 1. 3007.12.29.	B	3	B	26	24	
2991. 9. 1. 3007. 9.29.	B	5	E	24	24	
2M		0	B	0	0	
2991.11. 1. 3007. 7.29.	B	0	B	0	24	
2991.11. 1. 3007. 7.29.				267th position to	B Shallum	24
2991.11. 1. 3007. 7.29.				268th position to	E Zachariah	25

16492 Bytes free.

(233rd/268) position: 2991.11. 1. 3007. 9.29. E Shallum 24  
 Forward relations for entry Shallum (24/120) are generated.  
 Backward relations for entry Menahem (23/120) are generated.

Optimize dates...

Shallum	D	Kind	S	from:	to:	
2991.11. 1. 3007. 9.29.	E	0	E	24	24	
2991.11. 1. 3007. 9.29.	E	5	B	24	24	
2991.11. 1. 3007.12.29.	E	7	B	23	24	
2991.11. 1. 3007. 9.29.	+	0	+	24	24	
		0	E	0	0	
2991.11. 1. 3007. 9.29.	E	0	E	0	24	
2991.11. 1. 3007. 9.29.				269th position to	B Menahem	23

16492 Bytes free.

(234th/269) position: 2949. 2. 1. 2966.12.29. B Jeroboam (Joash) 27  
 Forward relations for entry Jeroboam (Joash) (27/120) are generated.  
 Backward relations for entry Zachariah (25/120) are generated.  
 Optimize dates...

Jeroboam (Joash)	D	Kind	S	from:	to:	
2949. 2. 1.	2966.12.29.	B	0 B	27	27	
		B	1 E	30	27	
		B	3 B	28	27	
2949. 2. 1.	2966.12.29.	B	5 E	27	27	
			0 B	0	0	
2949. 2. 1.	2966.12.29.	B	0 B	0	27	
2949. 2. 1.	2966.12.29.			270th position to E	Joash (Jehoahaz)	30
2933. 2. 1.	2952.12.29.			271st position to B	Amaziah	28

16492 Bytes free.

(235th/271) position: 2953.11. 1. 2967.12.29. B Azariah = Uzziah 26  
 Forward relations for entry Azariah = Uzziah (26/120) are generated.  
 Backward relations for entry Jotham (19/120) are generated.  
 Optimize dates...

Azariah = Uzziah	D	Kind	S	from:	to:	
2953.11. 1.	2967.12.29.	B	0 B	26	26	
2953. 3. 1.	2967.12.29.	B	1 Ω	28	26	
2951. 3. 1.	2969.12.29.	B	3 *	27	26	
2951. 3. 1.	2969.12.29.	B	4 *	26	26	
2953.11. 1.	2968.12.29.	B	6 E	26	26	
2952.11. 1.	2967.12.29.	B	9 B	21	26	
2951.11. 1.	2968.12.29.	B	9 B	22	26	
2951.11. 1.	2969. 9.29.	B	9 B	23	26	
2951.11. 1.	2969. 7.29.	B	9 B	24	26	
2952. 2. 1.	2969.12.29.	B	9 B	25	26	
			0 B	0	0	
2953.11. 1.	2967.12.29.	B	0 B	0	26	
2953.11. 1.	2967.12.29.			272nd position to Ω	Amaziah	28
2925.11. 1.	2941.12.29.			273rd position to *	Jeroboam (Joash)	27
2936.11. 1.	2952.12.29.			274th position to *	Azariah = Uzziah	26

16492 Bytes free.

(236th/274) position: 2296. 9. 1. 2312.12.29. B Moses 86  
 Forward relations for entry Moses (86/120) are generated.  
 Backward relations for entry Joshua (83/120) are generated.  
 Backward relations for entry Aaron (87/120) are generated.  
 Backward relations for entry Israel in Egypt (89/120) are generated.  
 Optimize dates...

Moses	D	Kind	S	from:	to:	
2296. 9. 1.	2312.12.29.	B	0 B	86	86	
2295. 9. 1.	2313.10.30.	B	3 *	86	86	
2296. 9. 1.	2313.10.30.	B	5 E	86	86	
2296. 1. 1.	2312.12.29.	B	7 B	87	86	
	≤ 2312.12.29.	B	7 E	89	86	
			0 B	0	0	
2296. 9. 1.	2312.12.29.	B	0 B	0	86	
2296. 9. 1.	2312.12.29.			275th position to B	Aaron	87

16492 Bytes free.

(237th/275) position: 2296. 9. 1. 2312.12.29. B Aaron 87  
 Forward relations for entry Aaron (87/120) are generated.  
 Backward relations for entry Israel in Egypt (89/120) are generated.  
 Forward relations for entry Aaron (88/120) are generated.

Optimize dates...

Aaron	D	Kind	S	from:	to:	
2296. 9. 1.	2312.12.29.	B	0 B	87	87	
2296. 9. 1.	2312.12.29.	B	1 B	86	87	
2294. 7. 1.	2314. 9. 1.	B	3 *	87	87	
	≤ 2312.12.29.	B	8 E	89	87	
			0 B	0	0	
2296. 9. 1.	2312.12.29.	B	0 B	0	87	
2212. 9. 1.	2230. 9. 1.			276th position to	* Aaron	87

16492 Bytes free.

(238th/276) position: 1674. 3. 1. 1696. 4.30. \* Isaac 91  
 Forward relations for entry Isaac (91/120) are generated.

Optimize dates...

Isaac	D	Kind	S	from:	to:	
1674. 3. 1.	1696. 4.30.	*	0 *	91	91	
		*	1 B	92	91	
		*	3 *	96	91	
		*	5 +	91	91	
		*	4 *	95	91	
1674. 3. 1.	1696. 4.30.	*	9 *	90	91	
			0 *	0	0	
1674. 3. 1.	1696. 4.30.	*	0 *	0	91	
	≤ 1696. 4.30.			277th position to	B Fire upon Sodom	92
1573. 3. 1.	1597. 4.30.			278th position to	* Abram = Abraham	96
1853. 3. 1.	1877. 4.30.			279th position to	+ Isaac	91
1583. 3. 1.	1607. 4.30.			280th position to	* Sarai = Sarah	95

16492 Bytes free.

(239th/280) position: 2771.10. 1. 2789. 6.30. E David 58  
 Forward relations for entry David (58/120) are generated.  
 Backward relations for entry Solomon (57/120) are generated.

Optimize dates...

David	D	Kind	S	from:	to:	
2771.10. 1.	2789. 6.30.	Ω	0 Ω	58	58	
		Ω	6 α	58	58	
2771.10. 1.	2789. 6.30.	E	0 E	58	58	
		E	5 B	58	58	
2771.10. 1.	2789. 6.30.	E	7 B	57	58	
2771.10. 1.	2789. 6.30.	+	0 +	58	58	
			0 Ω	0	0	
2771.10. 1.	2789. 6.30.	Ω	0 Ω	0	58	
2737.10. 1.	2757. 6.30.			281st position to	α David	58
2730.10. 1.	2750. 6.30.			282nd position to	B David	58

16492 Bytes free.

(240th/282) position: 2810.10. 1. 2830. 6.30. E Solomon 57  
 Forward relations for entry Solomon (57/120) are generated.  
 Backward relations for entry Jeroboam (Nebat) (53/120) are generated.  
 Backward relations for entry Rehoboam (54/120) are generated.

Optimize dates...

Solomon	D	Kind	S	from:	to:	
2810.10. 1.	2830. 6.30.	E	0 E	57	57	
2810.10. 1.	2830. 6.30.	E	5 B	57	57	
		E	7 B	53	57	
		E	7 B	54	57	
2810.10. 1.	2830. 6.30.	+	0 +	57	57	
			0 E	0	0	

2810.10. 1. 2830. 6.30. E 0 E 0 57||  
 2810.10. 1. 2830. 6.30. 283rd position to B Jeroboam (Nebat) 53  
 2810.10. 1. 2830. 6.30. 284th position to B Rehoboam 54

16492 Bytes free.

(241st/284) position: 2337. 9. 1. 2352.10.30. B Moses' Speech 84  
 Forward relations for entry Moses' Speech (84/120) are generated.  
 Backward relations for entry Moses (86/120) are generated.  
 Optimize dates...

Moses' Speech	D	Kind	S	from:	to:
2337. 9. 1. 2352.10.30.	B	0	B	84	84
2336.11. 1. 2352.12.29.	B	3	B	85	84
2337. 9. 1. 2352.10.30.	B	4	E	89	84
2337. 9. 1. 2352.10.30.	B	7	E	86	84
2335. 9. 1. 2354.10.30.	B	9	B	68	84
		0	B	0	0
2337. 9. 1. 2352.10.30.	B	0	B	0	84

16492 Bytes free.

(242nd/284) position: 2337. 9. 1. 2352.10.30. E Moses 86  
 Forward relations for entry Moses (86/120) are generated.  
 Backward relations for entry Joshua (83/120) are generated.  
 Backward relations for entry Aaron (87/120) are generated.  
 Backward relations for entry Israel in Egypt (89/120) are generated.  
 Optimize dates...

Moses	D	Kind	S	from:	to:
2337. 9. 1. 2352.10.30.	E	0	E	86	86
2337. 9. 1. 2352.10.30.	E	1	B	84	86
2335. 9. 1. 2353.12.29.	E	5	B	86	86
2337. 9. 1. 2352.10.30.	E	7	B	83	86
2337. 9. 1. 2352.10.30.	+	0	+	86	86
2336. 9. 1. 2353.10.30.	+	6	*	86	86
		0	E	0	0
2337. 9. 1. 2352.10.30.	E	0	E	0	86

16492 Bytes free.

(243rd/284) position: 2636. 9. 1. 2653.10.30. B Jephthah 68  
 Forward relations for entry Jephthah (68/120) are generated.  
 Backward relations for entry Philistines (63/120) are generated.  
 Backward relations for entry Ibzan (67/120) are generated.  
 Optimize dates...

Jephthah	D	Kind	S	from:	to:
2636. 9. 1. 2653.10.30.	B	0	B	68	68
2636. 9. 1. 2653.10.30.	B	1	E	69	68
2636. 9. 1. 2653.10.30.	B	3	B	84	68
2634. 9. 1. 2655.10.30.	B	6	E	68	68
		0	B	0	0
2636. 9. 1. 2653.10.30.	B	0	B	0	68

16492 Bytes free.

(244th/284) position: 1866.11. 1. 1883.12.29. B Israel in Egypt 89  
 Forward relations for entry Israel in Egypt (89/120) are generated.  
 Optimize dates...

Israel in Egypt	D	Kind	S	from:	to:
1866.11. 1. 1883.12.29.	B	0	B	89	89
1864. 3. 1. 1886. 4.30.	B	3	*	90	89
1866.11. 1. 1883.12.29.	B	6	E	89	89
1864. 3. 1. 1886. 4.30.	B	10	+	90	89

```

                                0 B      0      0||
1866.11. 1. 1883.12.29. B 0 B      0      89||
1735.11. 1. 1754.12.29. 285th position to * Jacob = Israel      90
1882.11. 1. 1901.12.29. 286th position to + Jacob = Israel      90

```

16492 Bytes free.

```

(245th/286) position: 2337. 3. 1. 2352. 4.30. + Aaron      88
Forward relations for entry Aaron (87/120) are generated.
Backward relations for entry Israel in Egypt (89/120) are generated.
Forward relations for entry Aaron (88/120) are generated.
Optimize dates...

```

```

Aaron          D Knd S      from:      to:|
2337. 3. 1. 2352. 4.30. E 0 E      87      87||
2337. 3. 1. 2352. 4.30. + 0 +      87      87||
2334. 9. 1. 2354. 9. 1. + 6 *      87      87||
2337. 3. 1. 2352. 4.30. + 3 E      89      88||
                                0 E      0      0||
2337. 3. 1. 2352. 4.30. E 0 E      0      87||
2213. 3. 1. 2230. 4.30. 287th position to * Aaron      87

```

16492 Bytes free.

```

(246th/287) position: 2776.12. 1. 2792. 2.29. B Building the Temple 55
Forward relations for entry Building the Temple (55/120) are generated.
Forward relations for entry Building the Temple (56/120) are generated.
Optimize dates...

```

```

Building the Temple D Knd S      from:      to:|
2776.12. 1. 2792. 2.29. B 0 B      55      55||
2774.10. 1. 2794. 6.30. B 3 B      57      55||
2776. 6. 1. 2793. 8.29. B 5 E      55      55||
2776.12. 1. 2792. 2.29. B 4 E      89      55||
                                0 B      0      0||
2776.12. 1. 2792. 2.29. B 0 B      0      55||
2771.12. 1. 2789. 2.29. 288th position to B Solomon      57

```

16492 Bytes free.

```

(247th/288) position: 2784. 6. 1. 2799. 8.29. E Building the Temple 56
Forward relations for entry Building the Temple (55/120) are generated.
Forward relations for entry Building the Temple (56/120) are generated.
Optimize dates...

```

```

Building the Temple D Knd S      from:      to:|
2784. 6. 1. 2799. 8.29. E 0 E      55      55||
2782.12. 1. 2800. 2.29. E 5 B      55      55||
2781.12. 1. 2801. 2.29. E 3 B      57      56||
2784. 6. 1. 2799. 8.29. E 4 E      89      56||
                                0 E      0      0||
2784. 6. 1. 2799. 8.29. E 0 E      0      55||
2772. 6. 1. 2789. 2.29. 289th position to B Solomon      57

```

16492 Bytes free.

```

(248th/289) position: 2296. 9. 1. 2312.12.29. B Moses      86
Forward relations for entry Moses (86/120) are generated.
Backward relations for entry Joshua (83/120) are generated.
Backward relations for entry Aaron (87/120) are generated.
Backward relations for entry Israel in Egypt (89/120) are generated.
Optimize dates...

```

```

Moses          D Knd S      from:      to:|
2296. 9. 1. 2312.12.29. B 0 B      86      86||
2295. 9. 1. 2313.10.30. B 3 *      86      86||

```

2296.	9.	1.	2313.10.30.	B	5	E	86	86	
2296.	9.	1.	2312.12.29.	B	7	B	87	86	
			≤ 2312.12.29.	B	7	E	89	86	
					0	B	0	0	
2296.	9.	1.	2312.12.29.	B	0	B	0	86	

16492 Bytes free.

(249th/289) position: 2337. 9. 1. 2352.10.30. B Joshua 83  
 Forward relations for entry Joshua (83/120) are generated.  
 Backward relations for entry Chushanrishathaim (80/120) are generated.  
 Optimize dates...

Joshua	D	Kind	S	from:	to:	
2337. 9. 1. 2352.10.30.	B	0	B	83	83	
2337. 9. 1. 2352.10.30.	B	1	E	86	83	
		0	B	0	0	
2337. 9. 1. 2352.10.30.	B	0	B	0	83	

16492 Bytes free.

(250th/289) position: 2216. 9. 1. 2232.10.30. \* Moses 86  
 Forward relations for entry Moses (86/120) are generated.  
 Backward relations for entry Joshua (83/120) are generated.  
 Backward relations for entry Aaron (87/120) are generated.  
 Backward relations for entry Israel in Egypt (89/120) are generated.  
 Optimize dates...

Moses	D	Kind	S	from:	to:	
2216. 9. 1. 2232.10.30.	*	0	*	86	86	
2216. 9. 1. 2232.10.30.	*	6	+	86	86	
2215. 9. 1. 2233.12.29.	*	9	B	86	86	
		0	*	0	0	
2216. 9. 1. 2232.10.30.	*	0	*	0	86	

16492 Bytes free.

(251st/289) position: 2636. 9. 1. 2653.10.30. E Philistines + Ammon 69  
 Forward relations for entry Philistines + Ammon (69/120) are generated.  
 Backward relations for entry Jephthah (68/120) are generated.  
 Optimize dates...

Philistines + Ammon	D	Kind	S	from:	to:	
2636. 9. 1. 2653.10.30.	E	0	E	69	69	
2634. 9. 1. 2655.10.30.	E	5	B	69	69	
2636. 9. 1. 2653.10.30.	E	7	B	68	69	
		0	E	0	0	
2636. 9. 1. 2653.10.30.	E	0	E	0	69	

16492 Bytes free.

(252nd/289) position: 2641. 9. 1. 2660.10.30. E Jephthah 68  
 Forward relations for entry Jephthah (68/120) are generated.  
 Backward relations for entry Philistines (63/120) are generated.  
 Backward relations for entry Ibzan (67/120) are generated.  
 Optimize dates...

Jephthah	D	Kind	S	from:	to:		
2641. 9. 1. 2660.10.30.	E	0	E	68	68		
2641. 9. 1. 2660.10.30.	E	6	B	68	68		
		E	7	B	63	68	
		E	7	B	67	68	
2641. 9. 1. 2660.10.30.	+	0	+	68	68		
		0	E	0	0		
2641. 9. 1. 2660.10.30.	E	0	E	0	68		



16492 Bytes free.  
 (253rd/289) position: 2617. 9. 1. 2636.10.30. B Philistines + Ammon 69  
 Forward relations for entry Philistines + Ammon (69/120) are generated.  
 Backward relations for entry Jephthah (68/120) are generated.  
 Optimize dates...

Philistines + Ammon	D	Kind	S	from:	to:	
2617. 9. 1. 2636.10.30.	B	0	B	69	69	69
	B	1	E	72	69	69
2617. 9. 1. 2636.10.30.	B	5	E	69	69	69
		0	B	0	0	0
2617. 9. 1. 2636.10.30.	B	0	B	0	69	69
≤ 2636.10.30.				290th position to E Abimelech		72

16492 Bytes free.  
 (254th/290) position: 2641. 9. 1.≥ B Philistines 63  
 Forward relations for entry Philistines (63/120) are generated.  
 Backward relations for entry Samuel (61/120) are generated.  
 Backward relations for entry Samson (62/120) are generated.  
 Backward relations for entry Saul (60/120) are generated.  
 Optimize dates...

Philistines	D	Kind	S	from:	to:	
2641. 9. 1.≥	B	0	B	63	63	63
2641. 9. 1.≥	B	1	E	68	63	63
	B	6	E	63	63	63
	B	7	B	62	63	63
		0	B	0	0	0
2641. 9. 1.≥	B	0	B	0	63	63
2680. 9. 1.≥				291st position to E Philistines		63
2641. 9. 1.≥				292nd position to B Samson		62

16492 Bytes free.  
 (255th/292) position: 2641. 9. 1.≥ B Ibzan 67  
 Forward relations for entry Ibzan (67/120) are generated.  
 Backward relations for entry Elon (66/120) are generated.  
 Optimize dates...

Ibzan	D	Kind	S	from:	to:	
2641. 9. 1.≥	B	0	B	67	67	67
2641. 9. 1.≥	B	1	E	68	67	67
	B	5	E	67	67	67
		0	B	0	0	0
2641. 9. 1.≥	B	0	B	0	67	67
2647. 9. 1.≥				293rd position to E Ibzan		67

16492 Bytes free.  
 (256th/293) position: 2391. 3. 1.≥ E Othniel 79  
 Forward relations for entry Othniel (79/120) are generated.  
 Backward relations for entry Eglon (78/120) are generated.  
 Optimize dates...

Othniel	D	Kind	S	from:	to:	
2391. 3. 1.≥	E	0	E	79	79	79
2391. 3. 1.≥	E	5	B	79	79	79
	E	7	B	78	79	79
2391. 3. 1.≥	+	0	+	79	79	79
		0	E	0	0	0
2391. 3. 1.≥	E	0	E	0	79	79
2391. 3. 1.≥				294th position to B Eglon		78

16492 Bytes free.

(257th/294) position: 2970.11. 1. 2986.12.29. \* Jotham 19  
 Forward relations for entry Jotham (19/120) are generated.  
 Backward relations for entry Ahaz (17/120) are generated.  
 Backward relations for entry Ahaz (17/120) are generated.  
 Optimize dates...

Jotham	D	Kind	S	from:	to:†
2970.11. 1.	2986.12.29.	*	0 *	19	19
2970.11. 1.	2986.12.29.	*	10 B	19	19
			0 *	0	0
2970.11. 1.	2986.12.29.	*	0 *	0	19

16492 Bytes free.

(258th/294) position: 2352.11. 1.≥ E Chushanrishathaim 80  
 Forward relations for entry Chushanrishathaim (80/120) are generated.  
 Backward relations for entry Othniel (79/120) are generated.  
 Optimize dates...

Chushanrishathaim	D	Kind	S	from:	to:†
2352.11. 1.≥		E	0 E	80	80
2352.11. 1.≥		E	5 B	80	80
2352. 3. 1.≥		E	7 B	79	80
			0 E	0	0
2352.11. 1.≥		E	0 E	0	80
2352.11. 1.≥				295th position to B Othniel	79

16492 Bytes free.

(259th/295) position: 1400. 1.15. 1421. 1. 7. B Tower of Babel 102  
 Forward relations for entry Tower of Babel (102/120) are generated.  
 Backward relations for entry Peleg (101/120) are generated.  
 Optimize dates...

Tower of Babel	D	Kind	S	from:	to:†
1400. 1.15.	1421. 1. 7.	B	0 B	102	102
1400. 1.15.	1421. 1. 7.	B	7 *	101	102
			0 B	0	0
1400. 1.15.	1421. 1. 7.	B	0 B	0	102

16492 Bytes free.

(260th/295) position: 1429. 1.15. 1452. 1. 7. \* Reu 100  
 Forward relations for entry Reu (100/120) are generated.  
 Optimize dates...

Reu	D	Kind	S	from:	to:†
1429. 1.15.	1452. 1. 7.	*	0 *	100	100
1429. 1.15.	1452. 1. 7.	*	3 *	101	100
			9 *	99	100
			10 +	101	100
			0 *	0	0
1429. 1.15.	1452. 1. 7.	*	0 *	0	100
1460. 1.15.	1485. 1. 7.			296th position to * Serug	99
1637. 1.15.	1662. 1. 7.			297th position to + Peleg	101

16492 Bytes free.

(261st/297) position: 1829. 1.15. 1852. 1. 7. + Eber 103  
 Forward relations for entry Eber (103/120) are generated.  
 Optimize dates...

Eber	D	Kind	S	from:	to:†
1829. 1.15.	1852. 1. 7.	+	0 +	103	103
1829. 1.15.	1852. 1. 7.	+	4 *	101	103
			0 +	0	0
1829. 1.15.	1852. 1. 7.	+	0 +	0	103

16492 Bytes free.  
 (262nd/297) position: 3031. 3.22. 3040.12.29. E Ahaz 17  
 Forward relations for entry Ahaz (17/120) are generated.  
 Backward relations for entry Hezekiah (14/120) are generated.  
 Forward relations for entry Ahaz (18/120) are generated.  
 Optimize dates...

Ahaz	D	Kind	S	from:	to:	
3031. 3.22. 3040.12.29.	Ω	0	Ω	17	17	
3031. 3.22. 3040.12.29.	E	0	E	17	17	
3031. 3.22. 3040.12.29.	E	7	B	14	17	
3028.11. 1. 3042.12.29.	E	5	B	18	18	
3031. 3.22. 3040.12.29.	+	0	+	17	17	
		0	Ω	0	0	
3031. 3.22. 3040.12.29.	Ω	0	Ω	0	17	
3014. 3.22. 3025.12.29.				298th position to B Ahaz		18

16492 Bytes free.  
 (263rd/298) position: 3027. 3.22. 3038.12.29. B Hoshea 16  
 Forward relations for entry Hoshea (16/120) are generated.  
 Backward relations for entry Captivity of Israel (15/120) are generated.  
 Optimize dates...

Hoshea	D	Kind	S	from:	to:	
3027. 3.22. 3038.12.29.	B	0	B	16	16	
3026.11. 1. 3038.12.29.	B	1	E	21	16	
3025. 3.22. 3038.12.29.	B	3	B	17	16	
3025.11. 1. 3039.12.29.	B	5	E	16	16	
3025.11. 1. 3040.12.29.	B	4	α	19	16	
3027. 3.22. 3038.12.29.	B	9	B	14	16	
3026. 3.22. 3039.12.29.	B	10	B	15	16	
		0	B	0	0	
3027. 3.22. 3038.12.29.	B	0	B	0	16	
3027. 3.22. 3038.12.29.				299th position to E Pekah		21

16492 Bytes free.  
 (264th/299) position: 3005. 3.22. 3016.12.29. \* Hezekiah 14  
 Forward relations for entry Hezekiah (14/120) are generated.  
 Backward relations for entry Manasseh (12/120) are generated.  
 Backward relations for entry Isaiah (20/120) are generated.  
 Optimize dates...

Hezekiah	D	Kind	S	from:	to:	
3005. 3.22. 3016.12.29.	*	0	*	14	14	
3005. 3.22. 3016.12.29.	*	10	B	14	14	
		0	*	0	0	
3005. 3.22. 3016.12.29.	*	0	*	0	14	

16492 Bytes free.  
 (265th/299) position: 3045. 3.22. 3056.12.29. B 14th Jubile Year 13  
 Forward relations for entry 14th Jubile Year (13/120) are generated.  
 Optimize dates...

14th Jubile Year	D	Kind	S	from:	to:	
3045. 3.22. 3056.12.29.	B	0	B	13	13	
3045. 3.22. 3056.12.29.	B	3	B	14	13	
3044.11. 1. 3056.12.29.	B	4	B	81	13	
3044.11. 1. 3056.12.29.	B	6	E	13	13	
		0	B	0	0	
3045. 3.22. 3056.12.29.	B	0	B	0	13	
2346. 3.22. 2357.12.29.				300th position to B Inheritance of Israel		81

3046. 3.22. 3057.12.29. 301st position to E 14th Jubile Year 13

16492 Bytes free.

(266th/301) position: 3036. 3.22. 3047.12.29. B Captivity of Israel 15

Forward relations for entry Captivity of Israel (15/120) are generated.

Optimize dates...

Captivity of Israel			D	Kind	S	from:	to:
3036.	3.22.	3047.12.29.	B	0	B	15	15
3035.11.	1.	3047.12.29.	B	1	E	16	15
3036.	3.22.	3047.12.29.	B	3	B	14	15
3035.	3.22.	3048.12.29.	B	4	B	16	15
				0	B	0	0
3036.	3.22.	3047.12.29.	B	0	B	0	15
3036.	3.22.	3047.12.29.					

302nd position to E Hoshea

16

16492 Bytes free.

(267th/302) position: 2991.11. 1. 3007. 7.29. B Shallum 24

Forward relations for entry Shallum (24/120) are generated.

Backward relations for entry Menahem

(23/120) are generated.

Optimize dates...

Shallum			D	Kind	S	from:	to:
2991.11.	1.	3007. 7.29.	B	0	B	24	24
2991.11.	1.	3007. 7.29.	B	1	E	25	24
2991.11.	1.	3007.12.29.	B	3	B	26	24
2991. 9. 1.		3007. 9.29.	B	5	E	24	24
				0	B	0	0
2991.11.	1.	3007. 7.29.	B	0	B	0	24

16492 Bytes free.

(268th/302) position: 2991.11. 1. 3007. 7.29. E Zachariah 25

Forward relations for entry Zachariah (25/120) are generated.

Backward relations for entry Shallum

(24/120) are generated.

Optimize dates...

Zachariah			D	Kind	S	from:	to:
2991.11.	1.	3007. 7.29.	E	0	E	25	25
2991. 7. 1.		3007. 7.29.	E	5	B	25	25
2991.11.	1.	3007. 7.29.	E	7	B	24	25
2991.11.	1.	3007. 7.29.	+	0	+	25	25
				0	E	0	0
2991.11.	1.	3007. 7.29.	E	0	E	0	25
2991. 4. 1.		3006.12.29.					

303rd position to B Zachariah

25

16492 Bytes free.

(269th/303) position: 2991.11. 1. 3007. 9.29. B Menahem 23

Forward relations for entry Menahem (23/120) are generated.

Backward relations for entry Pekahiah

(22/120) are generated.

Optimize dates...

Menahem			D	Kind	S	from:	to:
2991.11.	1.	3007. 9.29.	B	0	B	23	23
2991.11.	1.	3007. 9.29.	B	1	E	24	23
2991.11.	1.	3007.12.29.	B	3	B	26	23
2991.11.	1.	3008.12.29.	B	5	E	23	23
				0	B	0	0
2991.11.	1.	3007. 9.29.	B	0	B	0	23

16492 Bytes free.

(270th/303) position: 2949. 2. 1. 2966.12.29. E Joash (Jehoahaz) 30

Forward relations for entry Joash (Jehoahaz) (30/120) are generated.

Backward relations for entry Jeroboam (Joash) (27/120) are generated.

Backward relations for entry Elisha (39/120) are generated.

Optimize dates...

Joash (Jehoahaz)	D	Kind	S	from:	to:	
2949. 2. 1. 2966.12.29.	E	0	E	30	30	
	E	2	+	39	30	
	E	5	B	30	30	
2949. 2. 1. 2966.12.29.	E	7	B	27	30	
2949. 2. 1. 2966.12.29.	+	0	+	30	30	
	+	9	+	29	30	
	0	E		0	0	
2949. 2. 1. 2966.12.29.	E	0	E	0	30	
	≤			2966.12.29.		304th position to + Elisha 39
2932. 2. 1. 2951.12.29.						305th position to B Joash (Jehoahaz) 30
2963. 2. 1. 2982.12.29.						306th position to + Amaziah 29

16492 Bytes free.

(271st/306) position: 2933. 2. 1. 2952.12.29. B Amaziah 28

Forward relations for entry Amaziah (28/120) are generated.

Backward relations for entry Azariah = Uzziah (26/120) are generated.

Forward relations for entry Amaziah (29/120) are generated.

Optimize dates...

Amaziah	D	Kind	S	from:	to:	
2933. 2. 1. 2952.12.29.	B	0	B	28	28	
	B	1	E	32	28	
2933. 2. 1. 2954.12.29.	B	3	B	30	28	
	B	4	*	28	28	
2933. 2. 1. 2954.12.29.	B	6	E	28	28	
2933. 2. 1. 2952.12.29.	B	9	B	27	28	
	0	B		0	0	
2933. 2. 1. 2952.12.29.	B	0	B	0	28	
2933. 2. 1. 2952.12.29.						307th position to E Joash (Ahaziah) 32
2907. 2. 1. 2928.12.29.						308th position to * Amaziah 28

16492 Bytes free.

(272nd/308) position: 2953.11. 1. 2967.12.29. Ω Amaziah 28

Forward relations for entry Amaziah (28/120) are generated.

Backward relations for entry Azariah = Uzziah (26/120) are generated.

Forward relations for entry Amaziah (29/120) are generated.

Optimize dates...

Amaziah	D	Kind	S	from:	to:	
2953.11. 1. 2967.12.29.	Ω	0	Ω	28	28	
2953.11. 1. 2967.12.29.	Ω	7	B	26	28	
	0	Ω		0	0	
2953.11. 1. 2967.12.29.	Ω	0	Ω	0	28	

16492 Bytes free.

(273rd/308) position: 2925.11. 1. 2941.12.29. \* Jeroboam (Joash) 27

Forward relations for entry Jeroboam (Joash) (27/120) are generated.

Backward relations for entry Zachariah (25/120) are generated.

Optimize dates...

Jeroboam (Joash)	D	Kind	S	from:	to:	
2925.11. 1. 2941.12.29.	*	0	*	27	27	
2925.11. 1. 2941.12.29.	*	9	B	26	27	
	0	*		0	0	
2925.11. 1. 2941.12.29.	*	0	*	0	27	

16492 Bytes free.

(274th/308) position: 2936.11. 1. 2952.12.29. \* Azariah = Uzziah 26  
 Forward relations for entry Azariah = Uzziah (26/120) are generated.  
 Backward relations for entry Jotham (19/120) are generated.  
 Optimize dates...

Azariah = Uzziah	D	Kind	S	from:	to:†
2936.11. 1. 2952.12.29. * 0 *				26	26
2936.11. 1. 2952.12.29. * 10 B				26	26
			0 *	0	0
2936.11. 1. 2952.12.29. * 0 *				0	26

16492 Bytes free.

(275th/308) position: 2296. 9. 1. 2312.12.29. B Aaron 87  
 Forward relations for entry Aaron (87/120) are generated.  
 Backward relations for entry Israel in Egypt (89/120) are generated.  
 Forward relations for entry Aaron (88/120) are generated.  
 Optimize dates...

Aaron	D	Kind	S	from:	to:†
2296. 9. 1. 2312.12.29. B 0 B				87	87
2296. 9. 1. 2312.12.29. B 1 B				86	87
2295. 3. 1. 2314. 4.30. B 3 *				87	87
≤ 2312.12.29. B 8 E				89	87
			0 B	0	0
2296. 9. 1. 2312.12.29. B 0 B				0	87

16492 Bytes free.

(276th/308) position: 2213. 3. 1. 2230. 4.30. \* Aaron 87  
 Forward relations for entry Aaron (87/120) are generated.  
 Backward relations for entry Israel in Egypt (89/120) are generated.  
 Forward relations for entry Aaron (88/120) are generated.  
 Optimize dates...

Aaron	D	Kind	S	from:	to:†
2213. 3. 1. 2230. 4.30. * 0 *				87	87
2213. 3. 1. 2230. 4.30. * 6 +				87	87
2212. 9. 1. 2230.12.29. * 9 B				87	87
			0 *	0	0
2213. 3. 1. 2230. 4.30. * 0 *				0	87

16492 Bytes free.

(277th/308) position: ≤ 1696. 4.30. B Fire upon Sodom 92  
 Forward relations for entry Fire upon Sodom (92/120) are generated.  
 Backward relations for entry Isaac (91/120) are generated.  
 Optimize dates...

Fire upon Sodom	D	Kind	S	from:	to:†
≤ 1696. 4.30. B 0 B				92	92
1671. 3. 1. 1697. 4.30. B 3 *				96	92
≤ 1696. 4.30. B 7 *				91	92
1670Y 2M			0 B	0	0
1671. 3. 1. 1696. 4.30. B 0 B				0	92
1671. 3. 1. 1696. 4.30. 309th position to B Fire upon Sodom					92

16492 Bytes free.

(278th/309) position: 1573. 3. 1. 1597. 4.30. \* Abram = Abraham 96  
 Forward relations for entry Abram = Abraham (96/120) are generated.  
 Backward relations for entry Battle in Siddim Vale (94/120) are generated.  
 Optimize dates...

Abram = Abraham	D	Kind	S	from:	to:†
1573. 3. 1. 1597. 4.30. * 0 *				96	96
			* 3 *	97	96



```

                B 3 *      58      58||
2730.10. 1. 2750. 6.30. B 5 E      58      58||
2730. 8. 1. 2750. 1.30. B 10 α     58      58||
                0 B        0        0||
2730.10. 1. 2750. 1.30. B 0 B      0      58||
2730.10. 1. 2750. 1.30. 318th position to E Saul      60
2699.10. 1. 2721. 1.30. 319th position to * David     58

```

16492 Bytes free.

```

(283rd/319) position: 2810.10. 1. 2830. 6.30. B Jeroboam (Nebat)      53
Forward relations for entry Jeroboam (Nebat) (53/120) are generated.
Backward relations for entry Nadab (50/120) are generated.
Optimize dates...

```

```

Jeroboam (Nebat)      D Knd S      from:      to:|
2810.10. 1. 2830. 6.30. B 0 B      53      53||
2810.10. 1. 2830. 6.30. B 1 E      57      53||
                B 5 E      53      53||
                B 9 B      51      53||
                B 9 B      52      53||
                0 B        0        0||
2810.10. 1. 2830. 6.30. B 0 B      0      53||
2831.10. 1. 2853. 6.30. 320th position to E Jeroboam (Nebat)      53
2829.10. 1. 2851. 6.30. 321st position to B Asa      51
2827.10. 1. 2849. 6.30. 322nd position to B Abijam = Abijah      52

```

16492 Bytes free.

```

(284th/322) position: 2810.10. 1. 2830. 6.30. B Rehoboam      54
Forward relations for entry Rehoboam (54/120) are generated.
Backward relations for entry Abijam = Abijah (52/120) are generated.
Optimize dates...

```

```

Rehoboam      D Knd S      from:      to:|
2810.10. 1. 2830. 6.30. B 0 B      54      54||
2810.10. 1. 2830. 6.30. B 1 E      57      54||
                B 3 *      54      54||
                B 5 E      54      54||
                0 B        0        0||
2810.10. 1. 2830. 6.30. B 0 B      0      54||
2768.10. 1. 2790. 6.30. 323rd position to * Rehoboam      54
2826.10. 1. 2848. 6.30. 324th position to E Rehoboam      54

```

16492 Bytes free.

```

(285th/324) position: 1735.11. 1. 1754.12.29. * Jacob = Israel      90
Forward relations for entry Jacob = Israel (90/120) are generated.
Optimize dates...

```

```

Jacob = Israel      D Knd S      from:      to:|
1735.11. 1. 1754.12.29. * 0 *      90      90||
1733. 3. 1. 1757. 4.30. * 3 *      91      90||
1734.11. 1. 1755.12.29. * 5 +      90      90||
1735.11. 1. 1754.12.29. * 9 B      89      90||
                0 *        0        0||
1735.11. 1. 1754.12.29. * 0 *      0      90||
1674.11. 1. 1695.12.29. 325th position to * Isaac      91

```

16492 Bytes free.

```

(286th/325) position: 1882.11. 1. 1901.12.29. + Jacob = Israel      90
Forward relations for entry Jacob = Israel (90/120) are generated.
Optimize dates...

```

```

Jacob = Israel      D Knd S      from:      to:|

```



```

1882.11. 1. 1901.12.29. + 0 +      90      90||
1881.11. 1. 1902.12.29. + 5 *      90      90||
1882.11. 1. 1901.12.29. + 4 B      89      90||
                               0 +      0      0||
1882.11. 1. 1901.12.29. + 0 +      0      90||

```

16492 Bytes free.

```

(287th/325) position: 2213. 3. 1. 2230. 4.30. * Aaron      87
Forward relations for entry Aaron      (87/120) are generated.
Backward relations for entry Israel in Egypt (89/120) are generated.
Forward relations for entry Aaron      (88/120) are generated.

```

Optimize dates...

```

Aaron          D Knd S      from:      to:|
2213. 3. 1. 2230. 4.30. * 0 *      87      87||
2213. 3. 1. 2230. 4.30. * 6 +      87      87||
2212. 9. 1. 2230.12.29. * 9 B      87      87||
                               0 *      0      0||
2213. 3. 1. 2230. 4.30. * 0 *      0      87||

```

16492 Bytes free.

```

(288th/325) position: 2772. 6. 1. 2789. 2.29. B Solomon      57
Forward relations for entry Solomon      (57/120) are generated.
Backward relations for entry Jeroboam (Nebat) (53/120) are generated.
Backward relations for entry Rehoboam      (54/120) are generated.

```

Optimize dates...

```

Solomon        D Knd S      from:      to:|
2772. 6. 1. 2789. 2.29. B 0 B      57      57||
2771.10. 1. 2789. 6.30. B 1 E      58      57||
2769.10. 1. 2791. 6.30. B 5 E      57      57||
2771.12. 1. 2789. 2.29. B 9 B      55      57||
2772. 6. 1. 2789. 8.29. B 9 E      56      57||
                               0 B      0      0||
2772. 6. 1. 2789. 2.29. B 0 B      0      57||
2772. 6. 1. 2789. 2.29. 326th position to E David      58
2811. 6. 1. 2830. 2.29. 327th position to E Solomon      57

```

16492 Bytes free.

```

(289th/327) position: 2772. 6. 1. 2789. 2.29. B Solomon      57
Forward relations for entry Solomon      (57/120) are generated.
Backward relations for entry Jeroboam (Nebat) (53/120) are generated.
Backward relations for entry Rehoboam      (54/120) are generated.

```

Optimize dates...

```

Solomon        D Knd S      from:      to:|
2772. 6. 1. 2789. 2.29. B 0 B      57      57||
2772. 6. 1. 2789. 2.29. B 1 E      58      57||
2770. 6. 1. 2791. 2.29. B 5 E      57      57||
2771.12. 1. 2789. 2.29. B 9 B      55      57||
2772. 6. 1. 2789. 8.29. B 9 E      56      57||
                               0 B      0      0||
2772. 6. 1. 2789. 2.29. B 0 B      0      57||

```

16492 Bytes free.

```

(290th/327) position:                ≤ 2636.10.30. E Abimelech      72
Forward relations for entry Abimelech      (72/120) are generated.
Backward relations for entry Philistines + Ammon (69/120) are generated.
Backward relations for entry Tola      (71/120) are generated.

```

Optimize dates...

```

Abimelech      D Knd S      from:      to:|

```

```

≤ 2636.10.30. E 0 E      72      72||
                    E 5 B      72      72||
≤ 2636.10.30. E 7 B      69      72||
                    E 7 B      71      72||
≤ 2636.10.30. + 0 +      72      72||
                    0 E        0        0||
≤ 2636.10.30. E 0 E        0        72||
≤ 2634.10.30. 328th position to B Abimelech          72
    
```

16492 Bytes free.

```

(291st/328) position: 2680. 9. 1.≥                E Philistines          63
Forward relations for entry Philistines            (63/120) are generated.
Backward relations for entry Samuel                 (61/120) are generated.
Backward relations for entry Samson                 (62/120) are generated.
Backward relations for entry Saul                   (60/120) are generated.
    
```

Optimize dates...

```

Philistines      D Knd S      from:      to:|
2680. 9. 1.≥    E 0 E      63      63||
                  E 2 E      62      63||
                  E 3 B      61      63||
2680. 9. 1.≥    E 6 B      63      63||
                  E 7 E      61      63||
                  E 8 B      60      63||
                  0 E        0        0||
2680. 9. 1.≥    E 0 E        0        63||
2659. 9. 1.≥    329th position to B Samuel          61
2680. 9. 1.≥    330th position to E Samuel          61
2680. 9. 1.≥    331st position to B Saul            60
    
```

16492 Bytes free.

```

(292nd/331) position: 2641. 9. 1.≥                B Samson                62
Forward relations for entry Samson                 (62/120) are generated.
Backward relations for entry Philistines            (63/120) are generated.
    
```

Optimize dates...

```

Samson           D Knd S      from:      to:|
2641. 9. 1.≥    B 0 B      62      62||
2641. 9. 1.≥    B 1 B      63      62||
                  B 5 E      62      62||
                  0 B        0        0||
2641. 9. 1.≥    B 0 B        0        62||
2660. 9. 1.≥    332nd position to E Samson          62
    
```

16492 Bytes free.

```

(293rd/332) position: 2647. 9. 1.≥                E Ibzan                  67
Forward relations for entry Ibzan                 (67/120) are generated.
Backward relations for entry Elon                  (66/120) are generated.
    
```

Optimize dates...

```

Ibzan           D Knd S      from:      to:|
2647. 9. 1.≥    E 0 E      67      67||
2647. 9. 1.≥    E 5 B      67      67||
                  E 7 B      66      67||
2647. 9. 1.≥    + 0 +      67      67||
                  0 E        0        0||
2647. 9. 1.≥    E 0 E        0        67||
2647. 9. 1.≥    333rd position to B Elon            66
    
```

16492 Bytes free.

```

(294th/333) position: 2391. 3. 1.≥                B Eglon                  78
    
```

Forward relations for entry Eglon (78/120) are generated.  
 Backward relations for entry Ehud (77/120) are generated.  
 Optimize dates...

Eglon	D	Kind	S	from:	to:†		
2391. 3. 1.≥	B	0	B	78	78		
2391. 3. 1.≥	B	1	E	79	78		
	B	5	E	78	78		
		0	B	0	0		
2391. 3. 1.≥	B	0	B	0	78		
2408. 3. 1.≥	334th position to E Eglon					78	

16492 Bytes free.  
 (295th/334) position: 2352.11. 1.≥ B Othniel 79  
 Forward relations for entry Othniel (79/120) are generated.  
 Backward relations for entry Eglon (78/120) are generated.  
 Optimize dates...

Othniel	D	Kind	S	from:	to:†		
2352.11. 1.≥	B	0	B	79	79		
2352.11. 1.≥	B	1	E	80	79		
2350. 3. 1.≥	B	5	E	79	79		
		0	B	0	0		
2352.11. 1.≥	B	0	B	0	79		
2391.11. 1.≥	335th position to E Othniel					79	

16492 Bytes free.  
 (296th/335) position: 1460. 1.15. 1485. 1. 7. \* Serug 99  
 Forward relations for entry Serug (99/120) are generated.  
 Optimize dates...

Serug	D	Kind	S	from:	to:†		
1460. 1.15. 1485. 1. 7. *	0	*		99	99		
1460. 1.15. 1485. 1. 7. *	3	*		100	99		
	9	*		98	99		
	10	+		100	99		
	0	*		0	0		
1460. 1.15. 1485. 1. 7. *	0	*		0	99		
1489. 1.15. 1516. 1. 7.	336th position to * Nahor					98	
1666. 1.15. 1693. 1. 7.	337th position to + Reu					100	

16492 Bytes free.  
 (297th/337) position: 1637. 1.15. 1662. 1. 7. + Peleg 101  
 Forward relations for entry Peleg (101/120) are generated.  
 Optimize dates...

Peleg	D	Kind	S	from:	to:†	
1637. 1.15. 1662. 1. 7. +	0	+		101	101	
1637. 1.15. 1662. 1. 7. +	4	*		100	101	
	0	+		0	0	
1637. 1.15. 1662. 1. 7. +	0	+		0	101	

16492 Bytes free.  
 (298th/337) position: 3014. 3.22. 3025.12.29. B Ahaz 18  
 Forward relations for entry Ahaz (17/120) are generated.  
 Backward relations for entry Hezekiah (14/120) are generated.  
 Forward relations for entry Ahaz (18/120) are generated.  
 Optimize dates...

Ahaz	D	Kind	S	from:	to:†	
3014. 3.22. 3025.12.29.	B	0	B	17	17	
3013.11. 1. 3025.12.29.	B	1	E	19	17	
3011.11. 1. 3027.12.29.	B	4	*	17	17	

```

3014. 3.22. 3027.12.29. B 9 B      16      17||
3014. 3.22. 3025.12.29. B 5 E      18      18||
                        0 B      0      0||
3014. 3.22. 3025.12.29. B 0 B      0      17||
3014. 3.22. 3025.12.29. 338th position to E Jotham      19
2993. 3.22. 3006.12.29. 339th position to * Ahaz      17

```

16492 Bytes free.

```

(299th/339) position: 3027. 3.22. 3038.12.29. E Pekah      21
Forward relations for entry Pekah      (21/120) are generated.
Backward relations for entry Hoshea      (16/120) are generated.
Optimize dates...

```

```

Pekah          D Knd S      from:      to:|
3027. 3.22. 3038.12.29. E 0 E      21      21||
3024.11. 1. 3039.12.29. E 5 B      21      21||
3027. 3.22. 3038.12.29. E 7 B      16      21||
3027. 3.22. 3038.12.29. + 0 +      21      21||
                        0 E      0      0||
3027. 3.22. 3038.12.29. E 0 E      0      21||
3006. 3.22. 3018.12.29. 340th position to B Pekah      21

```

16492 Bytes free.

```

(300th/340) position: 2346. 3.22. 2357.12.29. B Inheritance of Israel 81
Forward relations for entry Inheritance of Israel (81/120) are generated.
Backward relations for entry Caleb      (82/120) are generated.
Backward relations for entry Joshua      (83/120) are generated.
Optimize dates...

```

```

Inheritance of Israel D Knd S      from:      to:|
2346. 3.22. 2357.12.29. B 0 B      81      81||
2343.11. 1. 2359.12.29. B 3 B      85      81||
2343.11. 1. 2359.12.29. B 4 *      82      81||
                        B 7 +      82      81||
                        B 8 +      83      81||
2346. 3.22. 2357.12.29. B 10 B     13      81||
                        0 B      0      0||
2346. 3.22. 2357.12.29. B 0 B      0      81||
2300. 3.22. 2313.12.29. 341st position to B Explorers of Canaan 85
2260. 3.22. 2273.12.29. 342nd position to * Caleb      82
2346. 3.22. ≥      343rd position to + Caleb      82
2346. 3.22. ≥      344th position to + Joshua      83

```

16492 Bytes free.

```

(301st/344) position: 3046. 3.22. 3057.12.29. E 14th Jubile Year      13
Forward relations for entry 14th Jubile Year      (13/120) are generated.
Optimize dates...

```

```

14th Jubile Year D Knd S      from:      to:|
3046. 3.22. 3057.12.29. E 0 E      13      13||
3046. 3.22. 3057.12.29. E 6 B      13      13||
                        0 E      0      0||
3046. 3.22. 3057.12.29. E 0 E      0      13||

```

16492 Bytes free.

```

(302nd/344) position: 3036. 3.22. 3047.12.29. E Hoshea      16
Forward relations for entry Hoshea      (16/120) are generated.
Backward relations for entry Captivity of Israel (15/120) are generated.
Optimize dates...

```

```

Hoshea          D Knd S      from:      to:|
3036. 3.22. 3047.12.29. E 0 E      16      16||

```

```

3035. 3.22. 3048.12.29. E 5 B      16      16||
3036. 3.22. 3047.12.29. E 7 B      15      16||
                                0 E      0       0||
3036. 3.22. 3047.12.29. E 0 E      0       16||

```

16492 Bytes free.

(303rd/344) position: 2991. 4. 1. 3006.12.29. B Zachariah 25  
 Forward relations for entry Zachariah (25/120) are generated.  
 Backward relations for entry Shallum (24/120) are generated.  
 Optimize dates...

```

Zachariah          D Knd S   from:   to:|
2991. 4. 1. 3006.12.29. B 0 B     25     25||
2991. 2. 1. 3006.12.29. B 1 E     27     25||
2990.11. 1. 3006.12.29. B 3 B     26     25||
2991. 4. 1. 3007. 2.29. B 5 E     25     25||
                                0 B      0      0||
2991. 4. 1. 3006.12.29. B 0 B      0     25||
2991. 4. 1. 3006.12.29. 345th position to E Jeroboam (Joash) 27

```

16492 Bytes free.

(304th/345) position: ≤ 2966.12.29. + Elisha 39  
 Forward relations for entry Elisha (39/120) are generated.  
 Backward relations for entry Joash (Jehoahaz) (30/120) are generated.  
 Optimize dates...

```

Elisha             D Knd S   from:   to:|
                ≤ 2966.12.29. E 0 E     39     39||
2932. 2. 1. ≥      E 2 B     30     39||
                ≤ 2966.12.29. + 0 +     39     39||
                ≤ 2966.12.29. + 8 E     30     39||
2931Y 1M          0 E      0      0||
2932. 2. 1. 2966.12.29. E 0 E      0     39||
2932. 2. 1. 2966.12.29. 346th position to E Elisha 39

```

16492 Bytes free.

(305th/346) position: 2932. 2. 1. 2951.12.29. B Joash (Jehoahaz) 30  
 Forward relations for entry Joash (Jehoahaz) (30/120) are generated.  
 Backward relations for entry Jeroboam (Joash) (27/120) are generated.  
 Backward relations for entry Elisha (39/120) are generated.  
 Optimize dates...

```

Joash (Jehoahaz)  D Knd S   from:   to:|
2932. 2. 1. 2951.12.29. B 0 B     30     30||
                                B 1 E     31     30||
                                B 3 B     32     30||
2932. 2. 1. 2951.12.29. B 5 E     30     30||
                ≤ 2966.12.29. B 8 E     39     30||
2930. 2. 1. 2951.12.29. B 9 B     28     30||
                                0 B      0      0||
2932. 2. 1. 2951.12.29. B 0 B      0     30||
2932. 2. 1. 2951.12.29. 347th position to E Jehoahaz (Jehu) 31
2894. 2. 1. 2915.12.29. 348th position to B Joash (Ahaziah) 32

```

16492 Bytes free.

(306th/348) position: 2963. 2. 1. 2982.12.29. + Amaziah 29  
 Forward relations for entry Amaziah (28/120) are generated.  
 Backward relations for entry Azariah = Uzziah (26/120) are generated.  
 Forward relations for entry Amaziah (29/120) are generated.  
 Optimize dates...

```

Amaziah           D Knd S   from:   to:|

```

2963.	2.	1.	2982.12.29.	E	0	E	28	28	
2961.	2.	1.	2982.12.29.	E	6	B	28	28	
2963.	2.	1.	2982.12.29.	+	0	+	28	28	
2963.	2.	1.	2982.12.29.	+	3	+	30	29	
					0	E	0	0	
2963.	2.	1.	2982.12.29.	E	0	E	0	28	

16492 Bytes free.

(307th/348) position: 2933. 2. 1. 2952.12.29. E Joash (Ahaziah) 32  
 Forward relations for entry Joash (Ahaziah) (32/120) are generated.  
 Backward relations for entry Amaziah (28/120) are generated.

Optimize dates...

Joash (Ahaziah)	D	Kind	S	from:	to:	
2933. 2. 1. 2952.12.29.	E	0	E	32	32	
2933. 2. 1. 2956.12.29.	E	5	B	32	32	
2933. 2. 1. 2952.12.29.	E	7	B	28	32	
2933. 2. 1. 2952.12.29.	+	0	+	32	32	
		0	E	0	0	
2933. 2. 1. 2952.12.29.	E	0	E	0	32	
2894. 2. 1. 2913.12.29.				349th position to B	Joash (Ahaziah)	32

16492 Bytes free.

(308th/349) position: 2907. 2. 1. 2928.12.29. \* Amaziah 28  
 Forward relations for entry Amaziah (28/120) are generated.  
 Backward relations for entry Azariah = Uzziah (26/120) are generated.  
 Forward relations for entry Amaziah (29/120) are generated.

Optimize dates...

Amaziah	D	Kind	S	from:	to:	
2907. 2. 1. 2928.12.29.	*	0	*	28	28	
2907. 2. 1. 2928.12.29.	*	10	B	28	28	
		0	*	0	0	
2907. 2. 1. 2928.12.29.	*	0	*	0	28	

16492 Bytes free.

(309th/349) position: 1671. 3. 1. 1696. 4.30. B Fire upon Sodom 92  
 Forward relations for entry Fire upon Sodom (92/120) are generated.  
 Backward relations for entry Isaac (91/120) are generated.

Optimize dates...

Fire upon Sodom	D	Kind	S	from:	to:		
1671. 3. 1. 1696. 4.30.	B	0	B	92	92		
1671. 3. 1. 1697. 4.30.	B	3	*	96	92		
≤ 1695.12.29.	B	7	*	91	92		
	4M	1D	0	B	0	0	
1671. 3. 1. 1695.12.29.	B	0	B	0	92		
1671. 3. 1. 1695.12.29.				350th position to B	Fire upon Sodom	92	

16492 Bytes free.

(310th/350) position: 1502. 3. 1. 1528. 4.30. \* Terah 97  
 Forward relations for entry Terah (97/120) are generated.  
 Backward relations for entry Abram = Abraham (96/120) are generated.

Optimize dates...

Terah	D	Kind	S	from:	to:	
1502. 3. 1. 1528. 4.30.	*	0	*	97	97	
1517. 1.15. 1546. 1. 7.	*	3	*	98	97	
	*	5	+	97	97	
1502. 3. 1. 1528. 4.30.	*	9	*	96	97	
	*	10	+	98	97	
14Y10M14D		0	*	0	0	

```

1517. 1.15. 1528. 4.30. * 0 *      0      97||
1517. 1.15. 1528. 4.30. 351st position to * Terah      97
1489. 1.15. 1500. 4.30. 352nd position to * Nahor      98
1661. 1.15. 1674. 4.30. 353rd position to + Terah      97
1586. 1.15. 1597. 4.30. 354th position to * Abram = Abraham 96
1635. 1.15. 1648. 4.30. 355th position to + Nahor      98

```

16492 Bytes free.

```

(311th/355) position: 1747. 3. 1. 1773. 4.30. + Abram = Abraham 96
Forward relations for entry Abram = Abraham (96/120) are generated.
Backward relations for entry Battle in Siddim Vale (94/120) are generated.
Optimize dates...

```

```

Abram = Abraham          D Knd S   from:   to:|
1747. 3. 1. 1773. 4.30. E 0 E     96     96||
1747. 3. 1. 1773. 4.30. + 0 +     96     96||
1760. 1.15. 1773. 4.30. + 5 *     96     96||
    12Y10M14D           0 E      0      0||
1760. 1.15. 1773. 4.30. E 0 E     0      96||
1760. 1.15. 1773. 4.30. 356th position to E Abram = Abraham 96

```

16492 Bytes free.

```

(312th/356) position: 1658. 3. 1. 1684. 4.30. * Ishmael      93
Forward relations for entry Ishmael (93/120) are generated.
Optimize dates...

```

```

Ishmael                 D Knd S   from:   to:|
1658. 3. 1. 1684. 4.30. * 0 *     93     93||
                   * 1 B     94     93||
1671. 1.15. 1684. 4.30. * 3 *     96     93||
                   * 5 +     93     93||
    12Y10M14D           0 *      0      0||
1671. 1.15. 1684. 4.30. * 0 *      0     93||
1671. 1.15. 1684. 4.30. 357th position to * Ishmael      93
    ≤ 1684. 4.30. 358th position to B Battle in Siddim Vale 94
1807. 1.15. 1822. 4.30. 359th position to + Ishmael      93

```

16492 Bytes free.

```

(313th/359) position: 1647. 3. 1. 1673. 4.30. B Abram = Abraham 96
Forward relations for entry Abram = Abraham (96/120) are generated.
Backward relations for entry Battle in Siddim Vale (94/120) are generated.
Optimize dates...

```

```

Abram = Abraham          D Knd S   from:   to:|
1647. 3. 1. 1673. 4.30. B 0 B     96     96||
1661. 1.15. ≥           B 1 +     97     96||
1660. 1.15. 1673. 4.30. B 4 *     96     96||
    ≤ 1684. 4.30. B 7 B     94     96||
    13Y10M14D           0 B      0      0||
1661. 1.15. 1673. 4.30. B 0 B      0     96||
1661. 1.15. 1673. 4.30. 360th position to B Abram = Abraham 96
1661. 1.15. 1673. 4.30. 361st position to + Terah      97
1661. 1.15. 1684. 4.30. 362nd position to B Battle in Siddim Vale 94

```

16492 Bytes free.

```

(314th/362) position: 1709. 3. 1. 1735. 4.30. + Sarai = Sarah 95
Forward relations for entry Sarai = Sarah (95/120) are generated.
Optimize dates...

```

```

Sarai = Sarah           D Knd S   from:   to:|
1709. 3. 1. 1735. 4.30. + 0 +     95     95||
1709. 3. 1. 1735. 4.30. + 5 *     95     95||

```

0 + 0 0||  
 1709. 3. 1. 1735. 4.30. + 0 + 0 95||

16492 Bytes free.

(315th/362) position: 2738. 3. 1. 2757. 6.30. α David 58

Forward relations for entry David (58/120) are generated.

Backward relations for entry Solomon (57/120) are generated.

Optimize dates...

David	D	Kn	S	from:	to:		
2738. 3. 1. 2757. 6.30.	α	0	α	58	58		
	α	1	E	59	58		
2738. 3. 1. 2757. 8.30.	α	4	B	58	58		
2738. 6. 1. 2757. 2.29.	α	6	Ω	58	58		
Y 3M 4M 1D	0	α		0	0		
2738. 6. 1. 2757. 2.29.	α	0	α	0	58		
2738. 6. 1. 2757. 2.29.				363rd position to	α David	58	
				≤ 2757. 2.29.	364th position to	E Ishbosheth	59
2730.11. 1. 2749. 9.29.				365th position to	B David	58	

16492 Bytes free.

(316th/365) position: ≤ 2757. 2.29. E Ishbosheth 59

Forward relations for entry Ishbosheth (59/120) are generated.

Backward relations for entry David (58/120) are generated.

Optimize dates...

Ishbosheth	D	Kn	S	from:	to:	
≤ 2757. 2.29.	E	0	E	59	59	
	E	5	B	59	59	
≤ 2757. 2.29.	E	7	α	58	59	
≤ 2757. 2.29.	+	0	+	59	59	
				0	0	
≤ 2757. 2.29.	E	0	E	0	59	
≤ 2756. 2.29.				366th position to	B Ishbosheth	59

16492 Bytes free.

(317th/366) position: 2730.11. 1. 2749. 9.29. B David 58

Forward relations for entry David (58/120) are generated.

Backward relations for entry Solomon (57/120) are generated.

Optimize dates...

David	D	Kn	S	from:	to:	
2730.11. 1. 2749. 9.29.	B	0	B	58	58	
2730.10. 1. 2750. 1.30.	B	2	E	60	58	
2728.10. 1. 2752. 1.30.	B	3	*	58	58	
2731. 6. 1. 2750. 2.29.	B	5	E	58	58	
2730.11. 1. 2749. 9.29.	B	10	α	58	58	
7M	0	B		0	0	
2731. 6. 1. 2749. 9.29.	B	0	B	0	58	
2731. 6. 1. 2749. 9.29.				367th position to	B David	58
2731. 6. 1. 2749. 9.29.				368th position to	E Saul	60
2700. 6. 1. 2720. 9.29.				369th position to	* David	58
2738.11. 1. 2757. 2.29.				370th position to	α David	58

16492 Bytes free.

(318th/370) position: 2731. 6. 1. 2749. 9.29. E Saul 60

Forward relations for entry Saul (60/120) are generated.

Backward relations for entry Ishbosheth (59/120) are generated.

Backward relations for entry David (58/120) are generated.

Optimize dates...

Saul	D	Kn	S	from:	to:	
------	---	----	---	-------	-----	--



```

2731. 6. 1. 2749. 9.29. E 0 E      60      60||
2719. 9. 1. ≥
           ≤ 2756. 2.29. E 7 B      59      60||
2731. 6. 1. 2749. 9.29. E 8 B      58      60||
2731. 6. 1. 2749. 9.29. + 0 +      60      60||
                       0 E          0      0||
2731. 6. 1. 2749. 9.29. E 0 E          0      60||
2690. 6. 1. 2710. 9.29. 371st position to B Saul      60
2731. 6. 1. 2749. 9.29. 372nd position to B Ishbosheth 59

```

16492 Bytes free.

(319th/372) position: 2700. 6. 1. 2720. 9.29. \* David 58

Forward relations for entry David (58/120) are generated.

Backward relations for entry Solomon (57/120) are generated.

Optimize dates...

```

David          D Knd S   from:   to:|
2700. 6. 1. 2720. 9.29. * 0 *     58     58||
2700. 6. 1. 2720. 9.29. * 9 B     58     58||
                       0 *       0       0||
2700. 6. 1. 2720. 9.29. * 0 *       0     58||

```

16492 Bytes free.

(320th/372) position: 2831.10. 1. 2853. 6.30. E Jeroboam (Nebat) 53

Forward relations for entry Jeroboam (Nebat) (53/120) are generated.

Backward relations for entry Nadab (50/120) are generated.

Optimize dates...

```

Jeroboam (Nebat) D Knd S   from:   to:|
2831.10. 1. 2853. 6.30. E 0 E     53     53||
2831.10. 1. 2853. 6.30. E 5 B     53     53||
                       E 7 B     50     53||
2831.10. 1. 2853. 6.30. + 0 +     53     53||
                       0 E       0       0||
2831.10. 1. 2853. 6.30. E 0 E       0     53||
2831.10. 1. 2853. 6.30. 373rd position to B Nadab      50

```

16492 Bytes free.

(321st/373) position: 2829.10. 1. 2851. 6.30. B Asa 51

Forward relations for entry Asa (51/120) are generated.

Backward relations for entry Jehoshaphat (42/120) are generated.

Optimize dates...

```

Asa          D Knd S   from:   to:|
2829.10. 1. 2851. 6.30. B 0 B     51     51||
                       B 1 E     52     51||
2829.10. 1. 2851. 6.30. B 3 B     53     51||
                       B 5 E     51     51||
                       B 9 B     44     51||
                       B 9 α     45     51||
                       B 9 B     47     51||
                       B 9 B     48     51||
                       B 9 B     49     51||
2828.10. 1. 2852. 6.30. B 9 B     50     51||
                       B 10 +    48     51||
                       B 10 +    50     51||
                       0 B       0       0||
2829.10. 1. 2851. 6.30. B 0 B       0     51||
2829.10. 1. 2851. 6.30. 374th position to E Abijam = Abijah 52
2869.10. 1. 2893. 6.30. 375th position to E Asa      51
2866.10. 1. 2890. 6.30. 376th position to B Ahab      44

```

2859.10. 1.	2883. 6.30.	377th position to α Omri	45
2855.10. 1.	2879. 6.30.	378th position to B Zimri	47
2854.10. 1.	2878. 6.30.	379th position to B Elah	48
2831.10. 1.	2855. 6.30.	380th position to B Baasha	49
2855.10. 1.	2879. 6.30.	381st position to + Elah	48
2831.10. 1.	2855. 6.30.	382nd position to + Nadab	50

16492 Bytes free.

(322nd/382) position: 2827.10. 1. 2849. 6.30. B Abijam = Abijah 52  
 Forward relations for entry Abijam = Abijah (52/120) are generated.  
 Backward relations for entry Asa (51/120) are generated.

Optimize dates...

Abijam = Abijah	D	Kind	S	from:	to:
2827.10. 1.	2849. 6.30.	B	0 B	52	52
2826.10. 1.	2848. 6.30.	B	1 E	54	52
2827.10. 1.	2849. 6.30.	B	3 B	53	52
2825.10. 1.	2849. 6.30.	B	5 E	52	52
	1Y		0 B	0	0
2827.10. 1.	2848. 6.30.	B	0 B	0	52
2827.10. 1.	2848. 6.30.			383rd position to B Abijam = Abijah	52
2827.10. 1.	2848. 6.30.			384th position to E Rehoboam	54

16492 Bytes free.

(323rd/384) position: 2768.10. 1. 2790. 6.30. \* Rehoboam 54  
 Forward relations for entry Rehoboam (54/120) are generated.  
 Backward relations for entry Abijam = Abijah (52/120) are generated.

Optimize dates...

Rehoboam	D	Kind	S	from:	to:
2768.10. 1.	2790. 6.30.	*	0 *	54	54
2768.10. 1.	2790. 6.30.	*	9 B	54	54
			0 *	0	0
2768.10. 1.	2790. 6.30.	*	0 *	0	54

16492 Bytes free.

(324th/384) position: 2827.10. 1. 2848. 6.30. E Rehoboam 54  
 Forward relations for entry Rehoboam (54/120) are generated.  
 Backward relations for entry Abijam = Abijah (52/120) are generated.

Optimize dates...

Rehoboam	D	Kind	S	from:	to:
2827.10. 1.	2848. 6.30.	E	0 E	54	54
2826.10. 1.	2848. 6.30.	E	5 B	54	54
2827.10. 1.	2848. 6.30.	E	7 B	52	54
2827.10. 1.	2848. 6.30.	+	0 +	54	54
			0 E	0	0
2827.10. 1.	2848. 6.30.	E	0 E	0	54

16492 Bytes free.

(325th/384) position: 1674.11. 1. 1695.12.29. \* Isaac 91  
 Forward relations for entry Isaac (91/120) are generated.

Optimize dates...

Isaac	D	Kind	S	from:	to:
1674.11. 1.	1695.12.29.	*	0 *	91	91
1671. 3. 1.≥		*	1 B	92	91
1685. 1.15.	1698. 4.30.	*	3 *	96	91
1672. 3. 1.	1698. 4.30.	*	5 +	91	91
1672. 3. 1.	1698. 4.30.	*	4 *	95	91
1674.11. 1.	1695.12.29.	*	9 *	90	91
10Y 2M14D			0 *	0	0

1685.	1.15.	1695.12.29.	* 0 *	0	91	
1685.	1.15.	1695.12.29.	385th position to	* Isaac		91
1586.	1.15.	1596.12.29.	386th position to	* Abram = Abraham		96
1864.	1.15.	1876.12.29.	387th position to	+ Isaac		91
1594.	1.15.	1606.12.29.	388th position to	* Sarai = Sarah		95
1744.	1.15.	1754.12.29.	389th position to	* Jacob = Israel		90

16492 Bytes free.

(326th/389) position: 2772. 6. 1. 2789. 2.29. E David 58  
 Forward relations for entry David (58/120) are generated.  
 Backward relations for entry Solomon (57/120) are generated.  
 Optimize dates...

David	D	Kn	S	from:	to:
2772. 6. 1. 2789. 2.29.	Ω	0	Ω	58	58
2770.11. 1. 2791. 2.29.	Ω	6	α	58	58
2772. 6. 1. 2789. 2.29.	E	0	E	58	58
2770. 6. 1. 2790. 9.29.	E	5	B	58	58
2772. 6. 1. 2789. 2.29.	E	7	B	57	58
2772. 6. 1. 2789. 2.29.	+	0	+	58	58
		0	Ω	0	0
2772. 6. 1. 2789. 2.29.	Ω	0	Ω	0	58

16492 Bytes free.

(327th/389) position: 2811. 6. 1. 2830. 2.29. E Solomon 57  
 Forward relations for entry Solomon (57/120) are generated.  
 Backward relations for entry Jeroboam (Nebat) (53/120) are generated.  
 Backward relations for entry Rehoboam (54/120) are generated.  
 Optimize dates...

Solomon	D	Kn	S	from:	to:
2811. 6. 1. 2830. 2.29.	E	0	E	57	57
2811. 6. 1. 2830. 2.29.	E	5	B	57	57
2810.10. 1. 2830. 6.30.	E	7	B	53	57
2810.10. 1. 2830. 6.30.	E	7	B	54	57
2811. 6. 1. 2830. 2.29.	+	0	+	57	57
		0	E	0	0
2811. 6. 1. 2830. 2.29.	E	0	E	0	57
2811. 6. 1. 2830. 2.29.				390th position to	B Jeroboam (Nebat) 53
2811. 6. 1. 2830. 2.29.				391st position to	B Rehoboam 54

16492 Bytes free.

(328th/391) position: ≤ 2634.10.30. B Abimelech 72  
 Forward relations for entry Abimelech (72/120) are generated.  
 Backward relations for entry Philistines + Ammon (69/120) are generated.  
 Backward relations for entry Tola (71/120) are generated.  
 Optimize dates...

Abimelech	D	Kn	S	from:	to:
≤ 2634.10.30.	B	0	B	72	72
	B	1	E	73	72
≤ 2634.10.30.	B	5	E	72	72
		0	B	0	0
≤ 2634.10.30.	B	0	B	0	72
≤ 2634.10.30.				392nd position to	E Gideon = Jerubbaal 73

16492 Bytes free.

(329th/392) position: 2659. 9. 1. ≥ B Samuel 61  
 Forward relations for entry Samuel (61/120) are generated.  
 Backward relations for entry Saul (60/120) are generated.  
 Optimize dates...

Samuel	D	Kind	S	from:	to:†	
2659. 9. 1.≥	B	0	B	61	61	
	B	2	E	64	61	
2659. 9. 1.≥	B	9	E	63	61	
	0	B		0	0	
2659. 9. 1.≥	B	0	B	0	61	
2659. 9. 1.≥				393rd position to E Eli		64

16492 Bytes free.

(330th/393) position: 2680. 9. 1.≥ E Samuel 61  
 Forward relations for entry Samuel (61/120) are generated.  
 Backward relations for entry Saul (60/120) are generated.  
 Optimize dates...

Samuel	D	Kind	S	from:	to:†	
2680. 9. 1.≥	E	0	E	61	61	
2680. 9. 1.≥	E	1	E	63	61	
2690. 6. 1. 2710. 9.29.	E	7	B	60	61	
9Y 9M 2709Y 8M28D	0	E		0	0	
2690. 6. 1. 2710. 9.29.	E	0	E	0	61	
2690. 6. 1. 2710. 9.29.				394th position to E Samuel		61
2680. 9. 1. 2710. 9.29.				395th position to E Philistines		63

16492 Bytes free.

(331st/395) position: 2690. 6. 1. 2710. 9.29. B Saul 60  
 Forward relations for entry Saul (60/120) are generated.  
 Backward relations for entry Ishbosheth (59/120) are generated.  
 Backward relations for entry David (58/120) are generated.  
 Optimize dates...

Saul	D	Kind	S	from:	to:†	
2690. 6. 1. 2710. 9.29.	B	0	B	60	60	
2690. 6. 1. 2710. 9.29.	B	1	E	61	60	
2680. 9. 1.≥	B	2	E	63	60	
2690. 6. 1. 2710. 9.29.	B	5	E	60	60	
	0	B		0	0	
2690. 6. 1. 2710. 9.29.	B	0	B	0	60	

16492 Bytes free.

(332nd/395) position: 2660. 9. 1.≥ E Samson 62  
 Forward relations for entry Samson (62/120) are generated.  
 Backward relations for entry Philistines (63/120) are generated.  
 Optimize dates...

Samson	D	Kind	S	from:	to:†	
2660. 9. 1.≥	E	0	E	62	62	
2660. 9. 1.≥	E	5	B	62	62	
≤ 2710. 9.29.	E	8	E	63	62	
2660. 9. 1.≥	+	0	+	62	62	
2709Y 8M28D	0	E		0	0	
2660. 9. 1. 2710. 9.29.	E	0	E	0	62	
2660. 9. 1. 2710. 9.29.				396th position to E Samson		62
2641. 9. 1. 2691. 9.29.				397th position to B Samson		62

16492 Bytes free.

(333rd/397) position: 2647. 9. 1.≥ B Elon 66  
 Forward relations for entry Elon (66/120) are generated.  
 Backward relations for entry Abdon (65/120) are generated.  
 Optimize dates...

Elon	D	Kind	S	from:	to:†	
2647. 9. 1.≥	B	0	B	66	66	

```

2647. 9. 1.≥          B 1 E      67      66||
                    B 5 E      66      66||
                    0 B      0       0||
2647. 9. 1.≥          B 0 B      0       66||
2656. 9. 1.≥          398th position to E Elon          66

```

16492 Bytes free.

(334th/398) position: 2408. 3. 1.≥ E Eglon 78

Forward relations for entry Eglon (78/120) are generated.

Backward relations for entry Ehud (77/120) are generated.

Optimize dates...

```

Eglon                D Knd S   from:   to:|
2408. 3. 1.≥        E 0 E     78     78||
2408. 3. 1.≥        E 5 B     78     78||
                    E 7 B     77     78||
2408. 3. 1.≥        + 0 +     78     78||
                    0 E     0      0||
2408. 3. 1.≥        E 0 E     0      78||
2408. 3. 1.≥        399th position to B Ehud          77

```

16492 Bytes free.

(335th/399) position: 2391.11. 1.≥ E Othniel 79

Forward relations for entry Othniel (79/120) are generated.

Backward relations for entry Eglon (78/120) are generated.

Optimize dates...

```

Othniel              D Knd S   from:   to:|
2391.11. 1.≥        E 0 E     79     79||
2391.11. 1.≥        E 5 B     79     79||
2391. 3. 1.≥        E 7 B     78     79||
2391.11. 1.≥        + 0 +     79     79||
                    0 E     0      0||
2391.11. 1.≥        E 0 E     0      79||
2391.11. 1.≥        400th position to B Eglon          78

```

16492 Bytes free.

(336th/400) position: 1489. 1.15. 1500. 4.30. \* Nahor 98

Forward relations for entry Nahor (98/120) are generated.

Optimize dates...

```

Nahor                D Knd S   from:   to:|
1489. 1.15. 1500. 4.30. * 0 *     98     98||
1489. 1.15. 1516. 1. 7. * 3 *     99     98||
1487. 1.15. 1500. 4.30. * 9 *     97     98||
                    * 10 +     99     98||
                    0 *     0      0||
1489. 1.15. 1500. 4.30. * 0 *     0      98||
1460. 1.15. 1471. 4.30. 401st position to * Serug          99
1688. 1.15. 1701. 4.30. 402nd position to + Serug          99

```

16492 Bytes free.

(337th/402) position: 1666. 1.15. 1693. 1. 7. + Reu 100

Forward relations for entry Reu (100/120) are generated.

Optimize dates...

```

Reu                  D Knd S   from:   to:|
1666. 1.15. 1693. 1. 7. + 0 +     100    100||
1666. 1.15. 1679. 4.30. + 4 *     99     100||
                    13Y 8M 7D 0 +     0      0||
1666. 1.15. 1679. 4.30. + 0 +     0     100||
1666. 1.15. 1679. 4.30. 403rd position to + Reu          100

```

16492 Bytes free.  
 (338th/403) position: 3014. 3.22. 3025.12.29. E Jotham 19  
 Forward relations for entry Jotham (19/120) are generated.  
 Backward relations for entry Ahaz (17/120) are generated.  
 Backward relations for entry Ahaz (17/120) are generated.

Optimize dates...

Jotham	D	Kind	S	from:	to:	
3014. 3.22. 3025.12.29.	E	0	E	19	19	
3011.11. 1. 3027.12.29.	E	6	B	19	19	
3014. 3.22. 3025.12.29.	E	7	B	17	19	
		0	E	0	0	
3014. 3.22. 3025.12.29.	E	0	E	0	19	
2997. 3.22. 3010.12.29.				404th position to B Jotham		19

16492 Bytes free.  
 (339th/404) position: 2993. 3.22. 3006.12.29. \* Ahaz 17  
 Forward relations for entry Ahaz (17/120) are generated.  
 Backward relations for entry Hezekiah (14/120) are generated.  
 Forward relations for entry Ahaz (18/120) are generated.

Optimize dates...

Ahaz	D	Kind	S	from:	to:	
2993. 3.22. 3006.12.29.	*	0	*	17	17	
2993. 3.22. 3006.12.29.	*	10	B	17	17	
		0	*	0	0	
2993. 3.22. 3006.12.29.	*	0	*	0	17	

16492 Bytes free.  
 (340th/404) position: 3006. 3.22. 3018.12.29. B Pekah 21  
 Forward relations for entry Pekah (21/120) are generated.  
 Backward relations for entry Hoshea (16/120) are generated.

Optimize dates...

Pekah	D	Kind	S	from:	to:	
3006. 3.22. 3018.12.29.	B	0	B	21	21	
3005.11. 1. 3018.12.29.	B	1	E	22	21	
3004.11. 1. 3020.12.29.	B	3	B	26	21	
3006. 3.22. 3019.12.29.	B	5	E	21	21	
3003.11. 1. 3020.12.29.	B	9	α	17	21	
3003.11. 1. 3018.12.29.	B	9	α	19	21	
		0	B	0	0	
3006. 3.22. 3018.12.29.	B	0	B	0	21	
3006. 3.22. 3018.12.29.				405th position to E Pekahiah		22
3022. 3.22. 3036.12.29.				406th position to α Ahaz		17
3007. 3.22. 3019.12.29.				407th position to α Jotham		19

16492 Bytes free.  
 (341st/407) position: 2300. 3.22. 2313.12.29. B Explorers of Canaan 85  
 Forward relations for entry Explorers of Canaan (85/120) are generated.

Optimize dates...

Explorers of Canaan	D	Kind	S	from:	to:	
2300. 3.22. 2313.12.29.	B	0	B	85	85	
2298.11. 1. 2314.12.29.	B	3	E	89	85	
2299.11. 1. 2313.12.29.	B	5	E	85	85	
2299. 3.22. 2314.12.29.	B	4	*	82	85	
2300. 3.22. 2313.12.29.	B	9	B	81	85	
2298. 9. 1. 2315.10.30.	B	9	B	84	85	
		0	B	0	0	
2300. 3.22. 2313.12.29.	B	0	B	0	85	

2298. 3.22. 2312.12.29. 408th position to E Israel in Egypt 89  
 2300. 5. 2. 2314. 2. 9. 409th position to E Explorers of Canaan 85

16492 Bytes free.

(342nd/409) position: 2260. 3.22. 2273.12.29. \* Caleb 82  
 Forward relations for entry Caleb (82/120) are generated.

Optimize dates...

Caleb	D	Kn	S	from:	to:
2260. 3.22. 2273.12.29. * 0 *				82	82
2260. 3.22. 2273.12.29. * 10 B				81	82
2259. 3.22. 2274.12.29. * 10 B				85	82
			0 *	0	0
2260. 3.22. 2273.12.29. * 0 *				0	82

16492 Bytes free.

(343rd/409) position: 2346. 3.22.> + Caleb 82  
 Forward relations for entry Caleb (82/120) are generated.

Optimize dates...

Caleb	D	Kn	S	from:	to:
2346. 3.22.>			+ 0 +	82	82
2346. 3.22.>			+ 1 B	81	82
			0 +	0	0
2346. 3.22.>			+ 0 +	0	82

16492 Bytes free.

(344th/409) position: 2346. 3.22.> + Joshua 83  
 Forward relations for entry Joshua (83/120) are generated.

Backward relations for entry Chushanrithaim (80/120) are generated.

Optimize dates...

Joshua	D	Kn	S	from:	to:
2346. 3.22.>			E 0 E	83	83
			E 7 B	80	83
2346. 3.22.>			+ 0 +	83	83
2346. 3.22.>			+ 2 B	81	83
2343.11. 1.>			+ 5 *	83	83
			0 E	0	0
2346. 3.22.>			E 0 E	0	83
2346. 3.22.>				410th position to B Chushanrithaim	80
2235. 3.22.>				411th position to * Joshua	83

16492 Bytes free.

(345th/411) position: 2991. 4. 1. 3006.12.29. E Jeroboam (Joash) 27  
 Forward relations for entry Jeroboam (Joash) (27/120) are generated.

Backward relations for entry Zachariah (25/120) are generated.

Optimize dates...

Jeroboam (Joash)	D	Kn	S	from:	to:
2991. 4. 1. 3006.12.29. E 0 E				27	27
2989. 2. 1. 3008.12.29. E 5 B				27	27
2991. 4. 1. 3006.12.29. E 7 B				25	27
2991. 4. 1. 3006.12.29. + 0 +				27	27
			0 E	0	0
2991. 4. 1. 3006.12.29. E 0 E				0	27
2949. 4. 1. 2966.12.29. 412th position to B Jeroboam (Joash)					27

16492 Bytes free.

(346th/412) position: 2932. 2. 1. 2966.12.29. E Elisha 39  
 Forward relations for entry Elisha (39/120) are generated.

Backward relations for entry Joash (Jehoahaz) (30/120) are generated.

Optimize dates...

Elisha	D	Kind	S	from:	to:
2932. 2. 1. 2966.12.29.	E	0	E	39	39
2932. 2. 1. ≥	E	2	B	30	39
2932. 2. 1. 2966.12.29. +	0	+		39	39
≤ 2966.12.29. +	8	E		30	39
	0	E		0	0
2932. 2. 1. 2966.12.29.	E	0	E	0	39

16492 Bytes free.

(347th/412) position: 2932. 2. 1. 2951.12.29. E Jehoahaz (Jehu) 31  
 Forward relations for entry Jehoahaz (Jehu) (31/120) are generated.  
 Backward relations for entry Joash (Jehoahaz) (30/120) are generated.

Optimize dates...

Jehoahaz (Jehu)	D	Kind	S	from:	to:
2932. 2. 1. 2951.12.29.	E	0	E	31	31
	E	5	B	31	31
2932. 2. 1. 2951.12.29.	E	7	B	30	31
2932. 2. 1. 2951.12.29. +	0	+		31	31
	0	E		0	0
2932. 2. 1. 2951.12.29.	E	0	E	0	31
2914. 2. 1. 2935.12.29.				413th position to B	Jehoahaz (Jehu) 31

16492 Bytes free.

(348th/413) position: 2894. 2. 1. 2913.12.29. B Joash (Ahaziah) 32  
 Forward relations for entry Joash (Ahaziah) (32/120) are generated.  
 Backward relations for entry Amaziah (28/120) are generated.

Optimize dates...

Joash (Ahaziah)	D	Kind	S	from:	to:
2894. 2. 1. 2913.12.29.	B	0	B	32	32
	B	1	E	34	32
	B	3	B	33	32
2892. 2. 1. 2913.12.29.	B	5	E	32	32
	B	4	*	32	32
2894. 2. 1. 2915.12.29.	B	9	B	30	32
2890. 2. 1. 2913.12.29.	B	9	B	31	32
	0	B		0	0
2894. 2. 1. 2913.12.29.	B	0	B	0	32
2894. 2. 1. 2913.12.29.				414th position to E	Athaliah 34
2886. 2. 1. 2907.12.29.				415th position to B	Jehu 33
2886. 2. 1. 2907.12.29.				416th position to *	Joash (Ahaziah) 32
2916. 2. 1. 2935.12.29.				417th position to B	Jehoahaz (Jehu) 31

16492 Bytes free.

(349th/417) position: 2894. 2. 1. 2913.12.29. B Joash (Ahaziah) 32  
 Forward relations for entry Joash (Ahaziah) (32/120) are generated.  
 Backward relations for entry Amaziah (28/120) are generated.

Optimize dates...

Joash (Ahaziah)	D	Kind	S	from:	to:
2894. 2. 1. 2913.12.29.	B	0	B	32	32
2894. 2. 1. 2913.12.29.	B	1	E	34	32
2892. 2. 1. 2915.12.29.	B	3	B	33	32
2892. 2. 1. 2913.12.29.	B	5	E	32	32
2892. 2. 1. 2915.12.29.	B	4	*	32	32
2894. 2. 1. 2915.12.29.	B	9	B	30	32
2892. 2. 1. 2913.12.29.	B	9	B	31	32
	0	B		0	0
2894. 2. 1. 2913.12.29.	B	0	B	0	32



16492 Bytes free.  
 (350th/417) position: 1671. 3. 1. 1695.12.29. B Fire upon Sodom 92  
 Forward relations for entry Fire upon Sodom (92/120) are generated.  
 Backward relations for entry Isaac (91/120) are generated.  
 Optimize dates...

Fire upon Sodom	D	Kind	S	from:	to:	
1671. 3. 1. 1695.12.29.	B	0	B	92	92	92
1684. 1.15. 1696.12.29.	B	3	*	96	92	92
≤ 1695.12.29.	B	7	*	91	92	92
12Y10M14D		0	B	0	0	0
1684. 1.15. 1695.12.29.	B	0	B	0	92	92
1684. 1.15. 1695.12.29.				418th position to B	Fire upon Sodom	92

16492 Bytes free.  
 (351st/418) position: 1517. 1.15. 1528. 4.30. \* Terah 97  
 Forward relations for entry Terah (97/120) are generated.  
 Backward relations for entry Abram = Abraham (96/120) are generated.  
 Optimize dates...

Terah	D	Kind	S	from:	to:	
1517. 1.15. 1528. 4.30.	*	0	*	97	97	97
1517. 1.15. 1530. 4.30.	*	3	*	98	97	97
1515. 1.15. 1529. 4.30.	*	5	+	97	97	97
1515. 1.15. 1527.12.29.	*	9	*	96	97	97
1515. 1.15. 1530. 4.30.	*	10	+	98	97	97
4M 1D		0	*	0	0	0
1517. 1.15. 1527.12.29.	*	0	*	0	97	97
1517. 1.15. 1527.12.29.				419th position to *	Terah	97
1489. 1.15. 1499.12.29.				420th position to *	Nahor	98
1635. 1.15. 1647.12.29.				421st position to +	Nahor	98

16492 Bytes free.  
 (352nd/421) position: 1489. 1.15. 1499.12.29. \* Nahor 98  
 Forward relations for entry Nahor (98/120) are generated.  
 Optimize dates...

Nahor	D	Kind	S	from:	to:	
1489. 1.15. 1499.12.29.	*	0	*	98	98	98
1489. 1.15. 1502. 4.30.	*	3	*	99	98	98
1487. 1.15. 1499.12.29.	*	9	*	97	98	98
1487. 1.15. 1502. 4.30.	*	10	+	99	98	98
		0	*	0	0	0
1489. 1.15. 1499.12.29.	*	0	*	0	98	98
1460. 1.15. 1470.12.29.				422nd position to *	Serug	99
1688. 1.15. 1700.12.29.				423rd position to +	Serug	99

16492 Bytes free.  
 (353rd/423) position: 1661. 1.15. 1673. 4.30. + Terah 97  
 Forward relations for entry Terah (97/120) are generated.  
 Backward relations for entry Abram = Abraham (96/120) are generated.  
 Optimize dates...

Terah	D	Kind	S	from:	to:	
1661. 1.15. 1673. 4.30.	+	0	+	97	97	97
1661. 1.15. 1673.12.29.	+	5	*	97	97	97
≤ 1673. 4.30.	+	7	B	96	97	97
		0	+	0	0	0
1661. 1.15. 1673. 4.30.	+	0	+	0	97	97

16492 Bytes free.

(354th/423) position: 1586. 1.15. 1596.12.29. \* Abram = Abraham 96  
 Forward relations for entry Abram = Abraham (96/120) are generated.  
 Backward relations for entry Battle in Siddim Vale (94/120) are generated.  
 Optimize dates...

Abram = Abraham	D	Kind	S	from:	to:	
1586. 1.15. 1596.12.29.	*	0	*	96	96	
1586. 1.15. 1598.12.29.	*	3	*	97	96	
1584. 1.15. 1599. 4.30.	*	5	+	96	96	
1584. 1.15. 1596.12.29.	*	9	*	91	96	
1584. 1.15. 1597.12.29.	*	9	B	92	96	
1584. 1.15. 1599. 4.30.	*	9	*	93	96	
1585. 1.15. 1599. 4.30.	*	10	B	96	96	
		0	*	0	0	
1586. 1.15. 1596.12.29.	*	0	*	0	96	
1760. 1.15. 1772.12.29.		424th position to + Abram = Abraham				96
1671. 1.15. 1683.12.29.		425th position to * Ishmael				93
1661. 1.15. 1672.12.29.		426th position to B Abram = Abraham				96

16492 Bytes free.

(355th/426) position: 1635. 1.15. 1647.12.29. + Nahor 98  
 Forward relations for entry Nahor (98/120) are generated.  
 Optimize dates...

Nahor	D	Kind	S	from:	to:	
1635. 1.15. 1647.12.29.	+	0	+	98	98	
1635. 1.15. 1647.12.29.	+	4	*	97	98	
		0	+	0	0	
1635. 1.15. 1647.12.29.	+	0	+	0	98	

16492 Bytes free.

(356th/426) position: 1760. 1.15. 1772.12.29. E Abram = Abraham 96  
 Forward relations for entry Abram = Abraham (96/120) are generated.  
 Backward relations for entry Battle in Siddim Vale (94/120) are generated.  
 Optimize dates...

Abram = Abraham	D	Kind	S	from:	to:	
1760. 1.15. 1772.12.29.	E	0	E	96	96	
1760. 1.15. 1772.12.29.	+	0	+	96	96	
1760. 1.15. 1772.12.29.	+	5	*	96	96	
		0	E	0	0	
1760. 1.15. 1772.12.29.	E	0	E	0	96	

16492 Bytes free.

(357th/426) position: 1671. 1.15. 1683.12.29. \* Ishmael 93  
 Forward relations for entry Ishmael (93/120) are generated.  
 Optimize dates...

Ishmael	D	Kind	S	from:	to:	
1671. 1.15. 1683.12.29.	*	0	*	93	93	
1661. 1.15. ≥	*	1	B	94	93	
1671. 1.15. 1683.12.29.	*	3	*	96	93	
1669. 1.15. 1686. 4.30.	*	5	+	93	93	
		0	*	0	0	
1671. 1.15. 1683.12.29.	*	0	*	0	93	
1661. 1.15. 1683.12.29.		427th position to B Battle in Siddim Vale				94
1807. 1.15. 1821.12.29.		428th position to + Ishmael				93

16492 Bytes free.

(358th/428) position: 1661. 1.15. 1683.12.29. B Battle in Siddim Vale 94  
 Forward relations for entry Battle in Siddim Vale (94/120) are generated.  
 Backward relations for entry Ishmael (93/120) are generated.

Optimize dates...

Battle in Siddim Vale	D	Kind	S	from:	to:
1661. 1.15. 1683.12.29.	B	0	B	94	94
1661. 1.15. ≥	B	1	B	96	94
≤ 1683.12.29.	B	7	*	93	94
		0	B	0	0
1661. 1.15. 1683.12.29.	B	0	B	0	94

16492 Bytes free.

(359th/428) position: 1807. 1.15. 1821.12.29. + Ishmael 93  
Forward relations for entry Ishmael (93/120) are generated.

Optimize dates...

Ishmael	D	Kind	S	from:	to:
1807. 1.15. 1821.12.29.	+	0	+	93	93
1807. 1.15. 1821.12.29.	+	5	*	93	93
		0	+	0	0
1807. 1.15. 1821.12.29.	+	0	+	0	93

16492 Bytes free.

(360th/428) position: 1661. 1.15. 1672.12.29. B Abram = Abraham 96  
Forward relations for entry Abram = Abraham (96/120) are generated.

Backward relations for entry Battle in Siddim Vale (94/120) are generated.

Optimize dates...

Abram = Abraham	D	Kind	S	from:	to:
1661. 1.15. 1672.12.29.	B	0	B	96	96
1661. 1.15. ≥	B	1	+	97	96
1660. 1.15. 1672.12.29.	B	4	*	96	96
≤ 1683.12.29.	B	7	B	94	96
		0	B	0	0
1661. 1.15. 1672.12.29.	B	0	B	0	96
1661. 1.15. 1672.12.29.				429th position to + Terah	97

16492 Bytes free.

(361st/429) position: 1661. 1.15. 1672.12.29. + Terah 97

Forward relations for entry Terah (97/120) are generated.

Backward relations for entry Abram = Abraham (96/120) are generated.

Optimize dates...

Terah	D	Kind	S	from:	to:
1661. 1.15. 1672.12.29.	+	0	+	97	97
1661. 1.15. 1673.12.29.	+	5	*	97	97
≤ 1672.12.29.	+	7	B	96	97
		0	+	0	0
1661. 1.15. 1672.12.29.	+	0	+	0	97

16492 Bytes free.

(362nd/429) position: 1661. 1.15. 1683.12.29. B Battle in Siddim Vale 94

Forward relations for entry Battle in Siddim Vale (94/120) are generated.

Backward relations for entry Ishmael (93/120) are generated.

Optimize dates...

Battle in Siddim Vale	D	Kind	S	from:	to:
1661. 1.15. 1683.12.29.	B	0	B	94	94
1661. 1.15. ≥	B	1	B	96	94
≤ 1683.12.29.	B	7	*	93	94
		0	B	0	0
1661. 1.15. 1683.12.29.	B	0	B	0	94

16492 Bytes free.

(363rd/429) position: 2738.11. 1. 2757. 2.29. α David

58

Forward relations for entry David (58/120) are generated.  
 Backward relations for entry Solomon (57/120) are generated.  
 Optimize dates...

David	D	Kind	S	from:	to:
2738.11. 1.	2757. 2.29.	α	0 α	58	58
		α	1 E	59	58
2738.11. 1.	2757. 4.29.	α	4 B	58	58
2738. 6. 1.	2757. 2.29.	α	6 Ω	58	58
			0 α	0	0
2738.11. 1.	2757. 2.29.	α	0 α	0	58

16492 Bytes free.  
 (364th/429) position: ≤ 2757. 2.29. E Ishbosheth 59  
 Forward relations for entry Ishbosheth (59/120) are generated.  
 Backward relations for entry David (58/120) are generated.  
 Optimize dates...

Ishbosheth	D	Kind	S	from:	to:
≤ 2757. 2.29.	E	0 E		59	59
2732. 6. 1.	2752. 9.29.	E	5 B	59	59
≤ 2757. 2.29.	E	7 α		58	59
≤ 2757. 2.29.	+	0 +		59	59
2731Y 5M	4Y 5M		0 E	0	0
2732. 6. 1.	2752. 9.29.	E	0 E	0	59
2732. 6. 1.	2752. 9.29.		430th position to E Ishbosheth		59

16492 Bytes free.  
 (365th/430) position: 2731. 6. 1. 2749. 9.29. B David 58  
 Forward relations for entry David (58/120) are generated.  
 Backward relations for entry Solomon (57/120) are generated.  
 Optimize dates...

David	D	Kind	S	from:	to:
2731. 6. 1.	2749. 9.29.	B	0 B	58	58
2731. 6. 1.	2749. 9.29.	B	2 E	60	58
2729. 6. 1.	2751. 9.29.	B	3 *	58	58
2731. 6. 1.	2750. 2.29.	B	5 E	58	58
2731. 4. 1.	2749. 9.29.	B	10 α	58	58
			0 B	0	0
2731. 6. 1.	2749. 9.29.	B	0 B	0	58

16492 Bytes free.  
 (366th/430) position: 2731. 6. 1. 2749. 9.29. B Ishbosheth 59  
 Forward relations for entry Ishbosheth (59/120) are generated.  
 Backward relations for entry David (58/120) are generated.  
 Optimize dates...

Ishbosheth	D	Kind	S	from:	to:
2731. 6. 1.	2749. 9.29.	B	0 B	59	59
2731. 6. 1.	2749. 9.29.	B	1 E	60	59
		B	3 *	59	59
2729. 6. 1.	2751. 9.29.	B	5 E	59	59
			0 B	0	0
2731. 6. 1.	2749. 9.29.	B	0 B	0	59
2690. 6. 1.	2710. 9.29.		431st position to * Ishbosheth		59

16492 Bytes free.  
 (367th/431) position: 2731. 6. 1. 2749. 9.29. B David 58  
 Forward relations for entry David (58/120) are generated.  
 Backward relations for entry Solomon (57/120) are generated.  
 Optimize dates...

David	D	Kind	S	from:	to:†
2731. 6. 1. 2749. 9.29. B 0 B				58	58
2731. 6. 1. 2749. 9.29. B 2 E				60	58
2729. 6. 1. 2751. 9.29. B 3 *				58	58
2731. 6. 1. 2750. 2.29. B 5 E				58	58
2731. 4. 1. 2749. 9.29. B 10 α				58	58
				0 B	0
2731. 6. 1. 2749. 9.29. B 0 B				0	58

16492 Bytes free.

(368th/431) position: 2731. 6. 1. 2749. 9.29. E Saul 60

Forward relations for entry Saul (60/120) are generated.

Backward relations for entry Ishbosheth (59/120) are generated.

Backward relations for entry David (58/120) are generated.

Optimize dates...

Saul	D	Kind	S	from:	to:†
2731. 6. 1. 2749. 9.29. E 0 E				60	60
2729. 6. 1. 2751. 9.29. E 5 B				60	60
2731. 6. 1. 2749. 9.29. E 7 B				59	60
2731. 6. 1. 2749. 9.29. E 8 B				58	60
2731. 6. 1. 2749. 9.29. + 0 +				60	60
				0 E	0
2731. 6. 1. 2749. 9.29. E 0 E				0	60

16492 Bytes free.

(369th/431) position: 2700. 6. 1. 2720. 9.29. \* David 58

Forward relations for entry David (58/120) are generated.

Backward relations for entry Solomon (57/120) are generated.

Optimize dates...

David	D	Kind	S	from:	to:†
2700. 6. 1. 2720. 9.29. * 0 *				58	58
2700. 6. 1. 2720. 9.29. * 9 B				58	58
				0 *	0
2700. 6. 1. 2720. 9.29. * 0 *				0	58

16492 Bytes free.

(370th/431) position: 2738.11. 1. 2757. 2.29. α David 58

Forward relations for entry David (58/120) are generated.

Backward relations for entry Solomon (57/120) are generated.

Optimize dates...

David	D	Kind	S	from:	to:†
2738.11. 1. 2757. 2.29. α 0 α				58	58
2732. 6. 1. ≥ α 1 E				59	58
2738.11. 1. 2757. 4.29. α 4 B				58	58
2738. 6. 1. 2757. 2.29. α 6 Ω				58	58
				0 α	0
2738.11. 1. 2757. 2.29. α 0 α				0	58

16492 Bytes free.

(371st/431) position: 2690. 6. 1. 2710. 9.29. B Saul 60

Forward relations for entry Saul (60/120) are generated.

Backward relations for entry Ishbosheth (59/120) are generated.

Backward relations for entry David (58/120) are generated.

Optimize dates...

Saul	D	Kind	S	from:	to:†
2690. 6. 1. 2710. 9.29. B 0 B				60	60
2690. 6. 1. 2710. 9.29. B 1 E				61	60
2680. 9. 1. ≥ B 2 E				63	60

```

2690. 6. 1. 2710. 9.29. B 5 E      60      60||
                                0 B      0      0||
2690. 6. 1. 2710. 9.29. B 0 B      0      60||

```

16492 Bytes free.

(372nd/431) position: 2731. 6. 1. 2749. 9.29. B Ishbosheth 59  
 Forward relations for entry Ishbosheth (59/120) are generated.  
 Backward relations for entry David (58/120) are generated.  
 Optimize dates...

```

Ishbosheth          D Knd S   from:   to:|
2731. 6. 1. 2749. 9.29. B 0 B     59     59||
2731. 6. 1. 2749. 9.29. B 1 E     60     59||
2729. 6. 1. 2751. 9.29. B 3 *     59     59||
2729. 6. 1. 2751. 9.29. B 5 E     59     59||
                                0 B      0      0||
2731. 6. 1. 2749. 9.29. B 0 B      0     59||

```

16492 Bytes free.

(373rd/431) position: 2831.10. 1. 2853. 6.30. B Nadab 50  
 Forward relations for entry Nadab (50/120) are generated.  
 Backward relations for entry Baasha (49/120) are generated.  
 Optimize dates...

```

Nadab                D Knd S   from:   to:|
2831.10. 1. 2853. 6.30. B 0 B     50     50||
2831.10. 1. 2853. 6.30. B 1 E     53     50||
2830.10. 1. 2854. 6.30. B 3 B     51     50||
2828.10. 1. 2854. 6.30. B 5 E     50     50||
                                0 B      0      0||
2831.10. 1. 2853. 6.30. B 0 B      0     50||
2832.10. 1. 2855. 6.30. 432nd position to E Nadab 50

```

16492 Bytes free.

(374th/432) position: 2829.10. 1. 2851. 6.30. E Abijam = Abijah 52  
 Forward relations for entry Abijam = Abijah (52/120) are generated.  
 Backward relations for entry Asa (51/120) are generated.  
 Optimize dates...

```

Abijam = Abijah      D Knd S   from:   to:|
2829.10. 1. 2851. 6.30. E 0 E     52     52||
2829.10. 1. 2852. 6.30. E 5 B     52     52||
2829.10. 1. 2851. 6.30. E 7 B     51     52||
2829.10. 1. 2851. 6.30. + 0 +     52     52||
                                0 E      0      0||
2829.10. 1. 2851. 6.30. E 0 E      0     52||

```

16492 Bytes free.

(375th/432) position: 2869.10. 1. 2893. 6.30. E Asa 51  
 Forward relations for entry Asa (51/120) are generated.  
 Backward relations for entry Jehoshaphat (42/120) are generated.  
 Optimize dates...

```

Asa                  D Knd S   from:   to:|
2869.10. 1. 2893. 6.30. E 0 E     51     51||
2869.10. 1. 2893. 6.30. E 5 B     51     51||
                                E 7 B     42     51||
2869.10. 1. 2893. 6.30. + 0 +     51     51||
                                0 E      0      0||
2869.10. 1. 2893. 6.30. E 0 E      0     51||
2869.10. 1. 2893. 6.30. 433rd position to B Jehoshaphat 42

```

16492 Bytes free.  
 (376th/433) position: 2866.10. 1. 2890. 6.30. B Ahab 44  
 Forward relations for entry Ahab (44/120) are generated.  
 Backward relations for entry Ahaziah (Ahab) (41/120) are generated.  
 Backward relations for entry Elijah (43/120) are generated.  
 Optimize dates...

Ahab	D	Kn	S	from:	to:	
2866.10. 1. 2890. 6.30.	B	0	B	44	44	
	B	1	E	45	44	
2866.10. 1. 2890. 6.30.	B	3	B	51	44	
	B	5	E	44	44	
	B	7	B	43	44	
2864.10. 1. 2890. 6.30.	B	9	B	42	44	
	0	B		0	0	
2866.10. 1. 2890. 6.30.	B	0	B	0	44	
2866.10. 1. 2890. 6.30.				434th position to E Omri		45
2887.10. 1. 2913. 6.30.				435th position to E Ahab		44
2866.10. 1. ≥				436th position to B Elijah		43

16492 Bytes free.  
 (377th/436) position: 2859.10. 1. 2883. 6.30. α Omri 45  
 Forward relations for entry Omri (45/120) are generated.  
 Backward relations for entry Ahab (44/120) are generated.  
 Optimize dates...

Omri	D	Kn	S	from:	to:	
2859.10. 1. 2883. 6.30.	α	0	α	45	45	
	α	1	E	46	45	
2859.10. 1. 2883. 6.30.	α	3	B	51	45	
	0	α		0	0	
2859.10. 1. 2883. 6.30.	α	0	α	0	45	
2859.10. 1. 2883. 6.30.				437th position to E Tibni		46

16492 Bytes free.  
 (378th/437) position: 2855.10. 1. 2879. 6.30. B Zimri 47  
 Forward relations for entry Zimri (47/120) are generated.  
 Backward relations for entry Tibni (46/120) are generated.  
 Backward relations for entry Omri (45/120) are generated.  
 Optimize dates...

Zimri	D	Kn	S	from:	to:	
2855.10. 1. 2879. 6.30.	B	0	B	47	47	
2855.10. 1. 2879. 6.30.	B	1	E	48	47	
2855.10. 1. 2879. 6.30.	B	3	B	51	47	
	B	5	E	47	47	
	0	B		0	0	
2855.10. 1. 2879. 6.30.	B	0	B	0	47	
2855.10. 7. 2879. 7. 8.				438th position to E Zimri		47

16492 Bytes free.  
 (379th/438) position: 2854.10. 1. 2878. 6.30. B Elah 48  
 Forward relations for entry Elah (48/120) are generated.  
 Backward relations for entry Zimri (47/120) are generated.  
 Optimize dates...

Elah	D	Kn	S	from:	to:	
2854.10. 1. 2878. 6.30.	B	0	B	48	48	
	B	1	E	49	48	
2854.10. 1. 2878. 6.30.	B	3	B	51	48	
2852.10. 1. 2878. 6.30.	B	5	E	48	48	
	0	B		0	0	

2854.10. 1. 2878. 6.30. B 0 B 0 48||  
 2854.10. 1. 2878. 6.30. 439th position to E Baasha 49

16492 Bytes free.

(380th/439) position: 2831.10. 1. 2855. 6.30. B Baasha 49

Forward relations for entry Baasha (49/120) are generated.

Backward relations for entry Elah (48/120) are generated.

Optimize dates...

Baasha	D	Kind	S	from:	to:	
2831.10. 1.	2855. 6.30.	B	0 B	49	49	
2832.10. 1.	2855. 6.30.	B	1 E	50	49	
2831.10. 1.	2855. 6.30.	B	3 B	51	49	
2829.10. 1.	2855. 6.30.	B	5 E	49	49	
1Y			0 B	0	0	
2832.10. 1.	2855. 6.30.	B	0 B	0	49	
2832.10. 1.	2855. 6.30.		440th position to B Baasha			49
2855.10. 1.	2878. 6.30.		441st position to E Baasha			49

16492 Bytes free.

(381st/441) position: 2855.10. 1. 2879. 6.30. + Elah 48

Forward relations for entry Elah (48/120) are generated.

Backward relations for entry Zimri (47/120) are generated.

Optimize dates...

Elah	D	Kind	S	from:	to:	
2855.10. 1.	2879. 6.30.	E	0 E	48	48	
2855.10. 1.	2881. 6.30.	E	5 B	48	48	
2855.10. 1.	2879. 6.30.	E	7 B	47	48	
2855.10. 1.	2879. 6.30.	+	0 +	48	48	
2855.10. 1.	2879. 6.30.	+	4 B	51	48	
			0 E	0	0	
2855.10. 1.	2879. 6.30.	E	0 E	0	48	

16492 Bytes free.

(382nd/441) position: 2832.10. 1. 2855. 6.30. + Nadab 50

Forward relations for entry Nadab (50/120) are generated.

Backward relations for entry Baasha (49/120) are generated.

Optimize dates...

Nadab	D	Kind	S	from:	to:	
2832.10. 1.	2855. 6.30.	E	0 E	50	50	
2832.10. 1.	2856. 6.30.	E	5 B	50	50	
2832.10. 1.	2855. 6.30.	E	7 B	49	50	
2832.10. 1.	2855. 6.30.	+	0 +	50	50	
2831.10. 1.	2855. 6.30.	+	4 B	51	50	
			0 E	0	0	
2832.10. 1.	2855. 6.30.	E	0 E	0	50	

16492 Bytes free.

(383rd/441) position: 2827.10. 1. 2848. 6.30. B Abijam = Abijah 52

Forward relations for entry Abijam = Abijah (52/120) are generated.

Backward relations for entry Asa (51/120) are generated.

Optimize dates...

Abijam = Abijah	D	Kind	S	from:	to:	
2827.10. 1.	2848. 6.30.	B	0 B	52	52	
2827.10. 1.	2848. 6.30.	B	1 E	54	52	
2828. 6. 1.	2849. 2.29.	B	3 B	53	52	
2825.10. 1.	2849. 6.30.	B	5 E	52	52	
8M			0 B	0	0	
2828. 6. 1.	2848. 6.30.	B	0 B	0	52	



2828. 6. 1. 2848. 6.30. 442nd position to B Abijam = Abijah 52  
 2828. 6. 1. 2848. 6.30. 443rd position to E Rehoboam 54  
 2830. 6. 1. 2851. 6.30. 444th position to E Abijam = Abijah 52

16492 Bytes free.

(384th/444) position: 2828. 6. 1. 2848. 6.30. E Rehoboam 54

Forward relations for entry Rehoboam (54/120) are generated.

Backward relations for entry Abijam = Abijah (52/120) are generated.

Optimize dates...

Rehoboam	D	Kind	S	from:	to:
2828. 6. 1. 2848. 6.30.	E	0	E	54	54
2827. 6. 1. 2848. 2.29.	E	5	B	54	54
2828. 6. 1. 2848. 6.30.	E	7	B	52	54
2828. 6. 1. 2848. 6.30.	+	0	+	54	54
	4M	1D	0	E	0
2828. 6. 1. 2848. 2.29.	E	0	E	0	54
2828. 6. 1. 2848. 2.29.				445th position to E Rehoboam	54
2828. 6. 1. 2848. 2.29.				446th position to B Abijam = Abijah	52

16492 Bytes free.

(385th/446) position: 1685. 1.15. 1695.12.29. \* Isaac 91

Forward relations for entry Isaac (91/120) are generated.

Optimize dates...

Isaac	D	Kind	S	from:	to:
1685. 1.15. 1695.12.29.	*	0	*	91	91
1684. 1.15. ≥	*	1	B	92	91
1685. 1.15. 1697.12.29.	*	3	*	96	91
1683. 1.15. 1697.12.29.	*	5	+	91	91
1683. 1.15. 1697.12.29.	*	4	*	95	91
1683. 1.15. 1695.12.29.	*	9	*	90	91
		0	*	0	0
1685. 1.15. 1695.12.29.	*	0	*	0	91

16492 Bytes free.

(386th/446) position: 1586. 1.15. 1596.12.29. \* Abram = Abraham 96

Forward relations for entry Abram = Abraham (96/120) are generated.

Backward relations for entry Battle in Siddim Vale (94/120) are generated.

Optimize dates...

Abram = Abraham	D	Kind	S	from:	to:
1586. 1.15. 1596.12.29.	*	0	*	96	96
1586. 1.15. 1598.12.29.	*	3	*	97	96
1584. 1.15. 1598.12.29.	*	5	+	96	96
1584. 1.15. 1596.12.29.	*	9	*	91	96
1584. 1.15. 1597.12.29.	*	9	B	92	96
1584. 1.15. 1598.12.29.	*	9	*	93	96
1585. 1.15. 1598.12.29.	*	10	B	96	96
		0	*	0	0
1586. 1.15. 1596.12.29.	*	0	*	0	96

16492 Bytes free.

(387th/446) position: 1864. 1.15. 1876.12.29. + Isaac 91

Forward relations for entry Isaac (91/120) are generated.

Optimize dates...

Isaac	D	Kind	S	from:	to:
1864. 1.15. 1876.12.29.	+	0	+	91	91
1864. 1.15. 1876.12.29.	+	5	*	91	91
		0	+	0	0
1864. 1.15. 1876.12.29.	+	0	+	0	91

16492 Bytes free.

(388th/446) position: 1594. 1.15. 1606.12.29. \* Sarai = Sarah 95  
Forward relations for entry Sarai = Sarah (95/120) are generated.

Optimize dates...

Sarai = Sarah	D	Kind	S	from:	to:	
1594. 1.15. 1606.12.29.	*	0	*	95	95	
1581. 3. 1. 1609. 4.30.	*	5	+	95	95	
1594. 1.15. 1606.12.29.	*	10	*	91	95	
		0	*	0	0	
1594. 1.15. 1606.12.29.	*	0	*	0	95	
1720. 1.15. 1734.12.29.		447th position to + Sarai = Sarah				95

16492 Bytes free.

(389th/447) position: 1744. 1.15. 1754.12.29. \* Jacob = Israel 90  
Forward relations for entry Jacob = Israel (90/120) are generated.

Optimize dates...

Jacob = Israel	D	Kind	S	from:	to:	
1744. 1.15. 1754.12.29.	*	0	*	90	90	
1744. 1.15. 1756.12.29.	*	3	*	91	90	
1734.11. 1. 1755.12.29.	*	5	+	90	90	
1735.11. 1. 1754.12.29.	*	9	B	89	90	
		0	*	0	0	
1744. 1.15. 1754.12.29.	*	0	*	0	90	
1890. 1.15. 1901.12.29.		448th position to + Jacob = Israel				90
1873. 1.15. 1883.12.29.		449th position to B Israel in Egypt				89

16492 Bytes free.

(390th/449) position: 2811. 6. 1. 2830. 2.29. B Jeroboam (Nebat) 53  
Forward relations for entry Jeroboam (Nebat) (53/120) are generated.

Backward relations for entry Nadab (50/120) are generated.

Optimize dates...

Jeroboam (Nebat)	D	Kind	S	from:	to:	
2811. 6. 1. 2830. 2.29.	B	0	B	53	53	
2811. 6. 1. 2830. 2.29.	B	1	E	57	53	
2808.10. 1. 2832. 6.30.	B	5	E	53	53	
2808.10. 1. 2832. 6.30.	B	9	B	51	53	
2809. 6. 1. 2831. 2.29.	B	9	B	52	53	
		0	B	0	0	
2811. 6. 1. 2830. 2.29.	B	0	B	0	53	
2832. 6. 1. 2853. 2.29.		450th position to E Jeroboam (Nebat)				53
2830. 6. 1. 2851. 2.29.		451st position to B Asa				51

16492 Bytes free.

(391st/451) position: 2811. 6. 1. 2830. 2.29. B Rehoboam 54  
Forward relations for entry Rehoboam (54/120) are generated.

Backward relations for entry Abijam = Abijah (52/120) are generated.

Optimize dates...

Rehoboam	D	Kind	S	from:	to:	
2811. 6. 1. 2830. 2.29.	B	0	B	54	54	
2811. 6. 1. 2830. 2.29.	B	1	E	57	54	
2808.10. 1. 2832. 6.30.	B	3	*	54	54	
2810. 6. 1. 2832. 2.29.	B	5	E	54	54	
		0	B	0	0	
2811. 6. 1. 2830. 2.29.	B	0	B	0	54	
2769. 6. 1. 2790. 2.29.		452nd position to * Rehoboam				54

16492 Bytes free.

(392nd/452) position: ≤ 2634.10.30. E Gideon = Jerubbaal 73  
 Forward relations for entry Gideon = Jerubbaal (73/120) are generated.  
 Backward relations for entry Abimelech (72/120) are generated.  
 Optimize dates...

Gideon = Jerubbaal	D	Kind	S	from:	to:
≤ 2634.10.30.	E	0	E	73	73
	E	5	B	73	73
≤ 2634.10.30.	E	7	B	72	73
≤ 2634.10.30.	+	0	+	73	73
		0	E	0	0
≤ 2634.10.30.	E	0	E	0	73
≤ 2595.10.30.				453rd position to B Gideon = Jerubbaal	73

16492 Bytes free.

(393rd/453) position: 2659. 9. 1.≥ E Eli 64  
 Forward relations for entry Eli (64/120) are generated.  
 Backward relations for entry Samuel (61/120) are generated.  
 Optimize dates...

Eli	D	Kind	S	from:	to:
2659. 9. 1.≥	E	0	E	64	64
	E	6	B	64	64
2659. 9. 1.≥	E	8	B	61	64
2659. 9. 1.≥	+	0	+	64	64
	+	5	*	64	64
		0	E	0	0
2659. 9. 1.≥	E	0	E	0	64
2618. 9. 1.≥				454th position to B Eli	64
2560. 9. 1.≥				455th position to * Eli	64

16492 Bytes free.

(394th/455) position: 2690. 6. 1. 2710. 9.29. E Samuel 61  
 Forward relations for entry Samuel (61/120) are generated.  
 Backward relations for entry Saul (60/120) are generated.  
 Optimize dates...

Samuel	D	Kind	S	from:	to:
2690. 6. 1. 2710. 9.29.	E	0	E	61	61
2680. 9. 1.≥	E	1	E	63	61
2690. 6. 1. 2710. 9.29.	E	7	B	60	61
		0	E	0	0
2690. 6. 1. 2710. 9.29.	E	0	E	0	61

16492 Bytes free.

(395th/455) position: 2680. 9. 1. 2710. 9.29. E Philistines 63  
 Forward relations for entry Philistines (63/120) are generated.  
 Backward relations for entry Samuel (61/120) are generated.  
 Backward relations for entry Samson (62/120) are generated.  
 Backward relations for entry Saul (60/120) are generated.  
 Optimize dates...

Philistines	D	Kind	S	from:	to:
2680. 9. 1. 2710. 9.29.	E	0	E	63	63
2660. 9. 1.≥	E	2	E	62	63
2678. 9. 1.≥	E	3	B	61	63
2680. 9. 1.≥	E	6	B	63	63
≤ 2710. 9.29.	E	7	E	61	63
≤ 2710. 9.29.	E	8	B	60	63
		0	E	0	0
2680. 9. 1. 2710. 9.29.	E	0	E	0	63
2659. 9. 1. 2691. 9.29.				456th position to B Samuel	61

2641. 9. 1. 2671. 9.29. 457th position to B Philistines 63

16492 Bytes free.

(396th/457) position: 2660. 9. 1. 2710. 9.29. E Samson 62

Forward relations for entry Samson (62/120) are generated.

Backward relations for entry Philistines (63/120) are generated.

Optimize dates...

Samson	D	Kind	S	from:	to:†
2660. 9. 1. 2710. 9.29.	E	0	E	62	62
2660. 9. 1. 2712. 9.29.	E	5	B	62	62
≤ 2710. 9.29.	E	8	E	63	62
2660. 9. 1. 2710. 9.29.	+	0	+	62	62
		0	E	0	0
2660. 9. 1. 2710. 9.29.	E	0	E	0	62

16492 Bytes free.

(397th/457) position: 2641. 9. 1. 2691. 9.29. B Samson 62

Forward relations for entry Samson (62/120) are generated.

Backward relations for entry Philistines (63/120) are generated.

Optimize dates...

Samson	D	Kind	S	from:	to:†
2641. 9. 1. 2691. 9.29.	B	0	B	62	62
2641. 9. 1. ≥	B	1	B	63	62
2639. 9. 1. 2691. 9.29.	B	5	E	62	62
		0	B	0	0
2641. 9. 1. 2691. 9.29.	B	0	B	0	62

16492 Bytes free.

(398th/457) position: 2656. 9. 1. ≥ E Elon 66

Forward relations for entry Elon (66/120) are generated.

Backward relations for entry Abdon (65/120) are generated.

Optimize dates...

Elon	D	Kind	S	from:	to:†
2656. 9. 1. ≥	E	0	E	66	66
2656. 9. 1. ≥	E	5	B	66	66
	E	7	B	65	66
2656. 9. 1. ≥	+	0	+	66	66
		0	E	0	0
2656. 9. 1. ≥	E	0	E	0	66
2656. 9. 1. ≥				458th position to B Abdon	65

16492 Bytes free.

(399th/458) position: 2408. 3. 1. ≥ B Ehud 77

Forward relations for entry Ehud (77/120) are generated.

Backward relations for entry Sisera (76/120) are generated.

Optimize dates...

Ehud	D	Kind	S	from:	to:†
2408. 3. 1. ≥	B	0	B	77	77
2408. 3. 1. ≥	B	1	E	78	77
	B	5	E	77	77
		0	B	0	0
2408. 3. 1. ≥	B	0	B	0	77
2487. 3. 1. ≥				459th position to E Ehud	77

16492 Bytes free.

(400th/459) position: 2391.11. 1. ≥ B Eglon 78

Forward relations for entry Eglon (78/120) are generated.

Backward relations for entry Ehud (77/120) are generated.

Optimize dates...

Eglon	D	Kind	S	from:	to:	
2391.11. 1.>	B	0	B	78	78	
2391.11. 1.>	B	1	E	79	78	
2389. 3. 1.>	B	5	E	78	78	
		0	B	0	0	
2391.11. 1.>	B	0	B	0	78	
2408.11. 1.>				460th position to E Eglon		78

16492 Bytes free.

(401st/460) position: 1460. 1.15. 1470.12.29. \* Serug 99  
Forward relations for entry Serug (99/120) are generated.

Optimize dates...

Serug	D	Kind	S	from:	to:	
1460. 1.15. 1470.12.29. *	0	*		99	99	
1460. 1.15. 1485. 1. 7. *	3	*		100	99	
1458. 1.15. 1470.12.29. *	9	*		98	99	
1458. 1.15. 1473. 4.30. *	10	+		100	99	
	0	*		0	0	
1460. 1.15. 1470.12.29. *	0	*		0	99	
1429. 1.15. 1439.12.29.				461st position to * Reu		100
1666. 1.15. 1678.12.29.				462nd position to + Reu		100

16492 Bytes free.

(402nd/462) position: 1688. 1.15. 1700.12.29. + Serug 99  
Forward relations for entry Serug (99/120) are generated.

Optimize dates...

Serug	D	Kind	S	from:	to:	
1688. 1.15. 1700.12.29. +	0	+		99	99	
1688. 1.15. 1700.12.29. +	4	*		98	99	
	0	+		0	0	
1688. 1.15. 1700.12.29. +	0	+		0	99	

16492 Bytes free.

(403rd/462) position: 1666. 1.15. 1678.12.29. + Reu 100  
Forward relations for entry Reu (100/120) are generated.

Optimize dates...

Reu	D	Kind	S	from:	to:	
1666. 1.15. 1678.12.29. +	0	+		100	100	
1666. 1.15. 1678.12.29. +	4	*		99	100	
	0	+		0	0	
1666. 1.15. 1678.12.29. +	0	+		0	100	

16492 Bytes free.

(404th/462) position: 2997. 3.22. 3010.12.29. B Jotham 19  
Forward relations for entry Jotham (19/120) are generated.

Backward relations for entry Ahaz (17/120) are generated.

Backward relations for entry Ahaz (17/120) are generated.

Optimize dates...

Jotham	D	Kind	S	from:	to:	
2997. 3.22. 3010.12.29. B	0	B		19	19	
2994.11. 1. 3012.12.29. B	4	*		19	19	
2997. 3.22. 3010.12.29. B	6	E		19	19	
	0	B		0	0	
2997. 3.22. 3010.12.29. B	0	B		0	19	
2971. 3.22. 2986.12.29.				463rd position to * Jotham		19

16492 Bytes free.

(405th/463) position: 3006. 3.22. 3018.12.29. E Pekahiah 22  
 Forward relations for entry Pekahiah (22/120) are generated.  
 Backward relations for entry Pekah (21/120) are generated.  
 Optimize dates...

Pekahiah	D	Kind	S	from:	to:†	
3006. 3.22. 3018.12.29.	E	0	E	22	22	22
3003.11. 1. 3020.12.29.	E	5	B	22	22	22
3006. 3.22. 3018.12.29.	E	7	B	21	22	22
3006. 3.22. 3018.12.29.	+	0	+	22	22	22
		0	E	0	0	0
3006. 3.22. 3018.12.29.	E	0	E	0	22	22
3003. 3.22. 3017.12.29.				464th position to B	Pekahiah	22

16492 Bytes free.

(406th/464) position: 3022. 3.22. 3036.12.29. α Ahaz 17  
 Forward relations for entry Ahaz (17/120) are generated.  
 Backward relations for entry Hezekiah (14/120) are generated.  
 Forward relations for entry Ahaz (18/120) are generated.  
 Optimize dates...

Ahaz	D	Kind	S	from:	to:†	
3022. 3.22. 3036.12.29.	α	0	α	17	17	17
3021.11. 1. 3036.12.29.	α	2	Ω	19	17	17
3022. 3.22. 3036.12.29.	α	3	B	21	17	17
		0	α	0	0	0
3022. 3.22. 3036.12.29.	α	0	α	0	17	17
3022. 3.22. 3036.12.29.				465th position to Ω	Jotham	19

16492 Bytes free.

(407th/465) position: 3007. 3.22. 3019.12.29. α Jotham 19  
 Forward relations for entry Jotham (19/120) are generated.  
 Backward relations for entry Ahaz (17/120) are generated.  
 Backward relations for entry Ahaz (17/120) are generated.  
 Optimize dates...

Jotham	D	Kind	S	from:	to:†	
3007. 3.22. 3019.12.29.	α	0	α	19	19	19
3006.11. 1. 3019.12.29.	α	1	E	26	19	19
3007. 3.22. 3021.12.29.	α	3	B	21	19	19
3006. 3.22. 3019.12.29.	α	10	B	16	19	19
		0	α	0	0	0
3007. 3.22. 3019.12.29.	α	0	α	0	19	19
3007. 3.22. 3019.12.29.				466th position to E	Azariah = Uzziah	26

16492 Bytes free.

(408th/466) position: 2298. 3.22. 2312.12.29. E Israel in Egypt 89  
 Forward relations for entry Israel in Egypt (89/120) are generated.  
 Optimize dates...

Israel in Egypt	D	Kind	S	from:	to:†	
2298. 3.22. 2312.12.29.	E	0	E	89	89	89
2296. 9. 1. ≥	E	1	B	86	89	89
2296. 9. 1. ≥	E	2	B	87	89	89
2302. 1.15. 2314.12.29.	E	6	B	89	89	89
2298. 3.22. 2312.12.29.	E	9	B	85	89	89
2297.10.30. 2312.12.30.	E	9	+	88	89	89
2297.10. 1. 2313. 1.29.	E	10	B	55	89	89
2297.10. 1. 2313. 1.29.	E	10	E	56	89	89
2297.10.30. 2312.12.30.	E	10	B	84	89	89
3Y 9M23D		0	E	0	0	0
2302. 1.15. 2312.12.29.	E	0	E	0	89	89

2302.	1.15.	2312.12.29.	467th position to E Israel in Egypt	89
2303.	1.15.	2313.12.29.	468th position to B Explorers of Canaan	85
2341.	5.15.	2352. 4.30.	469th position to + Aaron	88
2781.	2.15.	2792. 2.29.	470th position to B Building the Temple	55
2788.	8.15.	2799. 8.29.	471st position to E Building the Temple	56
2341.11.15.	2352.10.30.		472nd position to B Moses' Speech	84

16492 Bytes free.

(409th/472) position: 2300. 5. 2. 2314. 2. 9. E Explorers of Canaan 85  
Forward relations for entry Explorers of Canaan (85/120) are generated.

Optimize dates...

Explorers of Canaan	D	Kind	S	from:	to:	
2300. 5. 2.	2314. 2. 9.	E	0 E	85	85	
2303. 2.25.	2314. 2. 9.	E	5 B	85	85	
2Y 9M23D			0 E	0	0	
2303. 2.25.	2314. 2. 9.	E	0 E	0	85	
2303. 2.25.	2314. 2. 9.			473rd position to E Explorers of Canaan		85

16492 Bytes free.

(410th/473) position: 2346. 3.22.> B Chushanrishathaim 80  
Forward relations for entry Chushanrishathaim (80/120) are generated.

Backward relations for entry Othniel (79/120) are generated.

Optimize dates...

Chushanrishathaim	D	Kind	S	from:	to:	
2346. 3.22.>		B	0 B	80	80	
2346. 3.22.>		B	1 E	83	80	
2343.11. 1.>		B	5 E	80	80	
			0 B	0	0	
2346. 3.22.>		B	0 B	0	80	
2353. 3.22.>				474th position to E Chushanrishathaim		80

16492 Bytes free.

(411th/474) position: 2235. 3.22.> \* Joshua 83  
Forward relations for entry Joshua (83/120) are generated.

Backward relations for entry Chushanrishathaim (80/120) are generated.

Optimize dates...

Joshua	D	Kind	S	from:	to:	
2235. 3.22.>		*	0 *	83	83	
2235. 3.22.>		*	5 +	83	83	
			0 *	0	0	
2235. 3.22.>		*	0 *	0	83	

16492 Bytes free.

(412th/474) position: 2949. 4. 1. 2966.12.29. B Jeroboam (Joash) 27  
Forward relations for entry Jeroboam (Joash) (27/120) are generated.

Backward relations for entry Zachariah (25/120) are generated.

Optimize dates...

Jeroboam (Joash)	D	Kind	S	from:	to:	
2949. 4. 1.	2966.12.29.	B	0 B	27	27	
2949. 2. 1.	2966.12.29.	B	1 E	30	27	
2947. 2. 1.	2968.12.29.	B	3 B	28	27	
2949. 4. 1.	2966.12.29.	B	5 E	27	27	
			0 B	0	0	
2949. 4. 1.	2966.12.29.	B	0 B	0	27	
2949. 4. 1.	2966.12.29.			475th position to E Joash (Jehoahaz)		30
2933. 4. 1.	2952.12.29.			476th position to B Amaziah		28

16492 Bytes free.

(413th/476) position: 2916. 2. 1. 2935.12.29. B Jehoahaz (Jehu) 31  
 Forward relations for entry Jehoahaz (Jehu) (31/120) are generated.  
 Backward relations for entry Joash (Jehoahaz) (30/120) are generated.  
 Optimize dates...

Jehoahaz (Jehu)	D	Kind	S	from:	to:	
2916. 2. 1. 2935.12.29.	B	0	B	31	31	
	B	1	E	33	31	
2916. 2. 1. 2937.12.29.	B	3	B	32	31	
2914. 2. 1. 2935.12.29.	B	5	E	31	31	
		0	B	0	0	
2916. 2. 1. 2935.12.29.	B	0	B	0	31	
2916. 2. 1. 2935.12.29.				477th position to E Jehu		33

16492 Bytes free.

(414th/477) position: 2894. 2. 1. 2913.12.29. E Athaliah 34  
 Forward relations for entry Athaliah (34/120) are generated.  
 Backward relations for entry Joash (Ahaziah) (32/120) are generated.  
 Optimize dates...

Athaliah	D	Kind	S	from:	to:	
2894. 2. 1. 2913.12.29.	E	0	E	34	34	
	E	5	B	34	34	
2894. 2. 1. 2913.12.29.	E	7	B	32	34	
2894. 2. 1. 2913.12.29.	+	0	+	34	34	
		0	E	0	0	
2894. 2. 1. 2913.12.29.	E	0	E	0	34	
2887. 2. 1. 2908.12.29.				478th position to B Athaliah		34

16492 Bytes free.

(415th/478) position: 2886. 2. 1. 2907.12.29. B Jehu 33  
 Forward relations for entry Jehu (33/120) are generated.  
 Backward relations for entry Jehoahaz (Jehu) (31/120) are generated.  
 Optimize dates...

Jehu	D	Kind	S	from:	to:	
2886. 2. 1. 2907.12.29.	B	0	B	33	33	
	B	1	E	35	33	
	B	2	E	37	33	
2887. 2. 1. 2908.12.29.	B	5	E	33	33	
2886. 2. 1. 2907.12.29.	B	9	B	32	33	
1Y		0	B	0	0	
2887. 2. 1. 2907.12.29.	B	0	B	0	33	
2887. 2. 1. 2907.12.29.				479th position to B Jehu		33
2887. 2. 1. 2907.12.29.				480th position to E Ahaziah (Joram)		35
2887. 2. 1. 2907.12.29.				481st position to E Joram (Ahab)		37

16492 Bytes free.

(416th/481) position: 2886. 2. 1. 2907.12.29. \* Joash (Ahaziah) 32  
 Forward relations for entry Joash (Ahaziah) (32/120) are generated.  
 Backward relations for entry Amaziah (28/120) are generated.  
 Optimize dates...

Joash (Ahaziah)	D	Kind	S	from:	to:	
2886. 2. 1. 2907.12.29.	*	0	*	32	32	
2886. 2. 1. 2907.12.29.	*	10	B	32	32	
		0	*	0	0	
2886. 2. 1. 2907.12.29.	*	0	*	0	32	

16492 Bytes free.

(417th/481) position: 2916. 2. 1. 2935.12.29. B Jehoahaz (Jehu) 31  
 Forward relations for entry Jehoahaz (Jehu) (31/120) are generated.



Backward relations for entry Joash (Jehoahaz) (30/120) are generated.

Optimize dates...

Jehoahaz (Jehu)	D	Kn	S	from:	to:
2916. 2. 1. 2935.12.29. B 0 B				31	31
2916. 2. 1. 2935.12.29. B 1 E				33	31
2916. 2. 1. 2937.12.29. B 3 B				32	31
2914. 2. 1. 2935.12.29. B 5 E				31	31
				0 B	0
				0	0
2916. 2. 1. 2935.12.29. B 0 B				0	31

16492 Bytes free.

(418th/481) position: 1684. 1.15. 1695.12.29. B Fire upon Sodom 92

Forward relations for entry Fire upon Sodom (92/120) are generated.

Backward relations for entry Isaac (91/120) are generated.

Optimize dates...

Fire upon Sodom	D	Kn	S	from:	to:
1684. 1.15. 1695.12.29. B 0 B				92	92
1684. 1.15. 1696.12.29. B 3 *				96	92
≤ 1695.12.29. B 7 *				91	92
				0 B	0
				0	0
1684. 1.15. 1695.12.29. B 0 B				0	92

16492 Bytes free.

(419th/481) position: 1517. 1.15. 1527.12.29. \* Terah 97

Forward relations for entry Terah (97/120) are generated.

Backward relations for entry Abram = Abraham (96/120) are generated.

Optimize dates...

Terah	D	Kn	S	from:	to:
1517. 1.15. 1527.12.29. * 0 *				97	97
1517. 1.15. 1529.12.29. * 3 *				98	97
1515. 1.15. 1528.12.29. * 5 +				97	97
1515. 1.15. 1527.12.29. * 9 *				96	97
1515. 1.15. 1529.12.29. * 10 +				98	97
				0 *	0
				0	0
1517. 1.15. 1527.12.29. * 0 *				0	97

16492 Bytes free.

(420th/481) position: 1489. 1.15. 1499.12.29. \* Nahor 98

Forward relations for entry Nahor (98/120) are generated.

Optimize dates...

Nahor	D	Kn	S	from:	to:
1489. 1.15. 1499.12.29. * 0 *				98	98
1489. 1.15. 1501.12.29. * 3 *				99	98
1487. 1.15. 1499.12.29. * 9 *				97	98
1487. 1.15. 1501.12.29. * 10 +				99	98
				0 *	0
				0	0
1489. 1.15. 1499.12.29. * 0 *				0	98

16492 Bytes free.

(421st/481) position: 1635. 1.15. 1647.12.29. + Nahor 98

Forward relations for entry Nahor (98/120) are generated.

Optimize dates...

Nahor	D	Kn	S	from:	to:
1635. 1.15. 1647.12.29. + 0 +				98	98
1635. 1.15. 1647.12.29. + 4 *				97	98
				0 +	0
				0	0
1635. 1.15. 1647.12.29. + 0 +				0	98

16492 Bytes free.

(422nd/481) position: 1460. 1.15. 1470.12.29. \* Serug 99  
Forward relations for entry Serug (99/120) are generated.

Optimize dates...

Serug	D	Kn	S	from:	to:
1460. 1.15. 1470.12.29.	*	0	*	99	99
1460. 1.15. 1472.12.29.	*	3	*	100	99
1458. 1.15. 1470.12.29.	*	9	*	98	99
1458. 1.15. 1472.12.29.	*	10	+	100	99
		0	*	0	0
1460. 1.15. 1470.12.29.	*	0	*	0	99

16492 Bytes free.

(423rd/481) position: 1688. 1.15. 1700.12.29. + Serug 99  
Forward relations for entry Serug (99/120) are generated.

Optimize dates...

Serug	D	Kn	S	from:	to:
1688. 1.15. 1700.12.29.	+	0	+	99	99
1688. 1.15. 1700.12.29.	+	4	*	98	99
		0	+	0	0
1688. 1.15. 1700.12.29.	+	0	+	0	99

16492 Bytes free.

(424th/481) position: 1760. 1.15. 1772.12.29. + Abram = Abraham 96  
Forward relations for entry Abram = Abraham (96/120) are generated.

Backward relations for entry Battle in Siddim Vale (94/120) are generated.

Optimize dates...

Abram = Abraham	D	Kn	S	from:	to:
1760. 1.15. 1772.12.29.	E	0	E	96	96
1760. 1.15. 1772.12.29.	+	0	+	96	96
1760. 1.15. 1772.12.29.	+	5	*	96	96
		0	E	0	0
1760. 1.15. 1772.12.29.	E	0	E	0	96

16492 Bytes free.

(425th/481) position: 1671. 1.15. 1683.12.29. \* Ishmael 93  
Forward relations for entry Ishmael (93/120) are generated.

Optimize dates...

Ishmael	D	Kn	S	from:	to:
1671. 1.15. 1683.12.29.	*	0	*	93	93
1661. 1.15. ≥	*	1	B	94	93
1671. 1.15. 1683.12.29.	*	3	*	96	93
1669. 1.15. 1685.12.29.	*	5	+	93	93
		0	*	0	0
1671. 1.15. 1683.12.29.	*	0	*	0	93

16492 Bytes free.

(426th/481) position: 1661. 1.15. 1672.12.29. B Abram = Abraham 96  
Forward relations for entry Abram = Abraham (96/120) are generated.

Backward relations for entry Battle in Siddim Vale (94/120) are generated.

Optimize dates...

Abram = Abraham	D	Kn	S	from:	to:
1661. 1.15. 1672.12.29.	B	0	B	96	96
1661. 1.15. ≥	B	1	+	97	96
1660. 1.15. 1672.12.29.	B	4	*	96	96
≤ 1683.12.29.	B	7	B	94	96
		0	B	0	0
1661. 1.15. 1672.12.29.	B	0	B	0	96

16492 Bytes free.  
 (427th/481) position: 1661. 1.15. 1683.12.29. B Battle in Siddim Vale 94  
 Forward relations for entry Battle in Siddim Vale (94/120) are generated.  
 Backward relations for entry Ishmael (93/120) are generated.  
 Optimize dates...

Battle in Siddim Vale	D	Kn	S	from:	to:†
1661. 1.15. 1683.12.29.	B	0	B	94	94
1661. 1.15. ≥		B	1	B	94
≤ 1683.12.29.	B	7	*	93	94
				0	0
1661. 1.15. 1683.12.29.	B	0	B	0	94

16492 Bytes free.  
 (428th/481) position: 1807. 1.15. 1821.12.29. + Ishmael 93  
 Forward relations for entry Ishmael (93/120) are generated.  
 Optimize dates...

Ishmael	D	Kn	S	from:	to:†
1807. 1.15. 1821.12.29.	+	0	+	93	93
1807. 1.15. 1821.12.29.	+	5	*	93	93
				0	0
1807. 1.15. 1821.12.29.	+	0	+	0	93

16492 Bytes free.  
 (429th/481) position: 1661. 1.15. 1672.12.29. + Terah 97  
 Forward relations for entry Terah (97/120) are generated.  
 Backward relations for entry Abram = Abraham (96/120) are generated.  
 Optimize dates...

Terah	D	Kn	S	from:	to:†
1661. 1.15. 1672.12.29.	+	0	+	97	97
1661. 1.15. 1673.12.29.	+	5	*	97	97
≤ 1672.12.29.	+	7	B	96	97
				0	0
1661. 1.15. 1672.12.29.	+	0	+	0	97

16492 Bytes free.  
 (430th/481) position: 2732. 6. 1. 2752. 9.29. E Ishbosheth 59  
 Forward relations for entry Ishbosheth (59/120) are generated.  
 Backward relations for entry David (58/120) are generated.  
 Optimize dates...

Ishbosheth	D	Kn	S	from:	to:†
2732. 6. 1. 2752. 9.29.	E	0	E	59	59
2732. 6. 1. 2752. 9.29.	E	5	B	59	59
≤ 2757. 2.29.	E	7	α	58	59
2732. 6. 1. 2752. 9.29.	+	0	+	59	59
				0	0
2732. 6. 1. 2752. 9.29.	E	0	E	0	59

16492 Bytes free.  
 (431st/481) position: 2690. 6. 1. 2710. 9.29. \* Ishbosheth 59  
 Forward relations for entry Ishbosheth (59/120) are generated.  
 Backward relations for entry David (58/120) are generated.  
 Optimize dates...

Ishbosheth	D	Kn	S	from:	to:†
2690. 6. 1. 2710. 9.29.	*	0	*	59	59
2690. 6. 1. 2710. 9.29.	*	9	B	59	59
				0	0
2690. 6. 1. 2710. 9.29.	*	0	*	0	59

16492 Bytes free.  
 (432nd/481) position: 2832.10. 1. 2855. 6.30. E Nadab 50  
 Forward relations for entry Nadab (50/120) are generated.  
 Backward relations for entry Baasha (49/120) are generated.  
 Optimize dates...

Nadab	D	Kind	S	from:	to:†	
2832.10. 1.	2855.	6.30.	E 0 E	50	50	
2832.10. 1.	2856.	6.30.	E 5 B	50	50	
2832.10. 1.	2855.	6.30.	E 7 B	49	50	
2832.10. 1.	2855.	6.30.	+ 0 +	50	50	
2832. 6. 1.	2855.	2.29.	+ 4 B	51	50	
		4M 1D	0 E	0	0	
2832.10. 1.	2855.	2.29.	E 0 E	0	50	
2832.10. 1.	2855.	2.29.		482nd position to E Nadab		50
2832.10. 1.	2855.	2.29.		483rd position to B Baasha		49

16492 Bytes free.  
 (433rd/483) position: 2869.10. 1. 2893. 6.30. B Jehoshaphat 42  
 Forward relations for entry Jehoshaphat (42/120) are generated.  
 Backward relations for entry Jehoram (Jehoshaphat) (40/120) are generated.  
 Optimize dates...

Jehoshaphat	D	Kind	S	from:	to:†	
2869.10. 1.	2893.	6.30.	B 0 B	42	42	
2869.10. 1.	2893.	6.30.	B 1 E	51	42	
2869.10. 1.	2895.	6.30.	B 3 B	44	42	
			B 4 *	42	42	
			B 6 E	42	42	
			B 9 B	41	42	
			B 10 α	37	42	
			0 B	0	0	
2869.10. 1.	2893.	6.30.	B 0 B	0	42	
2833.10. 1.	2859.	6.30.		484th position to * Jehoshaphat		42
2893.10. 1.	2919.	6.30.		485th position to E Jehoshaphat		42
2885.10. 1.	2911.	6.30.		486th position to B Ahaziah (Ahab)		41
2886.10. 1.	2912.	6.30.		487th position to α Joram (Ahab)		37

16492 Bytes free.  
 (434th/487) position: 2866.10. 1. 2890. 6.30. E Omri 45  
 Forward relations for entry Omri (45/120) are generated.  
 Backward relations for entry Ahab (44/120) are generated.  
 Optimize dates...

Omri	D	Kind	S	from:	to:†	
2866.10. 1.	2890.	6.30.	E 0 E	45	45	
			E 6 B	45	45	
2866.10. 1.	2890.	6.30.	E 7 B	44	45	
2866.10. 1.	2890.	6.30.	+ 0 +	45	45	
			0 E	0	0	
2866.10. 1.	2890.	6.30.	E 0 E	0	45	
2853.10. 1.	2879.	6.30.		488th position to B Omri		45

16492 Bytes free.  
 (435th/488) position: 2887.10. 1. 2913. 6.30. E Ahab 44  
 Forward relations for entry Ahab (44/120) are generated.  
 Backward relations for entry Ahaziah (Ahab) (41/120) are generated.  
 Backward relations for entry Elijah (43/120) are generated.  
 Optimize dates...

Ahab	D	Kind	S	from:	to:†	
------	---	------	---	-------	------	--

2887.10. 1.	2913. 6.30.	E 0 E	44	44	
2866.10. 1.≥		E 2 B	43	44	
2887.10. 1.	2913. 6.30.	E 5 B	44	44	
2885.10. 1.	2911. 6.30.	E 7 B	41	44	
2887.10. 1.	2913. 6.30.	+ 0 +	44	44	
	2Y	0 E	0	0	
2887.10. 1.	2911. 6.30.	E 0 E	0	44	
2887.10. 1.	2911. 6.30.	489th position to E Ahab		44	
2866.10. 1.	2911. 6.30.	490th position to B Elijah		43	
2887.10. 1.	2911. 6.30.	491st position to B Ahaziah (Ahab)		41	

16492 Bytes free.

(436th/491) position: 2866.10. 1. 2911. 6.30. B Elijah 43  
 Forward relations for entry Elijah (43/120) are generated.  
 Backward relations for entry Elisha (39/120) are generated.  
 Backward relations for entry Joram (Ahab) (37/120) are generated.  
 Backward relations for entry Ahab (44/120) are generated.

Optimize dates...

Elijah	D	Kn	S	from:	to:†
2866.10. 1.	2911. 6.30.	B 0 B	43	43	
2866.10. 1.≥		B 1 B	44	43	
	≤ 2911. 6.30.	B 8 E	44	43	
		0 B	0	0	
2866.10. 1.	2911. 6.30.	B 0 B	0	43	

16492 Bytes free.

(437th/491) position: 2859.10. 1. 2883. 6.30. E Tibni 46  
 Forward relations for entry Tibni (46/120) are generated.  
 Backward relations for entry Omri (45/120) are generated.

Optimize dates...

Tibni	D	Kn	S	from:	to:†
2859.10. 1.	2883. 6.30.	E 0 E	46	46	
2859.10. 1.	2883. 6.30.	E 7 α	45	46	
2859.10. 1.	2883. 6.30.	+ 0 +	46	46	
		0 E	0	0	
2859.10. 1.	2883. 6.30.	E 0 E	0	46	

16492 Bytes free.

(438th/491) position: 2855.10. 7. 2879. 7. 8. E Zimri 47  
 Forward relations for entry Zimri (47/120) are generated.  
 Backward relations for entry Tibni (46/120) are generated.  
 Backward relations for entry Omri (45/120) are generated.

Optimize dates...

Zimri	D	Kn	S	from:	to:†
2855.10. 7.	2879. 7. 8.	E 0 E	47	47	
2855.10. 7.	2879. 7. 8.	E 5 B	47	47	
		E 7 B	46	47	
2853.10. 1.	2879. 6.30.	E 8 B	45	47	
2855.10. 7.	2879. 7. 8.	+ 0 +	47	47	
		8D 0 E	0	0	
2855.10. 7.	2879. 6.30.	E 0 E	0	47	
2855.10. 7.	2879. 6.30.	492nd position to E Zimri		47	
2855.10. 1.	2879. 6.24.	493rd position to B Zimri		47	
2855.10. 7.	2879. 6.30.	494th position to B Tibni		46	
2855.10. 7.	2879. 6.30.	495th position to B Omri		45	

16492 Bytes free.

(439th/495) position: 2855.10. 1. 2878. 6.30. E Baasha 49

Forward relations for entry Baasha (49/120) are generated.  
 Backward relations for entry Elah (48/120) are generated.  
 Optimize dates...

Baasha	D	Kn	S	from:	to:	
2855.10. 1. 2878. 6.30. E	0	E		49	49	
2855.10. 1. 2880. 2.29. E	5	B		49	49	
2854.10. 1. 2878. 6.30. E	7	B		48	49	
2855.10. 1. 2878. 6.30. +	0	+		49	49	
	0	E		0	0	
2855.10. 1. 2878. 6.30. E	0	E		0	49	
2855.10. 1. 2878. 6.30.	496th position to B Elah					48

16492 Bytes free.

(440th/496) position: 2832.10. 1. 2855. 2.29. B Baasha 49  
 Forward relations for entry Baasha (49/120) are generated.  
 Backward relations for entry Elah (48/120) are generated.  
 Optimize dates...

Baasha	D	Kn	S	from:	to:	
2832.10. 1. 2855. 2.29. B	0	B		49	49	
2832.10. 1. 2855. 2.29. B	1	E		50	49	
2832. 6. 1. 2855. 2.29. B	3	B		51	49	
2830.10. 1. 2855. 6.30. B	5	E		49	49	
	0	B		0	0	
2832.10. 1. 2855. 2.29. B	0	B		0	49	

16492 Bytes free.

(441st/496) position: 2855.10. 1. 2878. 6.30. E Baasha 49  
 Forward relations for entry Baasha (49/120) are generated.  
 Backward relations for entry Elah (48/120) are generated.  
 Optimize dates...

Baasha	D	Kn	S	from:	to:	
2855.10. 1. 2878. 6.30. E	0	E		49	49	
2855.10. 1. 2880. 2.29. E	5	B		49	49	
2855.10. 1. 2878. 6.30. E	7	B		48	49	
2855.10. 1. 2878. 6.30. +	0	+		49	49	
	0	E		0	0	
2855.10. 1. 2878. 6.30. E	0	E		0	49	

16492 Bytes free.

(442nd/496) position: 2828. 6. 1. 2848. 2.29. B Abijam = Abijah 52  
 Forward relations for entry Abijam = Abijah (52/120) are generated.  
 Backward relations for entry Asa (51/120) are generated.  
 Optimize dates...

Abijam = Abijah	D	Kn	S	from:	to:	
2828. 6. 1. 2848. 2.29. B	0	B		52	52	
2828. 6. 1. 2848. 2.29. B	1	E		54	52	
2828. 6. 1. 2849. 2.29. B	3	B		53	52	
2826. 6. 1. 2849. 6.30. B	5	E		52	52	
	0	B		0	0	
2828. 6. 1. 2848. 2.29. B	0	B		0	52	

16492 Bytes free.

(443rd/496) position: 2828. 6. 1. 2848. 2.29. E Rehoboam 54  
 Forward relations for entry Rehoboam (54/120) are generated.  
 Backward relations for entry Abijam = Abijah (52/120) are generated.  
 Optimize dates...

Rehoboam	D	Kn	S	from:	to:	
2828. 6. 1. 2848. 2.29. E	0	E		54	54	

2827.	6.	1.	2848.	2.29.	E	5	B	54	54
2828.	6.	1.	2848.	2.29.	E	7	B	52	54
2828.	6.	1.	2848.	2.29.	+	0	+	54	54
						0	E	0	0
2828.	6.	1.	2848.	2.29.	E	0	E	0	54

16492 Bytes free.

(444th/496) position: 2830. 6. 1. 2851. 6.30. E Abijam = Abijah 52

Forward relations for entry Abijam = Abijah (52/120) are generated.

Backward relations for entry Asa (51/120) are generated.

Optimize dates...

Abijam = Abijah	D	Kind	S	from:	to:
2830. 6. 1. 2851. 6.30. E	0	E		52	52
2830. 6. 1. 2852. 2.29. E	5	B		52	52
2830. 6. 1. 2851. 2.29. E	7	B		51	52
2830. 6. 1. 2851. 6.30. +	0	+		52	52
	4M	1D	0	E	0
2830. 6. 1. 2851. 2.29. E	0	E		0	52
2830. 6. 1. 2851. 2.29.	497th position to E Abijam = Abijah				52

16492 Bytes free.

(445th/497) position: 2828. 6. 1. 2848. 2.29. E Rehoboam 54

Forward relations for entry Rehoboam (54/120) are generated.

Backward relations for entry Abijam = Abijah (52/120) are generated.

Optimize dates...

Rehoboam	D	Kind	S	from:	to:
2828. 6. 1. 2848. 2.29. E	0	E		54	54
2827. 6. 1. 2848. 2.29. E	5	B		54	54
2828. 6. 1. 2848. 2.29. E	7	B		52	54
2828. 6. 1. 2848. 2.29. +	0	+		54	54
			0	E	0
2828. 6. 1. 2848. 2.29. E	0	E		0	54

16492 Bytes free.

(446th/497) position: 2828. 6. 1. 2848. 2.29. B Abijam = Abijah 52

Forward relations for entry Abijam = Abijah (52/120) are generated.

Backward relations for entry Asa (51/120) are generated.

Optimize dates...

Abijam = Abijah	D	Kind	S	from:	to:
2828. 6. 1. 2848. 2.29. B	0	B		52	52
2828. 6. 1. 2848. 2.29. B	1	E		54	52
2828. 6. 1. 2849. 2.29. B	3	B		53	52
2826. 6. 1. 2849. 2.29. B	5	E		52	52
			0	B	0
2828. 6. 1. 2848. 2.29. B	0	B		0	52

16492 Bytes free.

(447th/497) position: 1720. 1.15. 1734.12.29. + Sarai = Sarah 95

Forward relations for entry Sarai = Sarah (95/120) are generated.

Optimize dates...

Sarai = Sarah	D	Kind	S	from:	to:
1720. 1.15. 1734.12.29. +	0	+		95	95
1720. 1.15. 1734.12.29. +	5	*		95	95
			0	+	0
1720. 1.15. 1734.12.29. +	0	+		0	95

16492 Bytes free.

(448th/497) position: 1890. 1.15. 1901.12.29. + Jacob = Israel 90

Forward relations for entry Jacob = Israel (90/120) are generated.  
Optimize dates...

Jacob = Israel	D	Kind	S	from:	to:
1890. 1.15. 1901.12.29.	+	0	+	90	90
1890. 1.15. 1902.12.29.	+	5	*	90	90
1889. 1.15. 1901.12.29.	+	4	B	89	90
		0	+	0	0
1890. 1.15. 1901.12.29.	+	0	+	0	90

16492 Bytes free.

(449th/497) position: 1873. 1.15. 1883.12.29. B Israel in Egypt 89  
Forward relations for entry Israel in Egypt (89/120) are generated.  
Optimize dates...

Israel in Egypt	D	Kind	S	from:	to:
1873. 1.15. 1883.12.29.	B	0	B	89	89
1873. 1.15. 1885.12.29.	B	3	*	90	89
1871. 1.15. 1883.12.29.	B	6	E	89	89
1872. 1.15. 1885.12.29.	B	10	+	90	89
		0	B	0	0
1873. 1.15. 1883.12.29.	B	0	B	0	89

16492 Bytes free.

(450th/497) position: 2832. 6. 1. 2853. 2.29. E Jeroboam (Nebat) 53  
Forward relations for entry Jeroboam (Nebat) (53/120) are generated.  
Backward relations for entry Nadab (50/120) are generated.  
Optimize dates...

Jeroboam (Nebat)	D	Kind	S	from:	to:
2832. 6. 1. 2853. 2.29.	E	0	E	53	53
2832. 6. 1. 2853. 2.29.	E	5	B	53	53
2831.10. 1. 2853. 6.30.	E	7	B	50	53
2832. 6. 1. 2853. 2.29.	+	0	+	53	53
		0	E	0	0
2832. 6. 1. 2853. 2.29.	E	0	E	0	53
2832. 6. 1. 2853. 2.29.				498th position to B Nadab	50

16492 Bytes free.

(451st/498) position: 2830. 6. 1. 2851. 2.29. B Asa 51  
Forward relations for entry Asa (51/120) are generated.  
Backward relations for entry Jehoshaphat (42/120) are generated.  
Optimize dates...

Asa	D	Kind	S	from:	to:
2830. 6. 1. 2851. 2.29.	B	0	B	51	51
2830. 6. 1. 2851. 2.29.	B	1	E	52	51
2830. 6. 1. 2851. 2.29.	B	3	B	53	51
2827.10. 1. 2853. 6.30.	B	5	E	51	51
2827.10. 1. 2853. 6.30.	B	9	B	44	51
2827.10. 1. 2853. 6.30.	B	9	α	45	51
2827.10. 1. 2853. 6.24.	B	9	B	47	51
2828.10. 1. 2853. 6.30.	B	9	B	48	51
2828.10. 1. 2853. 2.29.	B	9	B	49	51
2829. 6. 1. 2852. 2.29.	B	9	B	50	51
2827.10. 1. 2853. 6.30.	B	10	+	48	51
2828.10. 1. 2853. 2.29.	B	10	+	50	51
		0	B	0	0
2830. 6. 1. 2851. 2.29.	B	0	B	0	51
2870. 6. 1. 2893. 2.29.				499th position to E Asa	51
2867. 6. 1. 2890. 2.29.				500th position to B Ahab	44
2860. 6. 1. 2883. 2.29.				501st position to α Omri	45



2856. 6. 1. 2879. 2.29. 502nd position to B Zimri 47  
 2855.10. 1. 2878. 2.29. 503rd position to B Elah 48  
 2856. 6. 1. 2879. 2.29. 504th position to + Elah 48

16492 Bytes free.

(452nd/504) position: 2769. 6. 1. 2790. 2.29. \* Rehoboam 54

Forward relations for entry Rehoboam (54/120) are generated.

Backward relations for entry Abijam = Abijah (52/120) are generated.

Optimize dates...

Rehoboam	D	Kn	S	from:	to:†
2769. 6. 1. 2790. 2.29. *	0	*		54	54
2769. 6. 1. 2790. 2.29. *	9	B		54	54
	0	*		0	0
2769. 6. 1. 2790. 2.29. *	0	*		0	54

16492 Bytes free.

(453rd/504) position: ≤ 2595.10.30. B Gideon = Jerubbaal 73

Forward relations for entry Gideon = Jerubbaal (73/120) are generated.

Backward relations for entry Abimelech (72/120) are generated.

Optimize dates...

Gideon = Jerubbaal	D	Kn	S	from:	to:†
≤ 2595.10.30. B	0	B		73	73
	B	1	E	74	73
≤ 2595.10.30. B	5	E		73	73
	0	B		0	0
≤ 2595.10.30. B	0	B		0	73
≤ 2595.10.30.				505th position to E Midianites	74

16492 Bytes free.

(454th/505) position: 2618. 9. 1.≥ B Eli 64

Forward relations for entry Eli (64/120) are generated.

Backward relations for entry Samuel (61/120) are generated.

Optimize dates...

Eli	D	Kn	S	from:	to:†
2618. 9. 1.≥	B	0	B	64	64
2618. 9. 1.≥	B	6	E	64	64
	0	B		0	0
2618. 9. 1.≥	B	0	B	0	64

16492 Bytes free.

(455th/505) position: 2560. 9. 1.≥ \* Eli 64

Forward relations for entry Eli (64/120) are generated.

Backward relations for entry Samuel (61/120) are generated.

Optimize dates...

Eli	D	Kn	S	from:	to:†
2560. 9. 1.≥	*	0	*	64	64
2560. 9. 1.≥	*	5	+	64	64
	0	*		0	0
2560. 9. 1.≥	*	0	*	0	64

16492 Bytes free.

(456th/505) position: 2659. 9. 1. 2691. 9.29. B Samuel 61

Forward relations for entry Samuel (61/120) are generated.

Backward relations for entry Saul (60/120) are generated.

Optimize dates...

Samuel	D	Kn	S	from:	to:†
2659. 9. 1. 2691. 9.29. B	0	B		61	61
2659. 9. 1.≥	B	2	E	64	61

2659. 9. 1. 2691. 9.29. B 9 E 63 61||  
 0 B 0 0||  
 2659. 9. 1. 2691. 9.29. B 0 B 0 61||  
 2659. 9. 1. 2691. 9.29. 506th position to E Eli

64

16492 Bytes free.

(457th/506) position: 2641. 9. 1. 2671. 9.29. B Philistines 63  
 Forward relations for entry Philistines (63/120) are generated.  
 Backward relations for entry Samuel (61/120) are generated.  
 Backward relations for entry Samson (62/120) are generated.  
 Backward relations for entry Saul (60/120) are generated.

Optimize dates...

Philistines	D	Kind	S	from:	to:
2641. 9. 1. 2671. 9.29. B	0	B		63	63
2641. 9. 1. >	B	1	E	68	63
2639. 9. 1. 2671. 9.29. B	6	E		63	63
≤ 2691. 9.29. B	7	B		62	63
	0	B		0	0
2641. 9. 1. 2671. 9.29. B	0	B		0	63

16492 Bytes free.

(458th/506) position: 2656. 9. 1. > B Abdon 65  
 Forward relations for entry Abdon (65/120) are generated.

Optimize dates...

Abdon	D	Kind	S	from:	to:
2656. 9. 1. >	B	0	B	65	65
2656. 9. 1. >	B	1	E	66	65
	B	5	E	65	65
	0	B		0	0
2656. 9. 1. >	B	0	B	0	65
2663. 9. 1. >				507th position to E Abdon	65

65

16492 Bytes free.

(459th/507) position: 2487. 3. 1. > E Ehud 77  
 Forward relations for entry Ehud (77/120) are generated.  
 Backward relations for entry Sisera (76/120) are generated.

Optimize dates...

Ehud	D	Kind	S	from:	to:
2487. 3. 1. >	E	0	E	77	77
2487. 3. 1. >	E	5	B	77	77
	E	7	B	76	77
	0	E		0	0
2487. 3. 1. >	E	0	E	0	77
2487. 3. 1. >				508th position to B Sisera	76

76

16492 Bytes free.

(460th/508) position: 2408.11. 1. > E Eglon 78  
 Forward relations for entry Eglon (78/120) are generated.  
 Backward relations for entry Ehud (77/120) are generated.

Optimize dates...

Eglon	D	Kind	S	from:	to:
2408.11. 1. >	E	0	E	78	78
2408.11. 1. >	E	5	B	78	78
2408. 3. 1. >	E	7	B	77	78
2408.11. 1. >	+	0	+	78	78
	0	E		0	0
2408.11. 1. >	E	0	E	0	78
2408.11. 1. >				509th position to B Ehud	77

77

16492 Bytes free.

(461st/509) position: 1429. 1.15. 1439.12.29. \* Reu 100  
Forward relations for entry Reu (100/120) are generated.

Optimize dates...

Reu	D	Kind	S	from:	to:	
1429. 1.15. 1439.12.29.	*	0	*	100	100	
1429. 1.15. 1452. 1. 7.	*	3	*	101	100	
1427. 1.15. 1439.12.29.	*	9	*	99	100	
1427. 1.15. 1454. 1. 7.	*	10	+	101	100	
		0	*	0	0	
1429. 1.15. 1439.12.29.	*	0	*	0	100	
1400. 1.15. 1410.12.29.				510th position to		* Peleg 101
1637. 1.15. 1649.12.29.				511th position to		+ Peleg 101

16492 Bytes free.

(462nd/511) position: 1666. 1.15. 1678.12.29. + Reu 100  
Forward relations for entry Reu (100/120) are generated.

Optimize dates...

Reu	D	Kind	S	from:	to:	
1666. 1.15. 1678.12.29.	+	0	+	100	100	
1666. 1.15. 1678.12.29.	+	4	*	99	100	
		0	+	0	0	
1666. 1.15. 1678.12.29.	+	0	+	0	100	

16492 Bytes free.

(463rd/511) position: 2971. 3.22. 2986.12.29. \* Jotham 19  
Forward relations for entry Jotham (19/120) are generated.

Backward relations for entry Ahaz (17/120) are generated.

Backward relations for entry Ahaz (17/120) are generated.

Optimize dates...

Jotham	D	Kind	S	from:	to:	
2971. 3.22. 2986.12.29.	*	0	*	19	19	
2971. 3.22. 2986.12.29.	*	10	B	19	19	
		0	*	0	0	
2971. 3.22. 2986.12.29.	*	0	*	0	19	

16492 Bytes free.

(464th/511) position: 3003. 3.22. 3017.12.29. B Pekahiah 22  
Forward relations for entry Pekahiah (22/120) are generated.

Backward relations for entry Pekah (21/120) are generated.

Optimize dates...

Pekahiah	D	Kind	S	from:	to:	
3003. 3.22. 3017.12.29.	B	0	B	22	22	
3002.11. 1. 3017.12.29.	B	1	E	23	22	
3002.11. 1. 3018.12.29.	B	3	B	26	22	
3003. 3.22. 3017.12.29.	B	5	E	22	22	
		0	B	0	0	
3003. 3.22. 3017.12.29.	B	0	B	0	22	
3003. 3.22. 3017.12.29.				512th position to		E Menahem 23

16492 Bytes free.

(465th/512) position: 3022. 3.22. 3036.12.29. Ω Jotham 19  
Forward relations for entry Jotham (19/120) are generated.

Backward relations for entry Ahaz (17/120) are generated.

Backward relations for entry Ahaz (17/120) are generated.

Optimize dates...

Jotham	D	Kind	S	from:	to:	
--------	---	------	---	-------	-----	--

3022.	3.22.	3036.12.29.	Ω	0	Ω	19	19	
3022.	3.22.	3036.12.29.	Ω	8	α	17	19	
3022.	3.22.	3036.12.29.	+	0	+	19	19	
				0	Ω	0	0	
3022.	3.22.	3036.12.29.	Ω	0	Ω	0	19	

16492 Bytes free.

(466th/512) position: 3007. 3.22. 3019.12.29. E Azariah = Uzziah 26

Forward relations for entry Azariah = Uzziah (26/120) are generated.

Backward relations for entry Jotham (19/120) are generated.

Optimize dates...

Azariah = Uzziah		D	Kind	S	from:	to:			
3007.	3.22.	3019.12.29.	E	0	E	26	26		
3004.	11.	1.	3020.12.29.	E	6	B	26	26	
3007.	3.22.	3019.12.29.	E	7	α	19	26		
3007.	3.22.	3019.12.29.	+	0	+	26	26		
				+	2	B	20	26	
					0	E	0	0	
3007.	3.22.	3019.12.29.	E	0	E	0	26		
2954.	3.22.	2967.12.29.			513th position to B Azariah = Uzziah		26		

16492 Bytes free.

(467th/513) position: 2302. 1.15. 2312.12.29. E Israel in Egypt 89

Forward relations for entry Israel in Egypt (89/120) are generated.

Optimize dates...

Israel in Egypt		D	Kind	S	from:	to:		
2302.	1.15.	2312.12.29.	E	0	E	89	89	
2296.	9.	1.≥	E	1	B	86	89	
2296.	9.	1.≥	E	2	B	87	89	
2302.	1.15.	2314.12.29.	E	6	B	89	89	
2301.	1.15.	2312.12.29.	E	9	B	85	89	
2302.	1.14.	2312.12.30.	E	9	+	88	89	
2301.12.15.	2313.	1.29.	E	10	B	55	89	
2301.12.15.	2313.	1.29.	E	10	E	56	89	
2302.	1.14.	2312.12.30.	E	10	B	84	89	
				0	E	0	0	
2302.	1.15.	2312.12.29.	E	0	E	0	89	

16492 Bytes free.

(468th/513) position: 2303. 1.15. 2313.12.29. B Explorers of Canaan 85

Forward relations for entry Explorers of Canaan (85/120) are generated.

Optimize dates...

Explorers of Canaan		D	Kind	S	from:	to:		
2303.	1.15.	2313.12.29.	B	0	B	85	85	
2303.	1.15.	2314.12.29.	B	3	E	89	85	
2303.	1.15.	2313.12.29.	B	5	E	85	85	
2299.	3.22.	2314.12.29.	B	4	*	82	85	
2300.	3.22.	2313.12.29.	B	9	B	81	85	
2302.11.15.	2315.10.30.	B	9	B	84	85	85	
				0	B	0	0	
2303.	1.15.	2313.12.29.	B	0	B	0	85	
2262.	1.15.	2273.12.29.			514th position to * Caleb		82	
2347.	1.15.	2357.12.29.			515th position to B Inheritance of Israel		81	

16492 Bytes free.

(469th/515) position: 2341. 5.15. 2352. 4.30. + Aaron 88

Forward relations for entry Aaron (87/120) are generated.

Backward relations for entry Israel in Egypt (89/120) are generated.

Forward relations for entry Aaron (88/120) are generated.  
Optimize dates...

Aaron	D	Kn	S	from:	to:	
2341. 5.15. 2352. 4.30. E 0 E				87	87	
2341. 5.15. 2352. 4.30. + 0 +				87	87	
2335. 3. 1. 2354. 4.30. + 6 *				87	87	
2341. 5.15. 2352. 4.30. + 3 E				89	88	
				0 E	0	
2341. 5.15. 2352. 4.30. E 0 E				0	87	
2217. 5.15. 2230. 4.30.				516th position to * Aaron		87

16492 Bytes free.

(470th/516) position: 2781. 2.15. 2792. 2.29. B Building the Temple 55

Forward relations for entry Building the Temple (55/120) are generated.

Forward relations for entry Building the Temple (56/120) are generated.

Optimize dates...

Building the Temple	D	Kn	S	from:	to:	
2781. 2.15. 2792. 2.29. B 0 B				55	55	
2775. 6. 1. 2794. 2.29. B 3 B				57	55	
2780. 8.15. 2793. 8.29. B 5 E				55	55	
2781. 2.15. 2792. 2.29. B 4 E				89	55	
				0 B	0	
2781. 2.15. 2792. 2.29. B 0 B				0	55	
2776. 2.15. 2789. 2.29.				517th position to B Solomon		57

16492 Bytes free.

(471st/517) position: 2788. 8.15. 2799. 8.29. E Building the Temple 56

Forward relations for entry Building the Temple (55/120) are generated.

Forward relations for entry Building the Temple (56/120) are generated.

Optimize dates...

Building the Temple	D	Kn	S	from:	to:	
2788. 8.15. 2799. 8.29. E 0 E				55	55	
2787. 2.15. 2800. 2.29. E 5 B				55	55	
2786. 2.15. 2801. 2.29. E 3 B				57	56	
2788. 8.15. 2799. 8.29. E 4 E				89	56	
				0 E	0	
2788. 8.15. 2799. 8.29. E 0 E				0	55	
2776. 8.15. 2789. 2.29.				518th position to B Solomon		57

16492 Bytes free.

(472nd/518) position: 2341.11.15. 2352.10.30. B Moses' Speech 84

Forward relations for entry Moses' Speech (84/120) are generated.

Backward relations for entry Moses (86/120) are generated.

Optimize dates...

Moses' Speech	D	Kn	S	from:	to:	
2341.11.15. 2352.10.30. B 0 B				84	84	
2340. 1.15. 2352.12.29. B 3 B				85	84	
2341.11.15. 2352.10.30. B 4 E				89	84	
2337. 9. 1. 2352.10.30. B 7 E				86	84	
2335. 9. 1. 2354.10.30. B 9 B				68	84	
				0 B	0	
2341.11.15. 2352.10.30. B 0 B				0	84	
2341.11.15. 2352.10.30.				519th position to E Moses		86
2640.11.15. 2653.10.30.				520th position to B Jephthah		68

16492 Bytes free.

(473rd/520) position: 2303. 2.25. 2314. 2. 9. E Explorers of Canaan 85

Forward relations for entry Explorers of Canaan (85/120) are generated.

Optimize dates...

Explorers of Canaan	D	Kind	S	from:	to:
2303. 2.25. 2314. 2. 9. E	0	E		85	85
2303. 2.25. 2314. 2. 9. E	5	B		85	85
	0	E		0	0
2303. 2.25. 2314. 2. 9. E	0	E		0	85

16492 Bytes free.

(474th/520) position: 2353. 3.22.> E Chushanrishathaim 80  
 Forward relations for entry Chushanrishathaim (80/120) are generated.  
 Backward relations for entry Othniel (79/120) are generated.

Optimize dates...

Chushanrishathaim	D	Kind	S	from:	to:
2353. 3.22.>	E	0	E	80	80
2353. 3.22.>	E	5	B	80	80
2352.11. 1.>	E	7	B	79	80
	0	E		0	0
2353. 3.22.>	E	0	E	0	80
2353. 3.22.>				521st position to B Othniel	79

16492 Bytes free.

(475th/521) position: 2949. 4. 1. 2966.12.29. E Joash (Jehoahaz) 30  
 Forward relations for entry Joash (Jehoahaz) (30/120) are generated.  
 Backward relations for entry Jeroboam (Joash) (27/120) are generated.  
 Backward relations for entry Elisha (39/120) are generated.

Optimize dates...

Joash (Jehoahaz)	D	Kind	S	from:	to:
2949. 4. 1. 2966.12.29. E	0	E		30	30
2932. 2. 1.>	E	2	+	39	30
2947. 2. 1. 2968.12.29. E	5	B		30	30
2949. 4. 1. 2966.12.29. E	7	B		27	30
2949. 4. 1. 2966.12.29. +	0	+		30	30
2947. 2. 1. 2968.12.29. +	9	+		29	30
	0	E		0	0
2949. 4. 1. 2966.12.29. E	0	E		0	30
2932. 4. 1. 2951.12.29.				522nd position to B Joash (Jehoahaz)	30
2963. 4. 1. 2982.12.29.				523rd position to + Amaziah	29

16492 Bytes free.

(476th/523) position: 2933. 4. 1. 2952.12.29. B Amaziah 28  
 Forward relations for entry Amaziah (28/120) are generated.  
 Backward relations for entry Azariah = Uzziah (26/120) are generated.  
 Forward relations for entry Amaziah (29/120) are generated.

Optimize dates...

Amaziah	D	Kind	S	from:	to:
2933. 4. 1. 2952.12.29. B	0	B		28	28
2933. 2. 1. 2952.12.29. B	1	E		32	28
2933. 4. 1. 2954.12.29. B	3	B		30	28
2931. 2. 1. 2954.12.29. B	4	*		28	28
2933. 4. 1. 2954.12.29. B	6	E		28	28
2933. 4. 1. 2952.12.29. B	9	B		27	28
	0	B		0	0
2933. 4. 1. 2952.12.29. B	0	B		0	28
2933. 4. 1. 2952.12.29.				524th position to E Joash (Ahaziah)	32
2907. 4. 1. 2928.12.29.				525th position to * Amaziah	28

16492 Bytes free.

(477th/525) position: 2916. 2. 1. 2935.12.29. E Jehu 33

Forward relations for entry Jehu (33/120) are generated.  
 Backward relations for entry Jehoahaz (Jehu) (31/120) are generated.  
 Optimize dates...

Jehu	D	Kind	S	from:	to:†
2916. 2. 1. 2935.12.29.	E	0	E	33	33
2914. 2. 1. 2936.12.29.	E	5	B	33	33
2916. 2. 1. 2935.12.29.	E	7	B	31	33
2916. 2. 1. 2935.12.29.	+	0	+	33	33
		0	E	0	0
2916. 2. 1. 2935.12.29.	E	0	E	0	33

16492 Bytes free.

(478th/525) position: 2887. 2. 1. 2908.12.29. B Athaliah 34

Forward relations for entry Athaliah (34/120) are generated.  
 Backward relations for entry Joash (Ahaziah) (32/120) are generated.  
 Optimize dates...

Athaliah	D	Kind	S	from:	to:†
2887. 2. 1. 2908.12.29.	B	0	B	34	34
2887. 2. 1. 2907.12.29.	B	1	E	35	34
2887. 2. 1. 2907.12.29.	B	2	E	37	34
2887. 2. 1. 2908.12.29.	B	5	E	34	34
	1Y		0	B	0
2887. 2. 1. 2907.12.29.	B	0	B	0	34
2887. 2. 1. 2907.12.29.				526th position to B Athaliah	34

16492 Bytes free.

(479th/526) position: 2887. 2. 1. 2907.12.29. B Jehu 33

Forward relations for entry Jehu (33/120) are generated.  
 Backward relations for entry Jehoahaz (Jehu) (31/120) are generated.  
 Optimize dates...

Jehu	D	Kind	S	from:	to:†
2887. 2. 1. 2907.12.29.	B	0	B	33	33
2887. 2. 1. 2907.12.29.	B	1	E	35	33
2887. 2. 1. 2907.12.29.	B	2	E	37	33
2887. 2. 1. 2908.12.29.	B	5	E	33	33
2886. 2. 1. 2907.12.29.	B	9	B	32	33
		0	B	0	0
2887. 2. 1. 2907.12.29.	B	0	B	0	33

16492 Bytes free.

(480th/526) position: 2887. 2. 1. 2907.12.29. E Ahaziah (Joram) 35

Forward relations for entry Ahaziah (Joram) (35/120) are generated.  
 Backward relations for entry Jehu (33/120) are generated.  
 Backward relations for entry Athaliah (34/120) are generated.  
 Forward relations for entry Ahaziah (Joram) (36/120) are generated.  
 Optimize dates...

Ahaziah (Joram)	D	Kind	S	from:	to:†
2887. 2. 1. 2907.12.29.	E	0	E	35	35
		E	6	B	35
2887. 2. 1. 2907.12.29.	E	7	B	33	35
2887. 2. 1. 2907.12.29.	E	7	B	34	35
2887. 2. 1. 2907.12.29.	+	0	+	35	35
		0	E	0	0
2887. 2. 1. 2907.12.29.	E	0	E	0	35
2885. 2. 1. 2907.12.29.				527th position to B Ahaziah (Joram)	35

16492 Bytes free.

(481st/527) position: 2887. 2. 1. 2907.12.29. E Joram (Ahab) 37

Forward relations for entry Joram (Ahab) (37/120) are generated.  
 Backward relations for entry Jehu (33/120) are generated.  
 Backward relations for entry Athaliah (34/120) are generated.  
 Forward relations for entry Joram (Ahab) (38/120) are generated.

Optimize dates...

Joram (Ahab)	D	Kind	S	from:	to:	
2887. 2. 1. 2907.12.29.	E	0	E	37	37	
2887. 2. 1. 2907.12.29.	E	8	B	33	37	
2887. 2. 1. 2907.12.29.	E	8	B	34	37	
	E	5	B	38	38	
2887. 2. 1. 2907.12.29.	+	0	+	37	37	
		0	E	0	0	
2887. 2. 1. 2907.12.29.	E	0	E	0	37	
2874. 2. 1. 2896.12.29.				528th position to B Joram (Ahab)		38

16492 Bytes free.

(482nd/528) position: 2832.10. 1. 2855. 2.29. E Nadab 50

Forward relations for entry Nadab (50/120) are generated.

Backward relations for entry Baasha (49/120) are generated.

Optimize dates...

Nadab	D	Kind	S	from:	to:	
2832.10. 1. 2855. 2.29.	E	0	E	50	50	
2833. 6. 1. 2856. 2.29.	E	5	B	50	50	
2832.10. 1. 2855. 2.29.	E	7	B	49	50	
2832.10. 1. 2855. 2.29.	+	0	+	50	50	
2832. 6. 1. 2855. 2.29.	+	4	B	51	50	
8M		0	E	0	0	
2833. 6. 1. 2855. 2.29.	E	0	E	0	50	
2833. 6. 1. 2855. 2.29.				529th position to E Nadab		50
2833. 6. 1. 2855. 2.29.				530th position to B Baasha		49

16492 Bytes free.

(483rd/530) position: 2833. 6. 1. 2855. 2.29. B Baasha 49

Forward relations for entry Baasha (49/120) are generated.

Backward relations for entry Elah (48/120) are generated.

Optimize dates...

Baasha	D	Kind	S	from:	to:	
2833. 6. 1. 2855. 2.29.	B	0	B	49	49	
2833. 6. 1. 2855. 2.29.	B	1	E	50	49	
2832. 6. 1. 2855. 2.29.	B	3	B	51	49	
2830.10. 1. 2855. 6.30.	B	5	E	49	49	
		0	B	0	0	
2833. 6. 1. 2855. 2.29.	B	0	B	0	49	
2856. 6. 1. 2878. 6.30.				531st position to E Baasha		49

16492 Bytes free.

(484th/531) position: 2833.10. 1. 2859. 6.30. \* Jehoshaphat 42

Forward relations for entry Jehoshaphat (42/120) are generated.

Backward relations for entry Jehoram (Jehoshaphat) (40/120) are generated.

Optimize dates...

Jehoshaphat	D	Kind	S	from:	to:	
2833.10. 1. 2859. 6.30.	*	0	*	42	42	
2833.10. 1. 2859. 6.30.	*	10	B	42	42	
		0	*	0	0	
2833.10. 1. 2859. 6.30.	*	0	*	0	42	

16492 Bytes free.

(485th/531) position: 2893.10. 1. 2919. 6.30. E Jehoshaphat 42



Forward relations for entry Jehoshaphat (42/120) are generated.  
 Backward relations for entry Jehoram (Jehoshaphat) (40/120) are generated.  
 Optimize dates...

Jehoshaphat	D	Kind	S	from:	to:
2893.10. 1.	2919.	6.30.	E 0 E	42	42
2893.10. 1.	2919.	6.30.	E 6 B	42	42
			E 7 α	40	42
2893.10. 1.	2919.	6.30.	+ 0 +	42	42
			0 E	0	0
2893.10. 1.	2919.	6.30.	E 0 E	0	42
2893.10. 1.	2919.	6.30.	532nd position to α Jehoram (Jehoshaphat) 40		

16492 Bytes free.

(486th/532) position: 2887.10. 1. 2911. 6.30. B Ahaziah (Ahab) 41  
 Forward relations for entry Ahaziah (Ahab) (41/120) are generated.  
 Backward relations for entry Joram (Ahab) (37/120) are generated.  
 Backward relations for entry Elijah (43/120) are generated.  
 Optimize dates...

Ahaziah (Ahab)	D	Kind	S	from:	to:
2887.10. 1.	2911.	6.30.	B 0 B	41	41
2887.10. 1.	2911.	6.30.	B 1 E	44	41
2885.10. 1.	2911.	6.30.	B 3 B	42	41
			B 5 E	41	41
			0 B	0	0
2887.10. 1.	2911.	6.30.	B 0 B	0	41
2888.10. 1.	2914.	6.30.	533rd position to E Ahaziah (Ahab) 41		

16492 Bytes free.

(487th/533) position: 2886.10. 1. 2912. 6.30. α Joram (Ahab) 37  
 Forward relations for entry Joram (Ahab) (37/120) are generated.  
 Backward relations for entry Jehu (33/120) are generated.  
 Backward relations for entry Athaliah (34/120) are generated.  
 Forward relations for entry Joram (Ahab) (38/120) are generated.  
 Optimize dates...

Joram (Ahab)	D	Kind	S	from:	to:
2886.10. 1.	2912.	6.30.	α 0 α	37	37
2888.10. 1.	2914.	6.30.	α 1 E	41	37
			α 2 E	43	37
			α 3 B	40	37
2886.10. 1.	2912.	6.30.	α 4 B	42	37
2Y			0 α	0	0
2888.10. 1.	2912.	6.30.	α 0 α	0	37
2888.10. 1.	2912.	6.30.	534th position to α Joram (Ahab) 37		
2888.10. 1.	2912.	6.30.	535th position to E Ahaziah (Ahab) 41		
			≤ 2912. 6.30. 536th position to E Elijah 43		
2885.10. 1.	2911.	6.30.	537th position to B Jehoram (Jehoshaphat) 40		

16492 Bytes free.

(488th/537) position: 2855.10. 7. 2879. 6.30. B Omri 45  
 Forward relations for entry Omri (45/120) are generated.  
 Backward relations for entry Ahab (44/120) are generated.  
 Optimize dates...

Omri	D	Kind	S	from:	to:
2855.10. 7.	2879.	6.30.	B 0 B	45	45
2855.10. 7.	2879.	6.30.	B 2 E	47	45
2853.10. 1.	2879.	6.30.	B 6 E	45	45
			0 B	0	0
2855.10. 7.	2879.	6.30.	B 0 B	0	45

2866.10. 7. 2890. 6.30. 538th position to E Omri 45

16492 Bytes free.

(489th/538) position: 2887.10. 1. 2911. 6.30. E Ahab 44

Forward relations for entry Ahab (44/120) are generated.

Backward relations for entry Ahaziah (Ahab) (41/120) are generated.

Backward relations for entry Elijah (43/120) are generated.

Optimize dates...

Ahab	D	Kind	S	from:	to:	
2887.10. 1. 2911. 6.30.	E	0	E	44	44	
2866.10. 1. >	E	2	B	43	44	
2888. 6. 1. 2913. 2.29.	E	5	B	44	44	
2887.10. 1. 2911. 6.30.	E	7	B	41	44	
2887.10. 1. 2911. 6.30.	+	0	+	44	44	
8M		0	E	0	0	
2888. 6. 1. 2911. 6.30.	E	0	E	0	44	
2888. 6. 1. 2911. 6.30.				539th position to E Ahab		44
2888. 6. 1. 2911. 6.30.				540th position to B Ahaziah (Ahab)		41

16492 Bytes free.

(490th/540) position: 2866.10. 1. 2911. 6.30. B Elijah 43

Forward relations for entry Elijah (43/120) are generated.

Backward relations for entry Elisha (39/120) are generated.

Backward relations for entry Joram (Ahab) (37/120) are generated.

Backward relations for entry Ahab (44/120) are generated.

Optimize dates...

Elijah	D	Kind	S	from:	to:	
2866.10. 1. 2911. 6.30.	B	0	B	43	43	
2867. 6. 1. >	B	1	B	44	43	
≤ 2911. 6.30.	B	8	E	44	43	
8M		0	B	0	0	
2867. 6. 1. 2911. 6.30.	B	0	B	0	43	
2867. 6. 1. 2911. 6.30.				541st position to B Elijah		43

16492 Bytes free.

(491st/541) position: 2888. 6. 1. 2911. 6.30. B Ahaziah (Ahab) 41

Forward relations for entry Ahaziah (Ahab) (41/120) are generated.

Backward relations for entry Joram (Ahab) (37/120) are generated.

Backward relations for entry Elijah (43/120) are generated.

Optimize dates...

Ahaziah (Ahab)	D	Kind	S	from:	to:	
2888. 6. 1. 2911. 6.30.	B	0	B	41	41	
2888. 6. 1. 2911. 6.30.	B	1	E	44	41	
2885.10. 1. 2911. 6.30.	B	3	B	42	41	
2885.10. 1. 2911. 6.30.	B	5	E	41	41	
		0	B	0	0	
2888. 6. 1. 2911. 6.30.	B	0	B	0	41	
2870. 6. 1. 2893. 6.30.				542nd position to B Jehoshaphat		42
2889. 6. 1. 2912. 6.30.				543rd position to E Ahaziah (Ahab)		41

16492 Bytes free.

(492nd/543) position: 2855.10. 7. 2879. 6.30. E Zimri 47

Forward relations for entry Zimri (47/120) are generated.

Backward relations for entry Tibni (46/120) are generated.

Backward relations for entry Omri (45/120) are generated.

Optimize dates...

Zimri	D	Kind	S	from:	to:	
2855.10. 7. 2879. 6.30.	E	0	E	47	47	

2856. 6. 7.	2879. 3. 7.	E 5 B	47	47	
2855.10. 7.	2879. 6.30.	E 7 B	46	47	
2855.10. 7.	2879. 6.30.	E 8 B	45	47	
2855.10. 7.	2879. 6.30.	+ 0 +	47	47	
Y 8M	3M23D	0 E	0	0	
2856. 6. 7.	2879. 3. 7.	E 0 E	0	47	
2856. 6. 7.	2879. 3. 7.	544th position to E Zimri		47	
2856. 6. 7.	2879. 3. 7.	545th position to B Tibni		46	
2856. 6. 7.	2879. 3. 7.	546th position to B Omri		45	

16492 Bytes free.

(493rd/546) position: 2856. 6. 1. 2879. 2.29. B Zimri 47

Forward relations for entry Zimri (47/120) are generated.

Backward relations for entry Tibni (46/120) are generated.

Backward relations for entry Omri (45/120) are generated.

Optimize dates...

Zimri	D	Kind	S	from:	to:	
2856. 6. 1.	2879. 2.29.	B 0 B	47	47		
2856. 6. 1.	2879. 2.29.	B 1 E	48	47		
2856. 6. 1.	2879. 2.29.	B 3 B	51	47		
2856. 5.29.	2879. 3. 1.	B 5 E	47	47		
		0 B	0	0		
2856. 6. 1.	2879. 2.29.	B 0 B	0	47		

16492 Bytes free.

(494th/546) position: 2856. 6. 7. 2879. 3. 7. B Tibni 46

Forward relations for entry Tibni (46/120) are generated.

Backward relations for entry Omri (45/120) are generated.

Optimize dates...

Tibni	D	Kind	S	from:	to:	
2856. 6. 7.	2879. 3. 7.	B 0 B	46	46		
2856. 6. 7.	2879. 3. 7.	B 1 E	47	46		
		0 B	0	0		
2856. 6. 7.	2879. 3. 7.	B 0 B	0	46		

16492 Bytes free.

(495th/546) position: 2856. 6. 7. 2879. 3. 7. B Omri 45

Forward relations for entry Omri (45/120) are generated.

Backward relations for entry Ahab (44/120) are generated.

Optimize dates...

Omri	D	Kind	S	from:	to:	
2856. 6. 7.	2879. 3. 7.	B 0 B	45	45		
2856. 6. 7.	2879. 3. 7.	B 2 E	47	45		
2853.10. 7.	2879. 6.30.	B 6 E	45	45		
		0 B	0	0		
2856. 6. 7.	2879. 3. 7.	B 0 B	0	45		
2867. 6. 7.	2890. 6.30.	547th position to E Omri		45		

16492 Bytes free.

(496th/547) position: 2855.10. 1. 2878. 2.29. B Elah 48

Forward relations for entry Elah (48/120) are generated.

Backward relations for entry Zimri (47/120) are generated.

Optimize dates...

Elah	D	Kind	S	from:	to:	
2855.10. 1.	2878. 2.29.	B 0 B	48	48		
2856. 6. 1.	2878. 6.30.	B 1 E	49	48		
2855. 6. 1.	2878. 2.29.	B 3 B	51	48		
2853. 6. 1.	2878. 2.29.	B 5 E	48	48		

```

      8M                0 B      0      0||
2856. 6. 1. 2878. 2.29. B 0 B      0      48||
2856. 6. 1. 2878. 2.29. 548th position to B Elah                48
2856. 6. 1. 2878. 2.29. 549th position to E Baasha            49
2857. 6. 1. 2879. 2.29. 550th position to E Elah                48

```

16492 Bytes free.

(497th/550) position: 2830. 6. 1. 2851. 2.29. E Abijam = Abijah 52

Forward relations for entry Abijam = Abijah (52/120) are generated.

Backward relations for entry Asa (51/120) are generated.

Optimize dates...

```

Abijam = Abijah          D Knd S   from:   to:|
2830. 6. 1. 2851. 2.29. E 0 E     52     52||
2830. 6. 1. 2852. 2.29. E 5 B     52     52||
2830. 6. 1. 2851. 2.29. E 7 B     51     52||
2830. 6. 1. 2851. 2.29. + 0 +     52     52||
                          0 E     0      0||
2830. 6. 1. 2851. 2.29. E 0 E     0      52||

```

16492 Bytes free.

(498th/550) position: 2832. 6. 1. 2853. 2.29. B Nadab 50

Forward relations for entry Nadab (50/120) are generated.

Backward relations for entry Baasha (49/120) are generated.

Optimize dates...

```

Nadab                    D Knd S   from:   to:|
2832. 6. 1. 2853. 2.29. B 0 B     50     50||
2832. 6. 1. 2853. 2.29. B 1 E     53     50||
2831. 6. 1. 2854. 2.29. B 3 B     51     50||
2830. 6. 1. 2854. 2.29. B 5 E     50     50||
                          0 B     0      0||
2832. 6. 1. 2853. 2.29. B 0 B     0      50||

```

16492 Bytes free.

(499th/550) position: 2870. 6. 1. 2893. 2.29. E Asa 51

Forward relations for entry Asa (51/120) are generated.

Backward relations for entry Jehoshaphat (42/120) are generated.

Optimize dates...

```

Asa                       D Knd S   from:   to:|
2870. 6. 1. 2893. 2.29. E 0 E     51     51||
2870. 6. 1. 2893. 2.29. E 5 B     51     51||
2870. 6. 1. 2893. 6.30. E 7 B     42     51||
2870. 6. 1. 2893. 2.29. + 0 +     51     51||
                          0 E     0      0||
2870. 6. 1. 2893. 2.29. E 0 E     0      51||
2870. 6. 1. 2893. 2.29. 551st position to B Jehoshaphat      42

```

16492 Bytes free.

(500th/551) position: 2867. 6. 1. 2890. 2.29. B Ahab 44

Forward relations for entry Ahab (44/120) are generated.

Backward relations for entry Ahaziah (Ahab) (41/120) are generated.

Backward relations for entry Elijah (43/120) are generated.

Optimize dates...

```

Ahab                      D Knd S   from:   to:|
2867. 6. 1. 2890. 2.29. B 0 B     44     44||
2867. 6. 7. 2890. 6.30. B 1 E     45     44||
2867. 6. 1. 2890. 2.29. B 3 B     51     44||
2865. 6. 1. 2890. 6.30. B 5 E     44     44||
      ≤ 2911. 6.30. B 7 B     43     44||

```

2865. 6. 1.	2890. 2.29.	B 9 B	42	44	
6D		0 B	0	0	
2867. 6. 7.	2890. 2.29.	B 0 B	0	44	
2867. 6. 7.	2890. 2.29.	552nd position to B Ahab		44	
2867. 6. 7.	2890. 2.29.	553rd position to E Omri		45	
2888. 6. 7.	2911. 6.30.	554th position to E Ahab		44	
2867. 6. 7.	2911. 6.30.	555th position to B Elijah		43	
2870. 6. 7.	2893. 2.29.	556th position to B Jehoshaphat		42	

16492 Bytes free.

(501st/556) position: 2860. 6. 1. 2883. 2.29. α Omri 45  
 Forward relations for entry Omri (45/120) are generated.  
 Backward relations for entry Ahab (44/120) are generated.

Optimize dates...

Omri	D	Kind	S	from:	to:†	
2860. 6. 1.	2883. 2.29.	α	0 α	45	45	
2859.10. 1.	2883. 6.30.	α	1 E	46	45	
2860. 6. 1.	2883. 2.29.	α	3 B	51	45	
			0 α	0	0	
2860. 6. 1.	2883. 2.29.	α	0 α	0	45	
2860. 6. 1.	2883. 2.29.	557th position to E Tibni				46

16492 Bytes free.

(502nd/557) position: 2856. 6. 1. 2879. 2.29. B Zimri 47  
 Forward relations for entry Zimri (47/120) are generated.  
 Backward relations for entry Tibni (46/120) are generated.  
 Backward relations for entry Omri (45/120) are generated.

Optimize dates...

Zimri	D	Kind	S	from:	to:†	
2856. 6. 1.	2879. 2.29.	B	0 B	47	47	
2857. 6. 1.	2879. 2.29.	B	1 E	48	47	
2856. 6. 1.	2879. 2.29.	B	3 B	51	47	
2856. 5.29.	2879. 3. 1.	B	5 E	47	47	
1Y			0 B	0	0	
2857. 6. 1.	2879. 2.29.	B	0 B	0	47	
2857. 6. 1.	2879. 2.29.	558th position to B Zimri				47
2857. 6. 7.	2879. 3. 7.	559th position to E Zimri				47

16492 Bytes free.

(503rd/559) position: 2856. 6. 1. 2878. 2.29. B Elah 48  
 Forward relations for entry Elah (48/120) are generated.  
 Backward relations for entry Zimri (47/120) are generated.

Optimize dates...

Elah	D	Kind	S	from:	to:†	
2856. 6. 1.	2878. 2.29.	B	0 B	48	48	
2856. 6. 1.	2878. 2.29.	B	1 E	49	48	
2855. 6. 1.	2878. 2.29.	B	3 B	51	48	
2854. 6. 1.	2878. 2.29.	B	5 E	48	48	
			0 B	0	0	
2856. 6. 1.	2878. 2.29.	B	0 B	0	48	

16492 Bytes free.

(504th/559) position: 2857. 6. 1. 2879. 2.29. + Elah 48  
 Forward relations for entry Elah (48/120) are generated.  
 Backward relations for entry Zimri (47/120) are generated.

Optimize dates...

Elah	D	Kind	S	from:	to:†	
2857. 6. 1.	2879. 2.29.	E	0 E	48	48	

2857.	6.	1.	2881.	2.29.	E	5	B	48	48	
2857.	6.	1.	2879.	2.29.	E	7	B	47	48	
2857.	6.	1.	2879.	2.29.	+	0	+	48	48	
2856.	6.	1.	2879.	2.29.	+	4	B	51	48	
						0	E	0	0	
2857.	6.	1.	2879.	2.29.	E	0	E	0	48	

16492 Bytes free.

(505th/559) position: ≤ 2595.10.30. E Midianites 74  
 Forward relations for entry Midianites (74/120) are generated.  
 Backward relations for entry Gideon = Jerubbaal (73/120) are generated.  
 Optimize dates...

Midianites		D	Kn	S	from:	to:	
	≤ 2595.10.30.	E	0	E	74	74	
		E	5	B	74	74	
	≤ 2595.10.30.	E	7	B	73	74	
			0	E	0	0	
	≤ 2595.10.30.	E	0	E	0	74	
	≤ 2589.10.30.				560th position to B	Midianites	74

16492 Bytes free.

(506th/560) position: 2659. 9. 1. 2691. 9.29. E Eli 64  
 Forward relations for entry Eli (64/120) are generated.  
 Backward relations for entry Samuel (61/120) are generated.  
 Optimize dates...

Eli		D	Kn	S	from:	to:				
2659.	9.	1.	2691.	9.29.	E	0	E	64	64	
2657.	9.	1.≥			E	6	B	64	64	
2659.	9.	1.	2691.	9.29.	E	8	B	61	64	
2659.	9.	1.	2691.	9.29.	+	0	+	64	64	
2657.	9.	1.≥			+	5	*	64	64	
						0	E	0	0	
2659.	9.	1.	2691.	9.29.	E	0	E	0	64	
2618.	9.	1.	2652.	9.29.				561st position to B	Eli	64
2560.	9.	1.	2594.	9.29.				562nd position to *	Eli	64

16492 Bytes free.

(507th/562) position: 2663. 9. 1.≥ E Abdon 65  
 Forward relations for entry Abdon (65/120) are generated.  
 Optimize dates...

Abdon		D	Kn	S	from:	to:				
2663.	9.	1.≥			E	0	E	65	65	
2663.	9.	1.≥			E	5	B	65	65	
2663.	9.	1.≥			+	0	+	65	65	
						0	E	0	0	
2663.	9.	1.≥			E	0	E	0	65	

16492 Bytes free.

(508th/562) position: 2487. 3. 1.≥ B Sisera 76  
 Forward relations for entry Sisera (76/120) are generated.  
 Backward relations for entry Deborah and Barak (75/120) are generated.  
 Optimize dates...

Sisera		D	Kn	S	from:	to:				
2487.	3.	1.≥			B	0	B	76	76	
2487.	3.	1.≥			B	1	E	77	76	
					B	5	E	76	76	
						0	B	0	0	
2487.	3.	1.≥			B	0	B	0	76	

2506. 3. 1.≥ 563rd position to E Sisera 76

16492 Bytes free.

(509th/563) position: 2408.11. 1.≥ B Ehud 77

Forward relations for entry Ehud (77/120) are generated.

Backward relations for entry Sisera (76/120) are generated.

Optimize dates...

Ehud	D	Kind	S	from:	to:†	
2408.11. 1.≥	B	0	B	77	77	
2408.11. 1.≥	B	1	E	78	77	
2406. 3. 1.≥	B	5	E	77	77	
		0	B	0	0	
2408.11. 1.≥	B	0	B	0	77	
2487.11. 1.≥				564th position to E Ehud		77

16492 Bytes free.

(510th/564) position: 1400. 1.15. 1410.12.29. \* Peleg 101

Forward relations for entry Peleg (101/120) are generated.

Optimize dates...

Peleg	D	Kind	S	from:	to:†	
1400. 1.15. 1410.12.29. *	0	*		101	101	
1400. 1.15. 1421. 1. 7. *	1	B		102	101	
1400. 1.15. 1421. 1. 7. *	3	*		103	101	
1398. 1.15. 1410.12.29. *	9	*		100	101	
1398. 1.15. 1423. 1. 7. *	10	+		103	101	
	0	*		0	0	
1400. 1.15. 1410.12.29. *	0	*		0	101	
1400. 1.15. 1410.12.29.				565th position to B Tower of Babel		102
1367. 1.15. 1377.12.29.				566th position to * Eber		103
1829. 1.15. 1841.12.29.				567th position to + Eber		103

16492 Bytes free.

(511th/567) position: 1637. 1.15. 1649.12.29. + Peleg 101

Forward relations for entry Peleg (101/120) are generated.

Optimize dates...

Peleg	D	Kind	S	from:	to:†	
1637. 1.15. 1649.12.29. +	0	+		101	101	
1637. 1.15. 1649.12.29. +	4	*		100	101	
	0	+		0	0	
1637. 1.15. 1649.12.29. +	0	+		0	101	

16492 Bytes free.

(512th/567) position: 3003. 3.22. 3017.12.29. E Menahem 23

Forward relations for entry Menahem (23/120) are generated.

Backward relations for entry Pekahiah (22/120) are generated.

Optimize dates...

Menahem	D	Kind	S	from:	to:†	
3003. 3.22. 3017.12.29. E	0	E		23	23	
3000.11. 1. 3018. 9.29. E	5	B		23	23	
3003. 3.22. 3017.12.29. E	7	B		22	23	
3003. 3.22. 3017.12.29. +	0	+		23	23	
	0	E		0	0	
3003. 3.22. 3017.12.29. E	0	E		0	23	
2992. 3.22. 3007. 9.29.				568th position to B Menahem		23

16492 Bytes free.

(513th/568) position: 2954. 3.22. 2967.12.29. B Azariah = Uzziah 26

Forward relations for entry Azariah = Uzziah (26/120) are generated.

Backward relations for entry Jotham (19/120) are generated.

Optimize dates...

Azariah = Uzziah	D	Kn	S	from:	to:	
2954. 3.22. 2967.12.29.	B	0	B	26	26	
2953.11. 1. 2967.12.29.	B	1	Ω	28	26	
2951.11. 1. 2969.12.29.	B	3	*	27	26	
2951.11. 1. 2969.12.29.	B	4	*	26	26	
2954. 3.22. 2968.12.29.	B	6	E	26	26	
2953. 3.22. 2967.12.29.	B	9	B	21	26	
2952. 3.22. 2968.12.29.	B	9	B	22	26	
2952. 3.22. 2969. 9.29.	B	9	B	23	26	
2951.11. 1. 2969. 7.29.	B	9	B	24	26	
2952. 4. 1. 2969.12.29.	B	9	B	25	26	
		0	B	0	0	
2954. 3.22. 2967.12.29.	B	0	B	0	26	
2954. 3.22. 2967.12.29.				569th position to Ω Amaziah		28
2926. 3.22. 2941.12.29.				570th position to * Jeroboam (Joash)		27
2937. 3.22. 2952.12.29.				571st position to * Azariah = Uzziah		26
2992. 3.22. 3007. 7.29.				572nd position to B Shallum		24

16492 Bytes free.

(514th/572) position: 2262. 1.15. 2273.12.29. \* Caleb 82

Forward relations for entry Caleb (82/120) are generated.

Optimize dates...

Caleb	D	Kn	S	from:	to:	
2262. 1.15. 2273.12.29.	*	0	*	82	82	
2261. 1.15. 2273.12.29.	*	10	B	81	82	
2262. 1.15. 2274.12.29.	*	10	B	85	82	
		0	*	0	0	
2262. 1.15. 2273.12.29.	*	0	*	0	82	

16492 Bytes free.

(515th/572) position: 2347. 1.15. 2357.12.29. B Inheritance of Israel 81

Forward relations for entry Inheritance of Israel (81/120) are generated.

Backward relations for entry Caleb (82/120) are generated.

Backward relations for entry Joshua (83/120) are generated.

Optimize dates...

Inheritance of Israel	D	Kn	S	from:	to:	
2347. 1.15. 2357.12.29.	B	0	B	81	81	
2347. 1.15. 2359.12.29.	B	3	B	85	81	
2346. 1.15. 2359.12.29.	B	4	*	82	81	
		B	7	+	82	81
		B	8	+	83	81
2346. 3.22. 2357.12.29.	B	10	B	13	81	
		0	B	0	0	
2347. 1.15. 2357.12.29.	B	0	B	0	81	
2347. 1.15.≥				573rd position to + Caleb		82
2347. 1.15.≥				574th position to + Joshua		83
3046. 1.15. 3056.12.29.				575th position to B 14th Jubile Year		13

16492 Bytes free.

(516th/575) position: 2217. 5.15. 2230. 4.30. \* Aaron 87

Forward relations for entry Aaron (87/120) are generated.

Backward relations for entry Israel in Egypt (89/120) are generated.

Forward relations for entry Aaron (88/120) are generated.

Optimize dates...

Aaron	D	Kn	S	from:	to:	
2217. 5.15. 2230. 4.30.	*	0	*	87	87	



```

2217. 5.15. 2230. 4.30. * 6 +      87      87||
2212. 9. 1. 2230.12.29. * 9 B      87      87||
                0 *          0          0||
2217. 5.15. 2230. 4.30. * 0 *          0      87||
2299. 5.15. 2312.12.29. 576th position to B Aaron      87

```

16492 Bytes free.

```

(517th/576) position: 2776. 8.15. 2789. 2.29. B Solomon      57
Forward relations for entry Solomon      (57/120) are generated.
Backward relations for entry Jeroboam (Nebat)      (53/120) are generated.
Backward relations for entry Rehoboam      (54/120) are generated.

```

Optimize dates...

```

Solomon          D Knd S      from:      to:|
2776. 8.15. 2789. 2.29. B 0 B      57        57||
2772. 6. 1. 2789. 2.29. B 1 E      58        57||
2770. 6. 1. 2791. 2.29. B 5 E      57        57||
2776. 2.15. 2789. 2.29. B 9 B      55        57||
2776. 8.15. 2789. 8.29. B 9 E      56        57||
                0 B          0          0||
2776. 8.15. 2789. 2.29. B 0 B          0        57||
2776. 8.15. 2789. 2.29. 577th position to E David      58
2815. 8.15. 2830. 2.29. 578th position to E Solomon      57

```

16492 Bytes free.

```

(518th/578) position: 2776. 8.15. 2789. 2.29. B Solomon      57
Forward relations for entry Solomon      (57/120) are generated.
Backward relations for entry Jeroboam (Nebat)      (53/120) are generated.
Backward relations for entry Rehoboam      (54/120) are generated.

```

Optimize dates...

```

Solomon          D Knd S      from:      to:|
2776. 8.15. 2789. 2.29. B 0 B      57        57||
2776. 8.15. 2789. 2.29. B 1 E      58        57||
2774. 8.15. 2791. 2.29. B 5 E      57        57||
2776. 2.15. 2789. 2.29. B 9 B      55        57||
2776. 8.15. 2789. 8.29. B 9 E      56        57||
                0 B          0          0||
2776. 8.15. 2789. 2.29. B 0 B          0        57||

```

16492 Bytes free.

```

(519th/578) position: 2341.11.15. 2352.10.30. E Moses      86
Forward relations for entry Moses      (86/120) are generated.
Backward relations for entry Joshua      (83/120) are generated.
Backward relations for entry Aaron      (87/120) are generated.
Backward relations for entry Israel in Egypt      (89/120) are generated.

```

Optimize dates...

```

Moses           D Knd S      from:      to:|
2341.11.15. 2352.10.30. E 0 E      86        86||
2341.11.15. 2352.10.30. E 1 B      84        86||
2335. 9. 1. 2353.12.29. E 5 B      86        86||
2337. 9. 1. 2352.10.30. E 7 B      83        86||
2341.11.15. 2352.10.30. + 0 +      86        86||
2336. 9. 1. 2353.10.30. + 6 *      86        86||
                0 E          0          0||
2341.11.15. 2352.10.30. E 0 E          0        86||
2300.11.15. 2312.12.29. 579th position to B Moses      86
2341.11.15. 2352.10.30. 580th position to B Joshua      83
2220.11.15. 2232.10.30. 581st position to * Moses      86

```

16492 Bytes free.  
 (520th/581) position: 2640.11.15. 2653.10.30. B Jephthah 68  
 Forward relations for entry Jephthah (68/120) are generated.  
 Backward relations for entry Philistines (63/120) are generated.  
 Backward relations for entry Ibzan (67/120) are generated.  
 Optimize dates...

Jephthah	D	Kind	S	from:	to:	
2640.11.15.	2653.10.30.	B	0 B	68	68	
2636. 9. 1.	2653.10.30.	B	1 E	69	68	
2640.11.15.	2653.10.30.	B	3 B	84	68	
2634. 9. 1.	2655.10.30.	B	6 E	68	68	
			0 B	0	0	
2640.11.15.	2653.10.30.	B	0 B	0	68	
2640.11.15.	2653.10.30.			582nd position to	E Philistines + Ammon	69
2645.11.15.	2660.10.30.			583rd position to	E Jephthah	68

16492 Bytes free.  
 (521st/583) position: 2353. 3.22.> B Othniel 79  
 Forward relations for entry Othniel (79/120) are generated.  
 Backward relations for entry Eglon (78/120) are generated.  
 Optimize dates...

Othniel	D	Kind	S	from:	to:	
2353. 3.22.>		B	0 B	79	79	
2353. 3.22.>		B	1 E	80	79	
2350.11. 1.>		B	5 E	79	79	
			0 B	0	0	
2353. 3.22.>		B	0 B	0	79	
2392. 3.22.>				584th position to	E Othniel	79

16492 Bytes free.  
 (522nd/584) position: 2932. 4. 1. 2951.12.29. B Joash (Jehoahaz) 30  
 Forward relations for entry Joash (Jehoahaz) (30/120) are generated.  
 Backward relations for entry Jeroboam (Joash) (27/120) are generated.  
 Backward relations for entry Elisha (39/120) are generated.  
 Optimize dates...

Joash (Jehoahaz)	D	Kind	S	from:	to:	
2932. 4. 1.	2951.12.29.	B	0 B	30	30	
2932. 2. 1.	2951.12.29.	B	1 E	31	30	
2930. 2. 1.	2951.12.29.	B	3 B	32	30	
2932. 4. 1.	2951.12.29.	B	5 E	30	30	
	≤ 2966.12.29.	B	8 E	39	30	
2930. 4. 1.	2951.12.29.	B	9 B	28	30	
			0 B	0	0	
2932. 4. 1.	2951.12.29.	B	0 B	0	30	
2932. 4. 1.	2951.12.29.			585th position to	E Jehoahaz (Jehu)	31
2894. 4. 1.	2913.12.29.			586th position to	B Joash (Ahaziah)	32
2932. 4. 1.	2966.12.29.			587th position to	E Elisha	39

16492 Bytes free.  
 (523rd/587) position: 2963. 4. 1. 2982.12.29. + Amaziah 29  
 Forward relations for entry Amaziah (28/120) are generated.  
 Backward relations for entry Azariah = Uzziah (26/120) are generated.  
 Forward relations for entry Amaziah (29/120) are generated.  
 Optimize dates...

Amaziah	D	Kind	S	from:	to:	
2963. 4. 1.	2982.12.29.	E	0 E	28	28	
2961. 4. 1.	2982.12.29.	E	6 B	28	28	
2963. 4. 1.	2982.12.29.	+	0 +	28	28	

```

2963. 4. 1. 2982.12.29. + 3 +      30      29||
                                0 E      0      0||
2963. 4. 1. 2982.12.29. E 0 E      0      28||

```

16492 Bytes free.

```

(524th/587) position: 2933. 4. 1. 2952.12.29. E Joash (Ahaziah)      32
Forward relations for entry Joash (Ahaziah)      (32/120) are generated.
Backward relations for entry Amaziah              (28/120) are generated.
Optimize dates...

```

```

Joash (Ahaziah)          D Knd S   from:   to:|
2933. 4. 1. 2952.12.29. E 0 E     32     32||
2933. 4. 1. 2954.12.29. E 5 B     32     32||
2933. 4. 1. 2952.12.29. E 7 B     28     32||
2933. 4. 1. 2952.12.29. + 0 +     32     32||
                                0 E     0     0||
2933. 4. 1. 2952.12.29. E 0 E     0     32||

```

16492 Bytes free.

```

(525th/587) position: 2907. 4. 1. 2928.12.29. * Amaziah              28
Forward relations for entry Amaziah              (28/120) are generated.
Backward relations for entry Azariah = Uzziah    (26/120) are generated.
Forward relations for entry Amaziah              (29/120) are generated.
Optimize dates...

```

```

Amaziah                  D Knd S   from:   to:|
2907. 4. 1. 2928.12.29. * 0 *     28     28||
2907. 4. 1. 2928.12.29. * 10 B    28     28||
                                0 *     0     0||
2907. 4. 1. 2928.12.29. * 0 *     0     28||

```

16492 Bytes free.

```

(526th/587) position: 2887. 2. 1. 2907.12.29. B Athaliah            34
Forward relations for entry Athaliah            (34/120) are generated.
Backward relations for entry Joash (Ahaziah)    (32/120) are generated.
Optimize dates...

```

```

Athaliah                 D Knd S   from:   to:|
2887. 2. 1. 2907.12.29. B 0 B     34     34||
2887. 2. 1. 2907.12.29. B 1 E     35     34||
2887. 2. 1. 2907.12.29. B 2 E     37     34||
2887. 2. 1. 2908.12.29. B 5 E     34     34||
                                0 B     0     0||
2887. 2. 1. 2907.12.29. B 0 B     0     34||

```

16492 Bytes free.

```

(527th/587) position: 2885. 2. 1. 2907.12.29. B Ahaziah (Joram)      35
Forward relations for entry Ahaziah (Joram)     (35/120) are generated.
Backward relations for entry Jehu               (33/120) are generated.
Backward relations for entry Athaliah          (34/120) are generated.
Forward relations for entry Ahaziah (Joram)     (36/120) are generated.
Optimize dates...

```

```

Ahaziah (Joram)          D Knd S   from:   to:|
2885. 2. 1. 2907.12.29. B 0 B     35     35||
                                B 1 E     40     35||
2885. 2. 1. 2909.12.29. B 3 B     37     35||
                                B 4 *     35     35||
2885. 2. 1. 2907.12.29. B 6 E     35     35||
2884. 2. 1. 2908.12.29. B 3 B     37     36||
                                0 B     0     0||
2885. 2. 1. 2907.12.29. B 0 B     0     35||

```

2885. 2. 1. 2907.12.29. 588th position to E Jehoram (Jehoshaphat) 40  
 2862. 2. 1. 2886.12.29. 589th position to \* Ahaziah (Joram) 35

16492 Bytes free.

(528th/589) position: 2874. 2. 1. 2896.12.29. B Joram (Ahab) 38  
 Forward relations for entry Joram (Ahab) (37/120) are generated.  
 Backward relations for entry Jehu (33/120) are generated.  
 Backward relations for entry Athaliah (34/120) are generated.  
 Forward relations for entry Joram (Ahab) (38/120) are generated.

Optimize dates...

Joram (Ahab)	D	Kind	S	from:	to:
2874. 2. 1. 2896.12.29.	B	0	B	37	37
2872. 2. 1. 2896.12.29.	B	9	B	35	37
2873. 2. 1. 2897.12.29.	B	9	B	36	37
2879.10. 1. 2907. 6.30.	B	9	B	40	37
2874. 2. 1. 2896.12.29.	B	5	E	38	38
5Y 8M		0	B	0	0
2879.10. 1. 2896.12.29.	B	0	B	0	37
2879.10. 1. 2896.12.29.				590th position to B Joram (Ahab)	38
2890.10. 1. 2907.12.29.				591st position to B Ahaziah (Joram)	35
2885.10. 1. 2902.12.29.				592nd position to B Jehoram (Jehoshaphat)	40
2890.10. 1. 2907.12.29.				593rd position to E Joram (Ahab)	38

16492 Bytes free.

(529th/593) position: 2833. 6. 1. 2855. 2.29. E Nadab 50  
 Forward relations for entry Nadab (50/120) are generated.  
 Backward relations for entry Baasha (49/120) are generated.

Optimize dates...

Nadab	D	Kind	S	from:	to:
2833. 6. 1. 2855. 2.29.	E	0	E	50	50
2833. 6. 1. 2856. 2.29.	E	5	B	50	50
2833. 6. 1. 2855. 2.29.	E	7	B	49	50
2833. 6. 1. 2855. 2.29.	+	0	+	50	50
2832. 6. 1. 2855. 2.29.	+	4	B	51	50
		0	E	0	0
2833. 6. 1. 2855. 2.29.	E	0	E	0	50

16492 Bytes free.

(530th/593) position: 2833. 6. 1. 2855. 2.29. B Baasha 49  
 Forward relations for entry Baasha (49/120) are generated.  
 Backward relations for entry Elah (48/120) are generated.

Optimize dates...

Baasha	D	Kind	S	from:	to:
2833. 6. 1. 2855. 2.29.	B	0	B	49	49
2833. 6. 1. 2855. 2.29.	B	1	E	50	49
2832. 6. 1. 2855. 2.29.	B	3	B	51	49
2831. 6. 1. 2855. 2.29.	B	5	E	49	49
		0	B	0	0
2833. 6. 1. 2855. 2.29.	B	0	B	0	49

16492 Bytes free.

(531st/593) position: 2856. 6. 1. 2878. 2.29. E Baasha 49  
 Forward relations for entry Baasha (49/120) are generated.  
 Backward relations for entry Elah (48/120) are generated.

Optimize dates...

Baasha	D	Kind	S	from:	to:
2856. 6. 1. 2878. 2.29.	E	0	E	49	49
2856. 6. 1. 2880. 2.29.	E	5	B	49	49

```

2856. 6. 1. 2878. 2.29. E 7 B 48 49||
2856. 6. 1. 2878. 2.29. + 0 + 49 49||
                                0 E 0 0||
2856. 6. 1. 2878. 2.29. E 0 E 0 49||

```

16492 Bytes free.

(532nd/593) position: 2893.10. 1. 2919. 6.30. α Jehoram (Jehoshaphat) 40  
 Forward relations for entry Jehoram (Jehoshaphat) (40/120) are generated.  
 Backward relations for entry Ahaziah (Joram) (35/120) are generated.  
 Optimize dates...

```

Jehoram (Jehoshaphat) D Knd S from: to:|
2893.10. 1. 2919. 6.30. α 0 α 40 40||
2893.10. 1. 2919. 6.30. α 1 E 42 40||
                                0 α 0 0||
2893.10. 1. 2919. 6.30. α 0 α 0 40||

```

16492 Bytes free.

(533rd/593) position: 2889. 6. 1. 2912. 6.30. E Ahaziah (Ahab) 41  
 Forward relations for entry Ahaziah (Ahab) (41/120) are generated.  
 Backward relations for entry Joram (Ahab) (37/120) are generated.  
 Backward relations for entry Elijah (43/120) are generated.  
 Optimize dates...

```

Ahaziah (Ahab) D Knd S from: to:|
2889. 6. 1. 2912. 6.30. E 0 E 41 41||
2889. 6. 1. 2914. 6.30. E 5 B 41 41||
2888.10. 1. 2912. 6.30. E 7 α 37 41||
                ≤ 2912. 6.30. E 8 E 43 41||
2889. 6. 1. 2912. 6.30. + 0 + 41 41||
                                0 E 0 0||
2889. 6. 1. 2912. 6.30. E 0 E 0 41||
2889. 6. 1. 2912. 6.30. 594th position to α Joram (Ahab) 37
2889. 6. 1. 2912. 6.30. 595th position to E Elijah 43

```

16492 Bytes free.

(534th/595) position: 2889. 6. 1. 2912. 6.30. α Joram (Ahab) 37  
 Forward relations for entry Joram (Ahab) (37/120) are generated.  
 Backward relations for entry Jehu (33/120) are generated.  
 Backward relations for entry Athaliah (34/120) are generated.  
 Forward relations for entry Joram (Ahab) (38/120) are generated.  
 Optimize dates...

```

Joram (Ahab) D Knd S from: to:|
2889. 6. 1. 2912. 6.30. α 0 α 37 37||
2889. 6. 1. 2912. 6.30. α 1 E 41 37||
2889. 6. 1. ≥ α 2 E 43 37||
2886.10. 1. 2905.12.29. α 3 B 40 37||
2887. 6. 7. 2912. 2.29. α 4 B 42 37||
                6Y 6M 1D 0 α 0 0||
2889. 6. 1. 2905.12.29. α 0 α 0 37||
2889. 6. 1. 2905.12.29. 596th position to α Joram (Ahab) 37
2889. 6. 1. 2905.12.29. 597th position to E Ahaziah (Ahab) 41
2889. 6. 1. 2905.12.29. 598th position to E Elijah 43
2886. 6. 1. 2902.12.29. 599th position to B Jehoram (Jehoshaphat) 40
2870. 6. 7. 2888.12.29. 600th position to B Jehoshaphat 42

```

16492 Bytes free.

(535th/600) position: 2889. 6. 1. 2905.12.29. E Ahaziah (Ahab) 41  
 Forward relations for entry Ahaziah (Ahab) (41/120) are generated.  
 Backward relations for entry Joram (Ahab) (37/120) are generated.

Backward relations for entry Elijah (43/120) are generated.

Optimize dates...

Ahaziah (Ahab)	D	Kind	S	from:	to:†
2889. 6. 1. 2905.12.29.	E	0	E	41	41
2889. 6. 1. 2914. 6.30.	E	5	B	41	41
2889. 6. 1. 2905.12.29.	E	7	α	37	41
≤ 2905.12.29.	E	8	E	43	41
2889. 6. 1. 2905.12.29.	+	0	+	41	41
		0	E	0	0
2889. 6. 1. 2905.12.29.	E	0	E	0	41
2888. 6. 1. 2904.12.29.				601st position to B Ahaziah (Ahab)	41

16492 Bytes free.

(536th/601) position: 2889. 6. 1. 2905.12.29. E Elijah 43

Forward relations for entry Elijah (43/120) are generated.

Backward relations for entry Elisha (39/120) are generated.

Backward relations for entry Joram (Ahab) (37/120) are generated.

Backward relations for entry Ahab (44/120) are generated.

Optimize dates...

Elijah	D	Kind	S	from:	to:†
2889. 6. 1. 2905.12.29.	E	0	E	43	43
2889. 6. 1. ≥	E	2	E	41	43
	E	7	B	39	43
≤ 2905.12.29.	E	8	α	37	43
2889. 6. 1. 2905.12.29.	+	0	+	43	43
		0	E	0	0
2889. 6. 1. 2905.12.29.	E	0	E	0	43
2889. 6. 1. 2905.12.29.				602nd position to B Elisha	39

16492 Bytes free.

(537th/602) position: 2886. 6. 1. 2902.12.29. B Jehoram (Jehoshaphat) 40

Forward relations for entry Jehoram (Jehoshaphat) (40/120) are generated.

Backward relations for entry Ahaziah (Joram) (35/120) are generated.

Optimize dates...

Jehoram (Jehoshaphat)	D	Kind	S	from:	to:†
2886. 6. 1. 2902.12.29.	B	0	B	40	40
2883.10. 1. 2902.12.29.	B	3	B	37	40
	B	4	*	40	40
2876. 2. 1. 2900.12.29.	B	6	E	40	40
2886. 6. 1. 2904.12.29.	B	9	α	37	40
2Y		0	B	0	0
2886. 6. 1. 2900.12.29.	B	0	B	0	40
2886. 6. 1. 2900.12.29.				603rd position to B Jehoram (Jehoshaphat)	40
2880. 6. 1. 2896.12.29.				604th position to B Joram (Ahab)	37
2853. 6. 1. 2869.12.29.				605th position to * Jehoram (Jehoshaphat)	40
2893. 6. 1. 2907.12.29.				606th position to E Jehoram (Jehoshaphat)	40
2889. 6. 1. 2903.12.29.				607th position to α Joram (Ahab)	37

16492 Bytes free.

(538th/607) position: 2867. 6. 7. 2890. 2.29. E Omri 45

Forward relations for entry Omri (45/120) are generated.

Backward relations for entry Ahab (44/120) are generated.

Optimize dates...

Omri	D	Kind	S	from:	to:†
2867. 6. 7. 2890. 2.29.	E	0	E	45	45
2867. 6. 7. 2892. 3. 7.	E	6	B	45	45
2867. 6. 7. 2890. 2.29.	E	7	B	44	45
2867. 6. 7. 2890. 2.29.	+	0	+	45	45

```

                0 E      0      0||
2867. 6. 7. 2890. 2.29. E 0 E      0      45||
2856. 6. 7. 2879. 2.29. 608th position to B Omri 45

```

16492 Bytes free.

```

(539th/608) position: 2888. 6. 7. 2911. 6.30. E Ahab 44
Forward relations for entry Ahab (44/120) are generated.
Backward relations for entry Ahaziah (Ahab) (41/120) are generated.
Backward relations for entry Elijah (43/120) are generated.
Optimize dates...

```

```

Ahab                D Knd S   from:   to:|
2888. 6. 7. 2911. 6.30. E 0 E     44     44||
2867. 6. 7. ≥                E 2 B     43     44||
2888. 6. 7. 2913. 2.29. E 5 B     44     44||
2888. 6. 1. 2904.12.29. E 7 B     41     44||
2888. 6. 7. 2911. 6.30. + 0 +     44     44||
                6Y 6M 1D 0 E     0     0||
2888. 6. 7. 2904.12.29. E 0 E     0     44||
2888. 6. 7. 2904.12.29. 609th position to E Ahab 44
2867. 6. 7. 2904.12.29. 610th position to B Elijah 43
2867. 6. 7. 2883.12.29. 611th position to B Ahab 44
2888. 6. 7. 2904.12.29. 612th position to B Ahaziah (Ahab) 41

```

16492 Bytes free.

```

(540th/612) position: 2888. 6. 7. 2904.12.29. B Ahaziah (Ahab) 41
Forward relations for entry Ahaziah (Ahab) (41/120) are generated.
Backward relations for entry Joram (Ahab) (37/120) are generated.
Backward relations for entry Elijah (43/120) are generated.
Optimize dates...

```

```

Ahaziah (Ahab)      D Knd S   from:   to:|
2888. 6. 7. 2904.12.29. B 0 B     41     41||
2888. 6. 7. 2904.12.29. B 1 E     44     41||
2886. 6. 7. 2906.12.29. B 3 B     42     41||
2886. 6. 1. 2904.12.29. B 5 E     41     41||
                0 B     0     0||
2888. 6. 7. 2904.12.29. B 0 B     0     41||
2889. 6. 7. 2905.12.29. 613th position to E Ahaziah (Ahab) 41

```

16492 Bytes free.

```

(541st/613) position: 2867. 6. 7. 2904.12.29. B Elijah 43
Forward relations for entry Elijah (43/120) are generated.
Backward relations for entry Elisha (39/120) are generated.
Backward relations for entry Joram (Ahab) (37/120) are generated.
Backward relations for entry Ahab (44/120) are generated.
Optimize dates...

```

```

Elijah              D Knd S   from:   to:|
2867. 6. 7. 2904.12.29. B 0 B     43     43||
2867. 6. 7. ≥                B 1 B     44     43||
                ≤ 2904.12.29. B 8 E     44     43||
                0 B     0     0||
2867. 6. 7. 2904.12.29. B 0 B     0     43||

```

16492 Bytes free.

```

(542nd/613) position: 2870. 6. 7. 2888.12.29. B Jehoshaphat 42
Forward relations for entry Jehoshaphat (42/120) are generated.
Backward relations for entry Jehoram (Jehoshaphat) (40/120) are generated.
Optimize dates...

```

```

Jehoshaphat        D Knd S   from:   to:|

```

2870. 6. 7.	2888.12.29.	B 0 B	42	42	
2870. 6. 1.	2893. 2.29.	B 1 E	51	42	
2870. 6. 7.	2888.12.29.	B 3 B	44	42	
2867.10. 1.	2895. 6.30.	B 4 *	42	42	
2867.10. 1.	2895. 6.30.	B 6 E	42	42	
2870. 6. 7.	2888.12.29.	B 9 B	41	42	
2870. 6. 1.	2886.12.29.	B 10 α	37	42	
	2Y	0 B	0	0	
2870. 6. 7.	2886.12.29.	B 0 B	0	42	
2870. 6. 7.	2886.12.29.	614th position to B	Jehoshaphat	42	
2870. 6. 7.	2886.12.29.	615th position to E	Asa	51	
2834. 6. 7.	2852.12.29.	616th position to *	Jehoshaphat	42	
2894. 6. 7.	2912.12.29.	617th position to E	Jehoshaphat	42	

16492 Bytes free.

(543rd/617) position: 2889. 6. 7. 2905.12.29. E Ahaziah (Ahab) 41  
 Forward relations for entry Ahaziah (Ahab) (41/120) are generated.  
 Backward relations for entry Joram (Ahab) (37/120) are generated.  
 Backward relations for entry Elijah (43/120) are generated.  
 Optimize dates...

Ahaziah (Ahab)		D	Kind	S	from:	to:†	
2889. 6. 7.	2905.12.29.	E	0	E	41	41	
2889. 6. 7.	2907.12.29.	E	5	B	41	41	
2889. 6. 1.	2903.12.29.	E	7	α	37	41	
	≤ 2905.12.29.	E	8	E	43	41	
2889. 6. 7.	2905.12.29.	+	0	+	41	41	
	2Y	0	E		0	0	
2889. 6. 7.	2903.12.29.	E	0	E	0	41	
2889. 6. 7.	2903.12.29.	618th position to E	Ahaziah (Ahab)	41			
2888. 6. 7.	2902.12.29.	619th position to B	Ahaziah (Ahab)	41			
2889. 6. 7.	2903.12.29.	620th position to α	Joram (Ahab)	37			
2889. 6. 7.	2905.12.29.	621st position to E	Elijah	43			

16492 Bytes free.

(544th/621) position: 2857. 6. 7. 2879. 3. 7. E Zimri 47  
 Forward relations for entry Zimri (47/120) are generated.  
 Backward relations for entry Tibni (46/120) are generated.  
 Backward relations for entry Omri (45/120) are generated.  
 Optimize dates...

Zimri		D	Kind	S	from:	to:†	
2857. 6. 7.	2879. 3. 7.	E	0	E	47	47	
2857. 6. 7.	2879. 3. 7.	E	5	B	47	47	
2856. 6. 7.	2879. 3. 7.	E	7	B	46	47	
2856. 6. 7.	2879. 2.29.	E	8	B	45	47	
2857. 6. 7.	2879. 3. 7.	+	0	+	47	47	
	8D	0	E		0	0	
2857. 6. 7.	2879. 2.29.	E	0	E	0	47	
2857. 6. 7.	2879. 2.29.	622nd position to E	Zimri	47			
2857. 6. 1.	2879. 2.23.	623rd position to B	Zimri	47			
2857. 6. 7.	2879. 2.29.	624th position to B	Tibni	46			
2857. 6. 7.	2879. 2.29.	625th position to B	Omri	45			

16492 Bytes free.

(545th/625) position: 2857. 6. 7. 2879. 2.29. B Tibni 46  
 Forward relations for entry Tibni (46/120) are generated.  
 Backward relations for entry Omri (45/120) are generated.  
 Optimize dates...

Tibni		D	Kind	S	from:	to:†	
-------	--	---	------	---	-------	------	--



```

2857. 6. 7. 2879. 2.29. B 0 B 46 46||
2857. 6. 7. 2879. 2.29. B 1 E 47 46||
                                0 B 0 0||
2857. 6. 7. 2879. 2.29. B 0 B 0 46||

```

16492 Bytes free.

(546th/625) position: 2857. 6. 7. 2879. 2.29. B Omri 45  
 Forward relations for entry Omri (45/120) are generated.  
 Backward relations for entry Ahab (44/120) are generated.  
 Optimize dates...

```

Omri D Knd S from: to:|
2857. 6. 7. 2879. 2.29. B 0 B 45 45||
2857. 6. 7. 2879. 2.29. B 2 E 47 45||
2854. 6. 7. 2879. 2.29. B 6 E 45 45||
                                0 B 0 0||
2857. 6. 7. 2879. 2.29. B 0 B 0 45||
2868. 6. 7. 2890. 2.29. 626th position to E Omri 45

```

16492 Bytes free.

(547th/626) position: 2868. 6. 7. 2890. 2.29. E Omri 45  
 Forward relations for entry Omri (45/120) are generated.  
 Backward relations for entry Ahab (44/120) are generated.  
 Optimize dates...

```

Omri D Knd S from: to:|
2868. 6. 7. 2890. 2.29. E 0 E 45 45||
2868. 6. 7. 2892. 2.29. E 6 B 45 45||
2867. 6. 7. 2883.12.29. E 7 B 44 45||
2868. 6. 7. 2890. 2.29. + 0 + 45 45||
                                6Y 2M 0 E 0 0||
2868. 6. 7. 2883.12.29. E 0 E 0 45||
2868. 6. 7. 2883.12.29. 627th position to E Omri 45
2857. 6. 7. 2872.12.29. 628th position to B Omri 45
2868. 6. 7. 2883.12.29. 629th position to B Ahab 44

```

16492 Bytes free.

(548th/629) position: 2856. 6. 1. 2878. 2.29. B Elah 48  
 Forward relations for entry Elah (48/120) are generated.  
 Backward relations for entry Zimri (47/120) are generated.  
 Optimize dates...

```

Elah D Knd S from: to:|
2856. 6. 1. 2878. 2.29. B 0 B 48 48||
2856. 6. 1. 2878. 2.29. B 1 E 49 48||
2855. 6. 1. 2878. 2.29. B 3 B 51 48||
2854. 6. 1. 2878. 2.29. B 5 E 48 48||
                                0 B 0 0||
2856. 6. 1. 2878. 2.29. B 0 B 0 48||

```

16492 Bytes free.

(549th/629) position: 2856. 6. 1. 2878. 2.29. E Baasha 49  
 Forward relations for entry Baasha (49/120) are generated.  
 Backward relations for entry Elah (48/120) are generated.  
 Optimize dates...

```

Baasha D Knd S from: to:|
2856. 6. 1. 2878. 2.29. E 0 E 49 49||
2856. 6. 1. 2880. 2.29. E 5 B 49 49||
2856. 6. 1. 2878. 2.29. E 7 B 48 49||
2856. 6. 1. 2878. 2.29. + 0 + 49 49||
                                0 E 0 0||

```

2856. 6. 1. 2878. 2.29. E 0 E 0 49||

16492 Bytes free.

(550th/629) position: 2857. 6. 1. 2879. 2.29. E Elah 48

Forward relations for entry Elah (48/120) are generated.

Backward relations for entry Zimri (47/120) are generated.

Optimize dates...

Elah	D	Kind	S	from:	to:	
2857. 6. 1. 2879. 2.29.	E	0	E	48	48	
2857. 6. 1. 2881. 2.29.	E	5	B	48	48	
2857. 6. 1. 2879. 2.23.	E	7	B	47	48	
2857. 6. 1. 2879. 2.29.	+	0	+	48	48	
2856. 6. 1. 2879. 2.29.	+	4	B	51	48	
	6D	0	E	0	0	
2857. 6. 1. 2879. 2.23.	E	0	E	0	48	
2857. 6. 1. 2879. 2.23.				630th position to	E Elah	48
2856. 6. 1. 2878. 2.23.				631st position to	B Elah	48

16492 Bytes free.

(551st/631) position: 2870. 6. 7. 2886.12.29. B Jehoshaphat 42

Forward relations for entry Jehoshaphat (42/120) are generated.

Backward relations for entry Jehoram (Jehoshaphat) (40/120) are generated.

Optimize dates...

Jehoshaphat	D	Kind	S	from:	to:	
2870. 6. 7. 2886.12.29.	B	0	B	42	42	
2870. 6. 7. 2886.12.29.	B	1	E	51	42	
2871. 6. 7. 2888.12.29.	B	3	B	44	42	
2868. 6. 7. 2888.12.29.	B	4	*	42	42	
2868. 6. 7. 2888.12.29.	B	6	E	42	42	
2870. 6. 7. 2886.12.29.	B	9	B	41	42	
2870. 6. 7. 2886.12.29.	B	10	α	37	42	
1Y		0	B	0	0	
2871. 6. 7. 2886.12.29.	B	0	B	0	42	
2871. 6. 7. 2886.12.29.				632nd position to	B Jehoshaphat	42
2871. 6. 7. 2886.12.29.				633rd position to	E Asa	51
2835. 6. 7. 2852.12.29.				634th position to	* Jehoshaphat	42
2895. 6. 7. 2912.12.29.				635th position to	E Jehoshaphat	42

16492 Bytes free.

(552nd/635) position: 2868. 6. 7. 2883.12.29. B Ahab 44

Forward relations for entry Ahab (44/120) are generated.

Backward relations for entry Ahaziah (Ahab) (41/120) are generated.

Backward relations for entry Elijah (43/120) are generated.

Optimize dates...

Ahab	D	Kind	S	from:	to:	
2868. 6. 7. 2883.12.29.	B	0	B	44	44	
2868. 6. 7. 2883.12.29.	B	1	E	45	44	
2867. 6. 1. 2890. 2.29.	B	3	B	51	44	
2865. 6. 7. 2883.12.29.	B	5	E	44	44	
	≤	2904.12.29.	B	7	B	43
2866. 6. 7. 2883.12.29.	B	9	B	42	44	
			0	B	0	0
2868. 6. 7. 2883.12.29.	B	0	B	0	44	
2830. 6. 1. 2846.12.29.				636th position to	B Asa	51
2889. 6. 7. 2904.12.29.				637th position to	E Ahab	44
2868. 6. 7. 2904.12.29.				638th position to	B Elijah	43

16492 Bytes free.

(553rd/638) position: 2868. 6. 7. 2883.12.29. E Omri 45  
 Forward relations for entry Omri (45/120) are generated.  
 Backward relations for entry Ahab (44/120) are generated.  
 Optimize dates...

Omri	D	Kind	S	from:	to:
2868. 6. 7. 2883.12.29.	E	0	E	45	45
2868. 6. 7. 2885.12.29.	E	6	B	45	45
2868. 6. 7. 2883.12.29.	E	7	B	44	45
2868. 6. 7. 2883.12.29.	+	0	+	45	45
		0	E	0	0
2868. 6. 7. 2883.12.29.	E	0	E	0	45

16492 Bytes free.

(554th/638) position: 2889. 6. 7. 2904.12.29. E Ahab 44  
 Forward relations for entry Ahab (44/120) are generated.  
 Backward relations for entry Ahaziah (Ahab) (41/120) are generated.  
 Backward relations for entry Elijah (43/120) are generated.  
 Optimize dates...

Ahab	D	Kind	S	from:	to:
2889. 6. 7. 2904.12.29.	E	0	E	44	44
2868. 6. 7. $\geq$	E	2	B	43	44
2889. 6. 7. 2906.12.29.	E	5	B	44	44
2888. 6. 7. 2902.12.29.	E	7	B	41	44
2889. 6. 7. 2904.12.29.	+	0	+	44	44
	2Y	0	E	0	0
2889. 6. 7. 2902.12.29.	E	0	E	0	44
2889. 6. 7. 2902.12.29.				639th position to E Ahab	44
2868. 6. 7. 2902.12.29.				640th position to B Elijah	43
2868. 6. 7. 2881.12.29.				641st position to B Ahab	44
2889. 6. 7. 2902.12.29.				642nd position to B Ahaziah (Ahab)	41

16492 Bytes free.

(555th/642) position: 2868. 6. 7. 2902.12.29. B Elijah 43  
 Forward relations for entry Elijah (43/120) are generated.  
 Backward relations for entry Elisha (39/120) are generated.  
 Backward relations for entry Joram (Ahab) (37/120) are generated.  
 Backward relations for entry Ahab (44/120) are generated.  
 Optimize dates...

Elijah	D	Kind	S	from:	to:		
2868. 6. 7. 2902.12.29.	B	0	B	43	43		
2868. 6. 7. $\geq$	B	1	B	44	43		
	$\leq$	2902.12.29.	B	8	E	44	43
			0	B	0	0	
2868. 6. 7. 2902.12.29.	B	0	B	0	43		

16492 Bytes free.

(556th/642) position: 2871. 6. 7. 2886.12.29. B Jehoshaphat 42  
 Forward relations for entry Jehoshaphat (42/120) are generated.  
 Backward relations for entry Jehoram (Jehoshaphat) (40/120) are generated.  
 Optimize dates...

Jehoshaphat	D	Kind	S	from:	to:
2871. 6. 7. 2886.12.29.	B	0	B	42	42
2871. 6. 7. 2886.12.29.	B	1	E	51	42
2871. 6. 7. 2886.12.29.	B	3	B	44	42
2869. 6. 7. 2888.12.29.	B	4	*	42	42
2869. 6. 7. 2888.12.29.	B	6	E	42	42
2871. 6. 7. 2886.12.29.	B	9	B	41	42
2870. 6. 7. 2886.12.29.	B	10	$\alpha$	37	42

```

                0 B      0      0||
2871. 6. 7. 2886.12.29. B 0 B      0      42||

```

16492 Bytes free.

(557th/642) position: 2860. 6. 1. 2883. 2.29. E Tibni 46

Forward relations for entry Tibni (46/120) are generated.

Backward relations for entry Omri (45/120) are generated.

Optimize dates...

```

Tibni          D Knd S   from:   to:|
2860. 6. 1. 2883. 2.29. E 0 E     46     46||
2860. 6. 1. 2883. 2.29. E 7 α     45     46||
2860. 6. 1. 2883. 2.29. + 0 +     46     46||
                0 E     0     0||
2860. 6. 1. 2883. 2.29. E 0 E     0     46||

```

16492 Bytes free.

(558th/642) position: 2857. 6. 1. 2879. 2.23. B Zimri 47

Forward relations for entry Zimri (47/120) are generated.

Backward relations for entry Tibni (46/120) are generated.

Backward relations for entry Omri (45/120) are generated.

Optimize dates...

```

Zimri          D Knd S   from:   to:|
2857. 6. 1. 2879. 2.23. B 0 B     47     47||
2857. 6. 1. 2879. 2.23. B 1 E     48     47||
2856. 6. 1. 2874.12.29. B 3 B     51     47||
2857. 5.29. 2879. 2.23. B 5 E     47     47||
                4Y 1M24D 0 B     0     0||
2857. 6. 1. 2874.12.29. B 0 B     0     47||
2857. 6. 1. 2874.12.29. 643rd position to B Zimri 47
2857. 6. 1. 2874.12.29. 644th position to E Elah 48
2857. 6. 7. 2875. 1. 7. 645th position to E Zimri 47

```

16492 Bytes free.

(559th/645) position: 2857. 6. 7. 2875. 1. 7. E Zimri 47

Forward relations for entry Zimri (47/120) are generated.

Backward relations for entry Tibni (46/120) are generated.

Backward relations for entry Omri (45/120) are generated.

Optimize dates...

```

Zimri          D Knd S   from:   to:|
2857. 6. 7. 2875. 1. 7. E 0 E     47     47||
2857. 6. 7. 2875. 1. 7. E 5 B     47     47||
2857. 6. 7. 2879. 2.29. E 7 B     46     47||
2857. 6. 7. 2872.12.29. E 8 B     45     47||
2857. 6. 7. 2875. 1. 7. + 0 +     47     47||
                2Y 8D 0 E     0     0||
2857. 6. 7. 2872.12.29. E 0 E     0     47||
2857. 6. 7. 2872.12.29. 646th position to E Zimri 47
2857. 6. 1. 2872.12.23. 647th position to B Zimri 47
2857. 6. 7. 2872.12.29. 648th position to B Tibni 46

```

16492 Bytes free.

(560th/648) position: ≤ 2589.10.30. B Midianites 74

Forward relations for entry Midianites (74/120) are generated.

Backward relations for entry Gideon = Jerubbaal (73/120) are generated.

Optimize dates...

```

Midianites     D Knd S   from:   to:|
                ≤ 2589.10.30. B 0 B     74     74||
                B 1 E     75     74||

```

```

≤ 2589.10.30. B 5 E      74      74||
                    0 B      0      0||
≤ 2589.10.30. B 0 B      0      74||
≤ 2589.10.30. 649th position to E Deborah and Barak      75

```

16492 Bytes free.

```

(561st/649) position: 2618. 9. 1. 2652. 9.29. B Eli      64
Forward relations for entry Eli      (64/120) are generated.
Backward relations for entry Samuel  (61/120) are generated.
Optimize dates...

```

```

Eli      D Knd S      from:      to:|
2618. 9. 1. 2652. 9.29. B 0 B      64      64||
2618. 9. 1. 2652. 9.29. B 6 E      64      64||
                    0 B      0      0||
2618. 9. 1. 2652. 9.29. B 0 B      0      64||

```

16492 Bytes free.

```

(562nd/649) position: 2560. 9. 1. 2594. 9.29. * Eli      64
Forward relations for entry Eli      (64/120) are generated.
Backward relations for entry Samuel  (61/120) are generated.
Optimize dates...

```

```

Eli      D Knd S      from:      to:|
2560. 9. 1. 2594. 9.29. * 0 *      64      64||
2560. 9. 1. 2594. 9.29. * 5 +      64      64||
                    0 *      0      0||
2560. 9. 1. 2594. 9.29. * 0 *      0      64||

```

16492 Bytes free.

```

(563rd/649) position: 2506. 3. 1.>      E Sisera      76
Forward relations for entry Sisera  (76/120) are generated.
Backward relations for entry Deborah and Barak  (75/120) are generated.
Optimize dates...

```

```

Sisera   D Knd S      from:      to:|
2506. 3. 1.>      E 0 E      76      76||
2506. 3. 1.>      E 5 B      76      76||
                    E 7 B      75      76||
2506. 3. 1.>      + 0 +      76      76||
                    0 E      0      0||
2506. 3. 1.>      E 0 E      0      76||
2506. 3. 1.>      650th position to B Deborah and Barak      75

```

16492 Bytes free.

```

(564th/650) position: 2487.11. 1.>      E Ehud      77
Forward relations for entry Ehud    (77/120) are generated.
Backward relations for entry Sisera  (76/120) are generated.
Optimize dates...

```

```

Ehud     D Knd S      from:      to:|
2487.11. 1.>      E 0 E      77      77||
2487.11. 1.>      E 5 B      77      77||
2487. 3. 1.>      E 7 B      76      77||
                    0 E      0      0||
2487.11. 1.>      E 0 E      0      77||
2487.11. 1.>      651st position to B Sisera      76

```

16492 Bytes free.

```

(565th/651) position: 1400. 1.15. 1410.12.29. B Tower of Babel      102
Forward relations for entry Tower of Babel  (102/120) are generated.
Backward relations for entry Peleg      (101/120) are generated.

```

Optimize dates...

Tower of Babel			D	Kind	S	from:	to:
1400.	1.15.	1410.12.29.	B	0	B	102	102
1400.	1.15.	1410.12.29.	B	7	*	101	102
				0	B	0	0
1400.	1.15.	1410.12.29.	B	0	B	0	102

16492 Bytes free.

(566th/651) position: 1367. 1.15. 1377.12.29. \* Eber 103  
Forward relations for entry Eber (103/120) are generated.

Optimize dates...

Eber			D	Kind	S	from:	to:
1367.	1.15.	1377.12.29.	*	0	*	103	103
1367.	1.15.	1386. 1. 7.	*	3	*	104	103
1365.	1.15.	1377.12.29.	*	9	*	101	103
1365.	1.15.	1388. 1. 7.	*	10	+	104	103
				0	*	0	0
1367.	1.15.	1377.12.29.	*	0	*	0	103
1338.	1.15.	1348.12.29.	652nd position to * Salah				104
1769.	1.15.	1781.12.29.	653rd position to + Salah				104

16492 Bytes free.

(567th/653) position: 1829. 1.15. 1841.12.29. + Eber 103  
Forward relations for entry Eber (103/120) are generated.

Optimize dates...

Eber			D	Kind	S	from:	to:
1829.	1.15.	1841.12.29.	+	0	+	103	103
1829.	1.15.	1841.12.29.	+	4	*	101	103
				0	+	0	0
1829.	1.15.	1841.12.29.	+	0	+	0	103

16492 Bytes free.

(568th/653) position: 2992. 3.22. 3007. 9.29. B Menahem 23  
Forward relations for entry Menahem (23/120) are generated.  
Backward relations for entry Pekahiah (22/120) are generated.

Optimize dates...

Menahem			D	Kind	S	from:	to:
2992.	3.22.	3007. 9.29.	B	0	B	23	23
2991.11.	1.	3007. 9.29.	B	1	E	24	23
2992.	3.22.	3007.12.29.	B	3	B	26	23
2992.	3.22.	3008.12.29.	B	5	E	23	23
				0	B	0	0
2992.	3.22.	3007. 9.29.	B	0	B	0	23
2992.	3.22.	3007. 9.29.	654th position to E Shallum				24

16492 Bytes free.

(569th/654) position: 2954. 3.22. 2967.12.29. Ω Amaziah 28  
Forward relations for entry Amaziah (28/120) are generated.  
Backward relations for entry Azariah = Uzziah (26/120) are generated.  
Forward relations for entry Amaziah (29/120) are generated.

Optimize dates...

Amaziah			D	Kind	S	from:	to:
2954.	3.22.	2967.12.29.	Ω	0	Ω	28	28
2954.	3.22.	2967.12.29.	Ω	7	B	26	28
				0	Ω	0	0
2954.	3.22.	2967.12.29.	Ω	0	Ω	0	28

16492 Bytes free.

(570th/654) position: 2926. 3.22. 2941.12.29. \* Jeroboam (Joash) 27  
 Forward relations for entry Jeroboam (Joash) (27/120) are generated.  
 Backward relations for entry Zachariah (25/120) are generated.  
 Optimize dates...

Jeroboam (Joash)	D	Kind	S	from:	to:
2926. 3.22. 2941.12.29.	*	0	*	27	27
2926. 3.22. 2941.12.29.	*	9	B	26	27
		0	*	0	0
2926. 3.22. 2941.12.29.	*	0	*	0	27

16492 Bytes free.

(571st/654) position: 2937. 3.22. 2952.12.29. \* Azariah = Uzziah 26  
 Forward relations for entry Azariah = Uzziah (26/120) are generated.  
 Backward relations for entry Jotham (19/120) are generated.  
 Optimize dates...

Azariah = Uzziah	D	Kind	S	from:	to:
2937. 3.22. 2952.12.29.	*	0	*	26	26
2937. 3.22. 2952.12.29.	*	10	B	26	26
		0	*	0	0
2937. 3.22. 2952.12.29.	*	0	*	0	26

16492 Bytes free.

(572nd/654) position: 2992. 3.22. 3007. 7.29. B Shallum 24  
 Forward relations for entry Shallum (24/120) are generated.  
 Backward relations for entry Menahem (23/120) are generated.  
 Optimize dates...

Shallum	D	Kind	S	from:	to:
2992. 3.22. 3007. 7.29.	B	0	B	24	24
2991.11. 1. 3007. 7.29.	B	1	E	25	24
2992. 3.22. 3007.12.29.	B	3	B	26	24
2992. 1.22. 3007. 9.29.	B	5	E	24	24
		0	B	0	0
2992. 3.22. 3007. 7.29.	B	0	B	0	24
2992. 3.22. 3007. 7.29.				655th position to E Zachariah	25

16492 Bytes free.

(573rd/655) position: 2347. 1.15.≥ + Caleb 82  
 Forward relations for entry Caleb (82/120) are generated.  
 Optimize dates...

Caleb	D	Kind	S	from:	to:
2347. 1.15.≥	+	0	+	82	82
2347. 1.15.≥	+	1	B	81	82
		0	+	0	0
2347. 1.15.≥	+	0	+	0	82

16492 Bytes free.

(574th/655) position: 2347. 1.15.≥ + Joshua 83  
 Forward relations for entry Joshua (83/120) are generated.  
 Backward relations for entry Chushanrishathaim (80/120) are generated.  
 Optimize dates...

Joshua	D	Kind	S	from:	to:
2347. 1.15.≥	E	0	E	83	83
	E	7	B	80	83
2347. 1.15.≥	+	0	+	83	83
2347. 1.15.≥	+	2	B	81	83
2344. 3.22.≥	+	5	*	83	83
		0	E	0	0
2347. 1.15.≥	E	0	E	0	83

2347. 1.15.≥ 656th position to B Chushanrishathaim 80  
 2236. 1.15.≥ 657th position to \* Joshua 83

16492 Bytes free.

(575th/657) position: 3046. 1.15. 3056.12.29. B 14th Jubile Year 13  
 Forward relations for entry 14th Jubile Year (13/120) are generated.

Optimize dates...

14th Jubile Year	D	Kn	S	from:	to:†	
3046. 1.15. 3056.12.29.	B	0	B	13	13	
3045. 3.22. 3056.12.29.	B	3	B	14	13	
3046. 1.15. 3056.12.29.	B	4	B	81	13	
3045. 3.22. 3056.12.29.	B	6	E	13	13	
		0	B	0	0	
3046. 1.15. 3056.12.29.	B	0	B	0	13	
3047. 1.15. 3057.12.29.				658th position to E	14th Jubile Year	13

16492 Bytes free.

(576th/658) position: 2299. 5.15. 2312.12.29. B Aaron 87  
 Forward relations for entry Aaron (87/120) are generated.

Backward relations for entry Israel in Egypt (89/120) are generated.

Forward relations for entry Aaron (88/120) are generated.

Optimize dates...

Aaron	D	Kn	S	from:	to:†	
2299. 5.15. 2312.12.29.	B	0	B	87	87	
2300.11.15. 2312.12.29.	B	1	B	86	87	
2299. 5.15. 2314. 4.30.	B	3	*	87	87	
≤ 2312.12.29.	B	8	E	89	87	
1Y 6M		0	B	0	0	
2300.11.15. 2312.12.29.	B	0	B	0	87	
2300.11.15. 2312.12.29.				659th position to B	Aaron	87

16492 Bytes free.

(577th/659) position: 2776. 8.15. 2789. 2.29. E David 58  
 Forward relations for entry David (58/120) are generated.

Backward relations for entry Solomon (57/120) are generated.

Optimize dates...

David	D	Kn	S	from:	to:†	
2776. 8.15. 2789. 2.29.	Ω	0	Ω	58	58	
2770.11. 1. 2791. 2.29.	Ω	6	α	58	58	
2776. 8.15. 2789. 2.29.	E	0	E	58	58	
2770. 6. 1. 2790. 9.29.	E	5	B	58	58	
2776. 8.15. 2789. 2.29.	E	7	B	57	58	
2776. 8.15. 2789. 2.29.	+	0	+	58	58	
		0	Ω	0	0	
2776. 8.15. 2789. 2.29.	Ω	0	Ω	0	58	
2742. 8.15. 2757. 2.29.				660th position to α	David	58
2735. 8.15. 2749. 9.29.				661st position to B	David	58

16492 Bytes free.

(578th/661) position: 2815. 8.15. 2830. 2.29. E Solomon 57  
 Forward relations for entry Solomon (57/120) are generated.

Backward relations for entry Jeroboam (Nebath) (53/120) are generated.

Backward relations for entry Rehoboam (54/120) are generated.

Optimize dates...

Solomon	D	Kn	S	from:	to:†	
2815. 8.15. 2830. 2.29.	E	0	E	57	57	
2815. 8.15. 2830. 2.29.	E	5	B	57	57	
2811. 6. 1. 2830. 2.29.	E	7	B	53	57	



2811. 6. 1.	2830. 2.29.	E 7 B	54	57	
2815. 8.15.	2830. 2.29.	+ 0 +	57	57	
		0 E	0	0	
2815. 8.15.	2830. 2.29.	E 0 E	0	57	
2815. 8.15.	2830. 2.29.	662nd position to B Jeroboam (Nebat)		53	
2815. 8.15.	2830. 2.29.	663rd position to B Rehoboam		54	

16492 Bytes free.

(579th/663) position: 2300.11.15. 2312.12.29. B Moses 86  
 Forward relations for entry Moses (86/120) are generated.  
 Backward relations for entry Joshua (83/120) are generated.  
 Backward relations for entry Aaron (87/120) are generated.  
 Backward relations for entry Israel in Egypt (89/120) are generated.

Optimize dates...

Moses	D	Kind	S	from:	to:	
2300.11.15.	2312.12.29.	B	0 B	86	86	
2299.11.15.	2313.10.30.	B	3 *	86	86	
2300.11.15.	2313.10.30.	B	5 E	86	86	
2300.11.15.	2312.12.29.	B	7 B	87	86	
	≤ 2312.12.29.	B	7 E	89	86	
			0 B	0	0	
2300.11.15.	2312.12.29.	B	0 B	0	86	

16492 Bytes free.

(580th/663) position: 2341.11.15. 2352.10.30. B Joshua 83  
 Forward relations for entry Joshua (83/120) are generated.  
 Backward relations for entry Chushanrishathaim (80/120) are generated.

Optimize dates...

Joshua	D	Kind	S	from:	to:	
2341.11.15.	2352.10.30.	B	0 B	83	83	
2341.11.15.	2352.10.30.	B	1 E	86	83	
			0 B	0	0	
2341.11.15.	2352.10.30.	B	0 B	0	83	

16492 Bytes free.

(581st/663) position: 2220.11.15. 2232.10.30. \* Moses 86  
 Forward relations for entry Moses (86/120) are generated.  
 Backward relations for entry Joshua (83/120) are generated.  
 Backward relations for entry Aaron (87/120) are generated.  
 Backward relations for entry Israel in Egypt (89/120) are generated.

Optimize dates...

Moses	D	Kind	S	from:	to:	
2220.11.15.	2232.10.30.	*	0 *	86	86	
2220.11.15.	2232.10.30.	*	6 +	86	86	
2219.11.15.	2233.12.29.	*	9 B	86	86	
			0 *	0	0	
2220.11.15.	2232.10.30.	*	0 *	0	86	

16492 Bytes free.

(582nd/663) position: 2640.11.15. 2653.10.30. E Philistines + Ammon 69  
 Forward relations for entry Philistines + Ammon (69/120) are generated.  
 Backward relations for entry Jephthah (68/120) are generated.

Optimize dates...

Philistines + Ammon	D	Kind	S	from:	to:	
2640.11.15.	2653.10.30.	E	0 E	69	69	
2634. 9. 1.	2655.10.30.	E	5 B	69	69	
2640.11.15.	2653.10.30.	E	7 B	68	69	
			0 E	0	0	

2640.11.15. 2653.10.30. E 0 E 0 69||  
 2621.11.15. 2636.10.30. 664th position to B Philistines + Ammon 69

16492 Bytes free.

(583rd/664) position: 2645.11.15. 2660.10.30. E Jephthah 68  
 Forward relations for entry Jephthah (68/120) are generated.  
 Backward relations for entry Philistines (63/120) are generated.  
 Backward relations for entry Ibzan (67/120) are generated.  
 Optimize dates...

Jephthah	D	Kind	S	from:	to:	
2645.11.15. 2660.10.30.	E	0	E	68	68	
2645.11.15. 2660.10.30.	E	6	B	68	68	
≤ 2671. 9.29.	E	7	B	63	68	
	E	7	B	67	68	
2645.11.15. 2660.10.30.	+	0	+	68	68	
		0	E	0	0	
2645.11.15. 2660.10.30.	E	0	E	0	68	
2645.11.15. 2671. 9.29.				665th position to B Philistines		63
2645.11.15.≥				666th position to B Ibzan		67

16492 Bytes free.

(584th/666) position: 2392. 3.22.≥ E Othniel 79  
 Forward relations for entry Othniel (79/120) are generated.  
 Backward relations for entry Eglon (78/120) are generated.  
 Optimize dates...

Othniel	D	Kind	S	from:	to:	
2392. 3.22.≥	E	0	E	79	79	
2392. 3.22.≥	E	5	B	79	79	
2391.11. 1.≥	E	7	B	78	79	
2392. 3.22.≥	+	0	+	79	79	
		0	E	0	0	
2392. 3.22.≥	E	0	E	0	79	
2392. 3.22.≥				667th position to B Eglon		78

16492 Bytes free.

(585th/667) position: 2932. 4. 1. 2951.12.29. E Jehoahaz (Jehu) 31  
 Forward relations for entry Jehoahaz (Jehu) (31/120) are generated.  
 Backward relations for entry Joash (Jehoahaz) (30/120) are generated.  
 Optimize dates...

Jehoahaz (Jehu)	D	Kind	S	from:	to:	
2932. 4. 1. 2951.12.29.	E	0	E	31	31	
2932. 2. 1. 2953.12.29.	E	5	B	31	31	
2932. 4. 1. 2951.12.29.	E	7	B	30	31	
2932. 4. 1. 2951.12.29.	+	0	+	31	31	
		0	E	0	0	
2932. 4. 1. 2951.12.29.	E	0	E	0	31	

16492 Bytes free.

(586th/667) position: 2894. 4. 1. 2913.12.29. B Joash (Ahaziah) 32  
 Forward relations for entry Joash (Ahaziah) (32/120) are generated.  
 Backward relations for entry Amaziah (28/120) are generated.  
 Optimize dates...

Joash (Ahaziah)	D	Kind	S	from:	to:	
2894. 4. 1. 2913.12.29.	B	0	B	32	32	
2894. 2. 1. 2913.12.29.	B	1	E	34	32	
2893. 2. 1. 2915.12.29.	B	3	B	33	32	
2892. 4. 1. 2913.12.29.	B	5	E	32	32	
2892. 2. 1. 2915.12.29.	B	4	*	32	32	

2894.	4.	1.	2915.12.29.	B	9	B	30	32	
2892.	2.	1.	2913.12.29.	B	9	B	31	32	
					0	B	0	0	
2894.	4.	1.	2913.12.29.	B	0	B	0	32	
2894.	4.	1.	2913.12.29.				668th position to	E Athaliah	34
2886.	4.	1.	2907.12.29.				669th position to	* Joash (Ahaziah)	32
2916.	4.	1.	2935.12.29.				670th position to	B Jehoahaz (Jehu)	31

16492 Bytes free.

(587th/670) position: 2932. 4. 1. 2966.12.29. E Elisha 39  
 Forward relations for entry Elisha (39/120) are generated.  
 Backward relations for entry Joash (Jehoahaz) (30/120) are generated.  
 Optimize dates...

Elisha	D	Kind	S	from:	to:	
2932. 4. 1.	2966.12.29.	E	0	E	39	39
2932. 4. 1. >		E	2	B	30	39
2932. 4. 1.	2966.12.29. +	0	+	39	39	
	≤ 2966.12.29. +	8	E	30	39	
		0	E	0	0	
2932. 4. 1.	2966.12.29.	E	0	E	0	39

16492 Bytes free.

(588th/670) position: 2893. 6. 1. 2907.12.29. E Jehoram (Jehoshaphat) 40  
 Forward relations for entry Jehoram (Jehoshaphat) (40/120) are generated.  
 Backward relations for entry Ahaziah (Joram) (35/120) are generated.  
 Optimize dates...

Jehoram (Jehoshaphat)	D	Kind	S	from:	to:	
2893. 6. 1.	2907.12.29.	E	0	E	40	40
2893. 6. 1.	2909.12.29.	E	6	B	40	40
2890.10. 1.	2907.12.29.	E	7	B	35	40
2893. 6. 1.	2907.12.29. +	0	+	40	40	
		0	E	0	0	
2893. 6. 1.	2907.12.29.	E	0	E	0	40
2893. 6. 1.	2907.12.29.				671st position to	B Ahaziah (Joram) 35

16492 Bytes free.

(589th/671) position: 2862. 2. 1. 2886.12.29. \* Ahaziah (Joram) 35  
 Forward relations for entry Ahaziah (Joram) (35/120) are generated.  
 Backward relations for entry Jehu (33/120) are generated.  
 Backward relations for entry Athaliah (34/120) are generated.  
 Forward relations for entry Ahaziah (Joram) (36/120) are generated.  
 Optimize dates...

Ahaziah (Joram)	D	Kind	S	from:	to:	
2862. 2. 1.	2886.12.29.	*	0	*	35	35
2870. 6. 1.	2886.12.29.	*	10	B	35	35
	8Y 4M		0	*	0	0
2870. 6. 1.	2886.12.29.	*	0	*	0	35
2870. 6. 1.	2886.12.29.				672nd position to	* Ahaziah (Joram) 35

16492 Bytes free.

(590th/672) position: 2880. 6. 1. 2896.12.29. B Joram (Ahab) 38  
 Forward relations for entry Joram (Ahab) (37/120) are generated.  
 Backward relations for entry Jehu (33/120) are generated.  
 Backward relations for entry Athaliah (34/120) are generated.  
 Forward relations for entry Joram (Ahab) (38/120) are generated.  
 Optimize dates...

Joram (Ahab)	D	Kind	S	from:	to:	
2880. 6. 1.	2896.12.29.	B	0	B	37	37

2880.	6.	1.	2896.12.29.	B	9	B	35	37	
2881.	6.	1.	2897.12.29.	B	9	B	36	37	
2880.	6.	1.	2896.12.29.	B	9	B	40	37	
2877.10.	1.	2896.12.29.	B	5	E	38	38	38	
1Y				0	B	0	0	0	
2881.	6.	1.	2896.12.29.	B	0	B	0	37	
2881.	6.	1.	2896.12.29.				673rd position to	B Joram (Ahab)	38
2892.	6.	1.	2907.12.29.				674th position to	E Joram (Ahab)	38

16492 Bytes free.

(591st/674) position: 2893. 6. 1. 2907.12.29. B Ahaziah (Joram) 35  
 Forward relations for entry Ahaziah (Joram) (35/120) are generated.  
 Backward relations for entry Jehu (33/120) are generated.  
 Backward relations for entry Athaliah (34/120) are generated.  
 Forward relations for entry Ahaziah (Joram) (36/120) are generated.

Optimize dates...

Ahaziah (Joram)									
	D	Kind	S	from:	to:				
2893.	6.	1.	2907.12.29.	B	0	B	35	35	
2893.	6.	1.	2907.12.29.	B	1	E	40	35	
2892.	6.	1.	2909.12.29.	B	3	B	37	35	
2891.	6.	1.	2909.12.29.	B	4	*	35	35	
2885.	2.	1.	2907.12.29.	B	6	E	35	35	
2891.	6.	1.	2908.12.29.	B	3	B	37	36	
				0	B	0	0	0	
2893.	6.	1.	2907.12.29.	B	0	B	0	35	
2893.	6.	1.	2907.12.29.				675th position to	E Ahaziah (Joram)	35

16492 Bytes free.

(592nd/675) position: 2886. 6. 1. 2900.12.29. B Jehoram (Jehoshaphat) 40  
 Forward relations for entry Jehoram (Jehoshaphat) (40/120) are generated.  
 Backward relations for entry Ahaziah (Joram) (35/120) are generated.  
 Optimize dates...

Jehoram (Jehoshaphat)									
	D	Kind	S	from:	to:				
2886.	6.	1.	2900.12.29.	B	0	B	40	40	
2885.	6.	1.	2902.12.29.	B	3	B	37	40	
2884.	6.	1.	2902.12.29.	B	4	*	40	40	
2884.	6.	1.	2900.12.29.	B	6	E	40	40	
2886.	6.	7.	2902.12.29.	B	9	α	37	40	
		6D		0	B	0	0	0	
2886.	6.	7.	2900.12.29.	B	0	B	0	40	
2886.	6.	7.	2900.12.29.				676th position to	B Jehoram (Jehoshaphat)	40
2853.	6.	7.	2869.12.29.				677th position to	* Jehoram (Jehoshaphat)	40
2893.	6.	7.	2907.12.29.				678th position to	E Jehoram (Jehoshaphat)	40

16492 Bytes free.

(593rd/678) position: 2892. 6. 1. 2907.12.29. E Joram (Ahab) 38  
 Forward relations for entry Joram (Ahab) (37/120) are generated.  
 Backward relations for entry Jehu (33/120) are generated.  
 Backward relations for entry Athaliah (34/120) are generated.  
 Forward relations for entry Joram (Ahab) (38/120) are generated.

Optimize dates...

Joram (Ahab)									
	D	Kind	S	from:	to:				
2892.	6.	1.	2907.12.29.	E	0	E	37	37	
2887.	2.	1.	2907.12.29.	E	8	B	33	37	
2887.	2.	1.	2907.12.29.	E	8	B	34	37	
2892.	6.	1.	2909.12.29.	E	5	B	38	38	
2892.	6.	1.	2907.12.29.	+	0	+	37	37	
				0	E	0	0	0	

2892. 6. 1. 2907.12.29. E 0 E 0 37||  
 2892. 6. 1. 2907.12.29. 679th position to B Jehu 33  
 2892. 6. 1. 2907.12.29. 680th position to B Athaliah 34

16492 Bytes free.

(594th/680) position: 2889. 6. 7. 2903.12.29. α Joram (Ahab) 37  
 Forward relations for entry Joram (Ahab) (37/120) are generated.  
 Backward relations for entry Jehu (33/120) are generated.  
 Backward relations for entry Athaliah (34/120) are generated.  
 Forward relations for entry Joram (Ahab) (38/120) are generated.

Optimize dates...

Joram (Ahab)	D	Kind	S	from:	to:
2889. 6. 7. 2903.12.29. α 0 α				37	37
2889. 6. 7. 2903.12.29. α 1 E				41	37
2889. 6. 7. ≥				43	37
2887. 6. 7. 2903.12.29. α 3 B				40	37
2888. 6. 7. 2905.12.29. α 4 B				42	37
				0 α	0
2889. 6. 7. 2903.12.29. α 0 α				0	37
2889. 6. 7. 2903.12.29. 681st position to E Elijah					43

16492 Bytes free.

(595th/681) position: 2889. 6. 7. 2903.12.29. E Elijah 43  
 Forward relations for entry Elijah (43/120) are generated.  
 Backward relations for entry Elisha (39/120) are generated.  
 Backward relations for entry Joram (Ahab) (37/120) are generated.  
 Backward relations for entry Ahab (44/120) are generated.

Optimize dates...

Elijah	D	Kind	S	from:	to:
2889. 6. 7. 2903.12.29. E 0 E				43	43
2889. 6. 7. ≥				41	43
2889. 6. 1. 2905.12.29. E 7 B				39	43
≤ 2903.12.29. E 8 α				37	43
2889. 6. 7. 2903.12.29. + 0 +				43	43
				0 E	0
2889. 6. 7. 2903.12.29. E 0 E				0	43
2889. 6. 7. 2903.12.29. 682nd position to B Elisha					39

16492 Bytes free.

(596th/682) position: 2889. 6. 7. 2903.12.29. α Joram (Ahab) 37  
 Forward relations for entry Joram (Ahab) (37/120) are generated.  
 Backward relations for entry Jehu (33/120) are generated.  
 Backward relations for entry Athaliah (34/120) are generated.  
 Forward relations for entry Joram (Ahab) (38/120) are generated.

Optimize dates...

Joram (Ahab)	D	Kind	S	from:	to:
2889. 6. 7. 2903.12.29. α 0 α				37	37
2889. 6. 7. 2903.12.29. α 1 E				41	37
2889. 6. 7. ≥				43	37
2887. 6. 7. 2903.12.29. α 3 B				40	37
2888. 6. 7. 2905.12.29. α 4 B				42	37
				0 α	0
2889. 6. 7. 2903.12.29. α 0 α				0	37

16492 Bytes free.

(597th/682) position: 2889. 6. 7. 2903.12.29. E Ahaziah (Ahab) 41  
 Forward relations for entry Ahaziah (Ahab) (41/120) are generated.  
 Backward relations for entry Joram (Ahab) (37/120) are generated.

Backward relations for entry Elijah (43/120) are generated.

Optimize dates...

Ahaziah (Ahab)	D	Kind	S	from:	to:	
2889. 6. 7. 2903.12.29.	E	0	E	41	41	
2890. 6. 7. 2905.12.29.	E	5	B	41	41	
2889. 6. 7. 2903.12.29.	E	7	α	37	41	
≤ 2903.12.29.	E	8	E	43	41	
2889. 6. 7. 2903.12.29.	+	0	+	41	41	
1Y		0	E	0	0	
2890. 6. 7. 2903.12.29.	E	0	E	0	41	
2890. 6. 7. 2903.12.29.				683rd position to	E Ahaziah (Ahab)	41
2890. 6. 7. 2903.12.29.				684th position to	α Joram (Ahab)	37
2890. 6. 7. 2903.12.29.				685th position to	E Elijah	43

16492 Bytes free.

(598th/685) position: 2890. 6. 7. 2903.12.29. E Elijah 43

Forward relations for entry Elijah (43/120) are generated.

Backward relations for entry Elisha (39/120) are generated.

Backward relations for entry Joram (Ahab) (37/120) are generated.

Backward relations for entry Ahab (44/120) are generated.

Optimize dates...

Elijah	D	Kind	S	from:	to:	
2890. 6. 7. 2903.12.29.	E	0	E	43	43	
2890. 6. 7. ≥	E	2	E	41	43	
2889. 6. 7. 2903.12.29.	E	7	B	39	43	
≤ 2903.12.29.	E	8	α	37	43	
2890. 6. 7. 2903.12.29.	+	0	+	43	43	
1Y		0	E	0	0	
2890. 6. 7. 2903.12.29.	E	0	E	0	43	
2890. 6. 7. 2903.12.29.				686th position to	B Elisha	39

16492 Bytes free.

(599th/686) position: 2886. 6. 7. 2900.12.29. B Jehoram (Jehoshaphat) 40

Forward relations for entry Jehoram (Jehoshaphat) (40/120) are generated.

Backward relations for entry Ahaziah (Joram) (35/120) are generated.

Optimize dates...

Jehoram (Jehoshaphat)	D	Kind	S	from:	to:	
2886. 6. 7. 2900.12.29.	B	0	B	40	40	
2885. 6. 1. 2902.12.29.	B	3	B	37	40	
2884. 6. 7. 2902.12.29.	B	4	*	40	40	
2884. 6. 7. 2900.12.29.	B	6	E	40	40	
2887. 6. 7. 2902.12.29.	B	9	α	37	40	
1Y		0	B	0	0	
2887. 6. 7. 2900.12.29.	B	0	B	0	40	
2887. 6. 7. 2900.12.29.				687th position to	B Jehoram (Jehoshaphat)	40
2881. 6. 7. 2896.12.29.				688th position to	B Joram (Ahab)	37
2854. 6. 7. 2869.12.29.				689th position to	* Jehoram (Jehoshaphat)	40
2894. 6. 7. 2907.12.29.				690th position to	E Jehoram (Jehoshaphat)	40

16492 Bytes free.

(600th/690) position: 2871. 6. 7. 2886.12.29. B Jehoshaphat 42

Forward relations for entry Jehoshaphat (42/120) are generated.

Backward relations for entry Jehoram (Jehoshaphat) (40/120) are generated.

Optimize dates...

Jehoshaphat	D	Kind	S	from:	to:	
2871. 6. 7. 2886.12.29.	B	0	B	42	42	
2871. 6. 7. 2886.12.29.	B	1	E	51	42	
2871. 6. 7. 2886.12.29.	B	3	B	44	42	

2869.	6.	7.	2888.12.29.	B	4	*	42	42
2869.	6.	7.	2888.12.29.	B	6	E	42	42
2871.	6.	7.	2886.12.29.	B	9	B	41	42
2871.	6.	7.	2886.12.29.	B	10	α	37	42
					0	B	0	0
2871.	6.	7.	2886.12.29.	B	0	B	0	42

16492 Bytes free.

(601st/690) position: 2889. 6. 7. 2902.12.29. B Ahaziah (Ahab) 41  
 Forward relations for entry Ahaziah (Ahab) (41/120) are generated.  
 Backward relations for entry Joram (Ahab) (37/120) are generated.  
 Backward relations for entry Elijah (43/120) are generated.  
 Optimize dates...

Ahaziah (Ahab)								
	D	Kind	S	from:	to:			
2889.	6.	7.	2902.12.29.	B	0	B	41	41
2889.	6.	7.	2902.12.29.	B	1	E	44	41
2887.	6.	7.	2904.12.29.	B	3	B	42	41
2887.	6.	7.	2902.12.29.	B	5	E	41	41
					0	B	0	0
2889.	6.	7.	2902.12.29.	B	0	B	0	41

16492 Bytes free.

(602nd/690) position: 2890. 6. 7. 2903.12.29. B Elisha 39  
 Forward relations for entry Elisha (39/120) are generated.  
 Backward relations for entry Joash (Jehoahaz) (30/120) are generated.  
 Optimize dates...

Elisha								
	D	Kind	S	from:	to:			
2890.	6.	7.	2903.12.29.	B	0	B	39	39
2890.	6.	7.	2903.12.29.	B	1	E	43	39
					0	B	0	0
2890.	6.	7.	2903.12.29.	B	0	B	0	39

16492 Bytes free.

(603rd/690) position: 2887. 6. 7. 2900.12.29. B Jehoram (Jehoshaphat) 40  
 Forward relations for entry Jehoram (Jehoshaphat) (40/120) are generated.  
 Backward relations for entry Ahaziah (Joram) (35/120) are generated.  
 Optimize dates...

Jehoram (Jehoshaphat)								
	D	Kind	S	from:	to:			
2887.	6.	7.	2900.12.29.	B	0	B	40	40
2885.	6.	7.	2902.12.29.	B	3	B	37	40
2885.	6.	7.	2902.12.29.	B	4	*	40	40
2885.	6.	7.	2900.12.29.	B	6	E	40	40
2887.	6.	7.	2902.12.29.	B	9	α	37	40
					0	B	0	0
2887.	6.	7.	2900.12.29.	B	0	B	0	40

16492 Bytes free.

(604th/690) position: 2881. 6. 7. 2896.12.29. B Joram (Ahab) 37  
 Forward relations for entry Joram (Ahab) (37/120) are generated.  
 Backward relations for entry Jehu (33/120) are generated.  
 Backward relations for entry Athaliah (34/120) are generated.  
 Forward relations for entry Joram (Ahab) (38/120) are generated.  
 Optimize dates...

Joram (Ahab)								
	D	Kind	S	from:	to:			
2881.	6.	7.	2896.12.29.	B	0	B	37	37
2880.	6.	1.	2896.12.29.	B	9	B	35	37
2881.	6.	1.	2897.12.29.	B	9	B	36	37
2881.	6.	7.	2896.12.29.	B	9	B	40	37

2879. 6. 1. 2896.12.29. B 5 E 38 38||  
 0 B 0 0||  
 2881. 6. 7. 2896.12.29. B 0 B 0 37||  
 2892. 6. 7. 2907.12.29. 691st position to E Joram (Ahab) 38

16492 Bytes free.

(605th/691) position: 2854. 6. 7. 2869.12.29. \* Jehoram (Jehoshaphat) 40  
 Forward relations for entry Jehoram (Jehoshaphat) (40/120) are generated.  
 Backward relations for entry Ahaziah (Joram) (35/120) are generated.  
 Optimize dates...

Jehoram (Jehoshaphat)	D	Kind	S	from:	to:
2854. 6. 7. 2869.12.29. *	0	*		40	40
2854. 6. 7. 2869.12.29. * 10	B			40	40
	0	*		0	0
2854. 6. 7. 2869.12.29. *	0	*		0	40

16492 Bytes free.

(606th/691) position: 2894. 6. 7. 2907.12.29. E Jehoram (Jehoshaphat) 40  
 Forward relations for entry Jehoram (Jehoshaphat) (40/120) are generated.  
 Backward relations for entry Ahaziah (Joram) (35/120) are generated.  
 Optimize dates...

Jehoram (Jehoshaphat)	D	Kind	S	from:	to:
2894. 6. 7. 2907.12.29. E	0	E		40	40
2894. 6. 7. 2909.12.29. E	6	B		40	40
2893. 6. 1. 2907.12.29. E	7	B		35	40
2894. 6. 7. 2907.12.29. +	0	+		40	40
	0	E		0	0
2894. 6. 7. 2907.12.29. E	0	E		0	40
2894. 6. 7. 2907.12.29.	692nd position to B	Ahaziah (Joram)			35

16492 Bytes free.

(607th/692) position: 2890. 6. 7. 2903.12.29. α Joram (Ahab) 37  
 Forward relations for entry Joram (Ahab) (37/120) are generated.  
 Backward relations for entry Jehu (33/120) are generated.  
 Backward relations for entry Athaliah (34/120) are generated.  
 Forward relations for entry Joram (Ahab) (38/120) are generated.  
 Optimize dates...

Joram (Ahab)	D	Kind	S	from:	to:
2890. 6. 7. 2903.12.29. α	0	α		37	37
2890. 6. 7. 2903.12.29. α	1	E		41	37
2890. 6. 7. ≥	α	2	E	43	37
2888. 6. 7. 2903.12.29. α	3	B		40	37
2888. 6. 7. 2905.12.29. α	4	B		42	37
	0	α		0	0
2890. 6. 7. 2903.12.29. α	0	α		0	37

16492 Bytes free.

(608th/692) position: 2857. 6. 7. 2872.12.29. B Omri 45  
 Forward relations for entry Omri (45/120) are generated.  
 Backward relations for entry Ahab (44/120) are generated.  
 Optimize dates...

Omri	D	Kind	S	from:	to:
2857. 6. 7. 2872.12.29. B	0	B		45	45
2857. 6. 7. 2872.12.29. B	2	E		47	45
2855. 6. 7. 2872.12.29. B	6	E		45	45
	0	B		0	0
2857. 6. 7. 2872.12.29. B	0	B		0	45



16492 Bytes free.  
 (609th/692) position: 2889. 6. 7. 2902.12.29. E Ahab 44  
 Forward relations for entry Ahab (44/120) are generated.  
 Backward relations for entry Ahaziah (Ahab) (41/120) are generated.  
 Backward relations for entry Elijah (43/120) are generated.  
 Optimize dates...

Ahab	D	Kind	S	from:	to:†
2889. 6. 7. 2902.12.29.	E	0	E	44	44
2868. 6. 7. ≥	E	2	B	43	44
2889. 6. 7. 2904.12.29.	E	5	B	44	44
2889. 6. 7. 2902.12.29.	E	7	B	41	44
2889. 6. 7. 2902.12.29. +	0	+		44	44
	0	E		0	0
2889. 6. 7. 2902.12.29.	E	0	E	0	44

16492 Bytes free.  
 (610th/692) position: 2868. 6. 7. 2902.12.29. B Elijah 43  
 Forward relations for entry Elijah (43/120) are generated.  
 Backward relations for entry Elisha (39/120) are generated.  
 Backward relations for entry Joram (Ahab) (37/120) are generated.  
 Backward relations for entry Ahab (44/120) are generated.  
 Optimize dates...

Elijah	D	Kind	S	from:	to:†
2868. 6. 7. 2902.12.29.	B	0	B	43	43
2868. 6. 7. ≥	B	1	B	44	43
≤ 2902.12.29.	B	8	E	44	43
	0	B		0	0
2868. 6. 7. 2902.12.29.	B	0	B	0	43

16492 Bytes free.  
 (611th/692) position: 2868. 6. 7. 2881.12.29. B Ahab 44  
 Forward relations for entry Ahab (44/120) are generated.  
 Backward relations for entry Ahaziah (Ahab) (41/120) are generated.  
 Backward relations for entry Elijah (43/120) are generated.  
 Optimize dates...

Ahab	D	Kind	S	from:	to:†
2868. 6. 7. 2881.12.29.	B	0	B	44	44
2868. 6. 7. 2883.12.29.	B	1	E	45	44
2867. 6. 1. 2885.12.29.	B	3	B	51	44
2866. 6. 7. 2881.12.29.	B	5	E	44	44
≤ 2902.12.29.	B	7	B	43	44
2866. 6. 7. 2883.12.29.	B	9	B	42	44
	0	B		0	0
2868. 6. 7. 2881.12.29.	B	0	B	0	44
2868. 6. 7. 2881.12.29.				693rd position to E Omri	45
2830. 6. 1. 2844.12.29.				694th position to B Asa	51

16492 Bytes free.  
 (612th/694) position: 2889. 6. 7. 2902.12.29. B Ahaziah (Ahab) 41  
 Forward relations for entry Ahaziah (Ahab) (41/120) are generated.  
 Backward relations for entry Joram (Ahab) (37/120) are generated.  
 Backward relations for entry Elijah (43/120) are generated.  
 Optimize dates...

Ahaziah (Ahab)	D	Kind	S	from:	to:†
2889. 6. 7. 2902.12.29.	B	0	B	41	41
2889. 6. 7. 2902.12.29.	B	1	E	44	41
2887. 6. 7. 2904.12.29.	B	3	B	42	41
2887. 6. 7. 2902.12.29.	B	5	E	41	41

```

                0 B      0      0||
2889. 6. 7. 2902.12.29. B 0 B      0      41||

```

16492 Bytes free.

```

(613th/694) position: 2890. 6. 7. 2903.12.29. E Ahaziah (Ahab)      41
Forward relations for entry Ahaziah (Ahab)      (41/120) are generated.
Backward relations for entry Joram (Ahab)      (37/120) are generated.
Backward relations for entry Elijah      (43/120) are generated.

```

Optimize dates...

```

Ahaziah (Ahab)      D Knd S      from:      to:|
2890. 6. 7. 2903.12.29. E 0 E      41      41||
2890. 6. 7. 2905.12.29. E 5 B      41      41||
2890. 6. 7. 2903.12.29. E 7 α      37      41||
                ≤ 2903.12.29. E 8 E      43      41||
2890. 6. 7. 2903.12.29. + 0 +      41      41||
                0 E      0      0||
2890. 6. 7. 2903.12.29. E 0 E      0      41||

```

16492 Bytes free.

```

(614th/694) position: 2871. 6. 7. 2886.12.29. B Jehoshaphat      42
Forward relations for entry Jehoshaphat      (42/120) are generated.
Backward relations for entry Jehoram (Jehoshaphat) (40/120) are generated.

```

Optimize dates...

```

Jehoshaphat      D Knd S      from:      to:|
2871. 6. 7. 2886.12.29. B 0 B      42      42||
2871. 6. 7. 2886.12.29. B 1 E      51      42||
2871. 6. 7. 2886.12.29. B 3 B      44      42||
2869. 6. 7. 2886.12.29. B 4 *      42      42||
2869. 6. 7. 2888.12.29. B 6 E      42      42||
2871. 6. 7. 2886.12.29. B 9 B      41      42||
2871. 6. 7. 2886.12.29. B 10 α      37      42||
                0 B      0      0||
2871. 6. 7. 2886.12.29. B 0 B      0      42||

```

16492 Bytes free.

```

(615th/694) position: 2871. 6. 7. 2886.12.29. E Asa      51
Forward relations for entry Asa      (51/120) are generated.
Backward relations for entry Jehoshaphat      (42/120) are generated.

```

Optimize dates...

```

Asa      D Knd S      from:      to:|
2871. 6. 7. 2886.12.29. E 0 E      51      51||
2870. 6. 1. 2886.12.29. E 5 B      51      51||
2871. 6. 7. 2886.12.29. E 7 B      42      51||
2871. 6. 7. 2886.12.29. + 0 +      51      51||
                0 E      0      0||
2871. 6. 7. 2886.12.29. E 0 E      0      51||

```

16492 Bytes free.

```

(616th/694) position: 2835. 6. 7. 2852.12.29. * Jehoshaphat      42
Forward relations for entry Jehoshaphat      (42/120) are generated.
Backward relations for entry Jehoram (Jehoshaphat) (40/120) are generated.

```

Optimize dates...

```

Jehoshaphat      D Knd S      from:      to:|
2835. 6. 7. 2852.12.29. * 0 *      42      42||
2835. 6. 7. 2852.12.29. * 10 B      42      42||
                0 *      0      0||
2835. 6. 7. 2852.12.29. * 0 *      0      42||

```

16492 Bytes free.  
 (617th/694) position: 2895. 6. 7. 2912.12.29. E Jehoshaphat 42  
 Forward relations for entry Jehoshaphat (42/120) are generated.  
 Backward relations for entry Jehoram (Jehoshaphat) (40/120) are generated.  
 Optimize dates...

Jehoshaphat	D	Kind	S	from:	to:
2895. 6. 7. 2912.12.29.	E	0	E	42	42
2895. 6. 7. 2912.12.29.	E	6	B	42	42
2893.10. 1. 2919. 6.30.	E	7	α	40	42
2895. 6. 7. 2912.12.29.	+	0	+	42	42
		0	E	0	0
2895. 6. 7. 2912.12.29.	E	0	E	0	42
2895. 6. 7. 2912.12.29.				695th position to α Jehoram (Jehoshaphat)	40

16492 Bytes free.  
 (618th/695) position: 2890. 6. 7. 2903.12.29. E Ahaziah (Ahab) 41  
 Forward relations for entry Ahaziah (Ahab) (41/120) are generated.  
 Backward relations for entry Joram (Ahab) (37/120) are generated.  
 Backward relations for entry Elijah (43/120) are generated.  
 Optimize dates...

Ahaziah (Ahab)	D	Kind	S	from:	to:
2890. 6. 7. 2903.12.29.	E	0	E	41	41
2890. 6. 7. 2905.12.29.	E	5	B	41	41
2890. 6. 7. 2903.12.29.	E	7	α	37	41
≤ 2903.12.29.	E	8	E	43	41
2890. 6. 7. 2903.12.29.	+	0	+	41	41
		0	E	0	0
2890. 6. 7. 2903.12.29.	E	0	E	0	41

16492 Bytes free.  
 (619th/695) position: 2889. 6. 7. 2902.12.29. B Ahaziah (Ahab) 41  
 Forward relations for entry Ahaziah (Ahab) (41/120) are generated.  
 Backward relations for entry Joram (Ahab) (37/120) are generated.  
 Backward relations for entry Elijah (43/120) are generated.  
 Optimize dates...

Ahaziah (Ahab)	D	Kind	S	from:	to:
2889. 6. 7. 2902.12.29.	B	0	B	41	41
2889. 6. 7. 2902.12.29.	B	1	E	44	41
2887. 6. 7. 2904.12.29.	B	3	B	42	41
2887. 6. 7. 2902.12.29.	B	5	E	41	41
		0	B	0	0
2889. 6. 7. 2902.12.29.	B	0	B	0	41

16492 Bytes free.  
 (620th/695) position: 2890. 6. 7. 2903.12.29. α Joram (Ahab) 37  
 Forward relations for entry Joram (Ahab) (37/120) are generated.  
 Backward relations for entry Jehu (33/120) are generated.  
 Backward relations for entry Athaliah (34/120) are generated.  
 Forward relations for entry Joram (Ahab) (38/120) are generated.  
 Optimize dates...

Joram (Ahab)	D	Kind	S	from:	to:
2890. 6. 7. 2903.12.29.	α	0	α	37	37
2890. 6. 7. 2903.12.29.	α	1	E	41	37
2890. 6. 7. ≥	α	2	E	43	37
2888. 6. 7. 2903.12.29.	α	3	B	40	37
2888. 6. 7. 2905.12.29.	α	4	B	42	37
		0	α	0	0
2890. 6. 7. 2903.12.29.	α	0	α	0	37

16492 Bytes free.

(621st/695) position: 2890. 6. 7. 2903.12.29. E Elijah 43

Forward relations for entry Elijah (43/120) are generated.

Backward relations for entry Elisha (39/120) are generated.

Backward relations for entry Joram (Ahab) (37/120) are generated.

Backward relations for entry Ahab (44/120) are generated.

Optimize dates...

Elijah	D	Kind	S	from:	to:
2890. 6. 7. 2903.12.29.	E	0	E	43	43
2890. 6. 7. >	E	2	E	41	43
2890. 6. 7. 2903.12.29.	E	7	B	39	43
≤ 2903.12.29.	E	8	α	37	43
2890. 6. 7. 2903.12.29.	+	0	+	43	43
		0	E	0	0
2890. 6. 7. 2903.12.29.	E	0	E	0	43

16492 Bytes free.

(622nd/695) position: 2857. 6. 7. 2872.12.29. E Zimri 47

Forward relations for entry Zimri (47/120) are generated.

Backward relations for entry Tibni (46/120) are generated.

Backward relations for entry Omri (45/120) are generated.

Optimize dates...

Zimri	D	Kind	S	from:	to:
2857. 6. 7. 2872.12.29.	E	0	E	47	47
2857. 6. 7. 2873. 1. 1.	E	5	B	47	47
2857. 6. 7. 2872.12.29.	E	7	B	46	47
2857. 6. 7. 2872.12.29.	E	8	B	45	47
2857. 6. 7. 2872.12.29.	+	0	+	47	47
		0	E	0	0
2857. 6. 7. 2872.12.29.	E	0	E	0	47

16492 Bytes free.

(623rd/695) position: 2857. 6. 1. 2872.12.23. B Zimri 47

Forward relations for entry Zimri (47/120) are generated.

Backward relations for entry Tibni (46/120) are generated.

Backward relations for entry Omri (45/120) are generated.

Optimize dates...

Zimri	D	Kind	S	from:	to:
2857. 6. 1. 2872.12.23.	B	0	B	47	47
2857. 6. 1. 2874.12.29.	B	1	E	48	47
2856. 6. 1. 2872.12.29.	B	3	B	51	47
2857. 5.29. 2872.12.23.	B	5	E	47	47
		0	B	0	0
2857. 6. 1. 2872.12.23.	B	0	B	0	47
2857. 6. 1. 2872.12.23.				696th position to	E Elah 48

16492 Bytes free.

(624th/696) position: 2857. 6. 7. 2872.12.29. B Tibni 46

Forward relations for entry Tibni (46/120) are generated.

Backward relations for entry Omri (45/120) are generated.

Optimize dates...

Tibni	D	Kind	S	from:	to:
2857. 6. 7. 2872.12.29.	B	0	B	46	46
2857. 6. 7. 2872.12.29.	B	1	E	47	46
		0	B	0	0
2857. 6. 7. 2872.12.29.	B	0	B	0	46

16492 Bytes free.  
 (625th/696) position: 2857. 6. 7. 2872.12.29. B Omri 45  
 Forward relations for entry Omri (45/120) are generated.  
 Backward relations for entry Ahab (44/120) are generated.  
 Optimize dates...

Omri	D	Kind	S	from:	to:	
2857. 6. 7. 2872.12.29.	B	0	B	45	45	
2857. 6. 7. 2872.12.29.	B	2	E	47	45	
2855. 6. 7. 2870.12.29.	B	6	E	45	45	
2Y		0	B	0	0	
2857. 6. 7. 2870.12.29.	B	0	B	0	45	
2857. 6. 7. 2870.12.29.				697th position to B Omri		45
2857. 6. 7. 2870.12.29.				698th position to E Zimri		47

16492 Bytes free.  
 (626th/698) position: 2868. 6. 7. 2881.12.29. E Omri 45  
 Forward relations for entry Omri (45/120) are generated.  
 Backward relations for entry Ahab (44/120) are generated.  
 Optimize dates...

Omri	D	Kind	S	from:	to:	
2868. 6. 7. 2881.12.29.	E	0	E	45	45	
2868. 6. 7. 2883.12.29.	E	6	B	45	45	
2868. 6. 7. 2881.12.29.	E	7	B	44	45	
2868. 6. 7. 2881.12.29.	+	0	+	45	45	
		0	E	0	0	
2868. 6. 7. 2881.12.29.	E	0	E	0	45	

16492 Bytes free.  
 (627th/698) position: 2868. 6. 7. 2881.12.29. E Omri 45  
 Forward relations for entry Omri (45/120) are generated.  
 Backward relations for entry Ahab (44/120) are generated.  
 Optimize dates...

Omri	D	Kind	S	from:	to:	
2868. 6. 7. 2881.12.29.	E	0	E	45	45	
2868. 6. 7. 2883.12.29.	E	6	B	45	45	
2868. 6. 7. 2881.12.29.	E	7	B	44	45	
2868. 6. 7. 2881.12.29.	+	0	+	45	45	
		0	E	0	0	
2868. 6. 7. 2881.12.29.	E	0	E	0	45	

16492 Bytes free.  
 (628th/698) position: 2857. 6. 7. 2870.12.29. B Omri 45  
 Forward relations for entry Omri (45/120) are generated.  
 Backward relations for entry Ahab (44/120) are generated.  
 Optimize dates...

Omri	D	Kind	S	from:	to:	
2857. 6. 7. 2870.12.29.	B	0	B	45	45	
2857. 6. 7. 2870.12.29.	B	2	E	47	45	
2855. 6. 7. 2870.12.29.	B	6	E	45	45	
		0	B	0	0	
2857. 6. 7. 2870.12.29.	B	0	B	0	45	

16492 Bytes free.  
 (629th/698) position: 2868. 6. 7. 2881.12.29. B Ahab 44  
 Forward relations for entry Ahab (44/120) are generated.  
 Backward relations for entry Ahaziah (Ahab) (41/120) are generated.  
 Backward relations for entry Elijah (43/120) are generated.  
 Optimize dates...

Ahab		D	Kind	S	from:	to:†
2868.	6.	7.	2881.12.29.	B 0 B	44	44
2868.	6.	7.	2881.12.29.	B 1 E	45	44
2867.	6.	1.	2883.12.29.	B 3 B	51	44
2866.	6.	7.	2881.12.29.	B 5 E	44	44
			≤ 2902.12.29.	B 7 B	43	44
2866.	6.	7.	2883.12.29.	B 9 B	42	44
				0 B	0	0
2868.	6.	7.	2881.12.29.	B 0 B	0	44

16492 Bytes free.

(630th/698) position: 2857. 6. 1. 2872.12.23. E Elah 48

Forward relations for entry Elah (48/120) are generated.

Backward relations for entry Zimri (47/120) are generated.

Optimize dates...

Elah		D	Kind	S	from:	to:†
2857.	6.	1.	2872.12.23.	E 0 E	48	48
2857.	6.	1.	2881. 2.23.	E 5 B	48	48
2857.	6.	1.	2872.12.23.	E 7 B	47	48
2857.	6.	1.	2872.12.23.	+ 0 +	48	48
2856.	6.	1.	2872.12.29.	+ 4 B	51	48
				0 E	0	0
2857.	6.	1.	2872.12.23.	E 0 E	0	48
2856.	6.	1.	2871.12.23.	699th position to B Elah		48

16492 Bytes free.

(631st/699) position: 2856. 6. 1. 2871.12.23. B Elah 48

Forward relations for entry Elah (48/120) are generated.

Backward relations for entry Zimri (47/120) are generated.

Optimize dates...

Elah		D	Kind	S	from:	to:†
2856.	6.	1.	2871.12.23.	B 0 B	48	48
2856.	6.	1.	2878. 2.29.	B 1 E	49	48
2855.	6.	1.	2871.12.29.	B 3 B	51	48
2854.	6.	1.	2871.12.23.	B 5 E	48	48
				0 B	0	0
2856.	6.	1.	2871.12.23.	B 0 B	0	48
2856.	6.	1.	2871.12.23.	700th position to E Baasha		49

16492 Bytes free.

(632nd/700) position: 2871. 6. 7. 2886.12.29. B Jehoshaphat 42

Forward relations for entry Jehoshaphat (42/120) are generated.

Backward relations for entry Jehoram (Jehoshaphat) (40/120) are generated.

Optimize dates...

Jehoshaphat		D	Kind	S	from:	to:†
2871.	6.	7.	2886.12.29.	B 0 B	42	42
2871.	6.	7.	2886.12.29.	B 1 E	51	42
2871.	6.	7.	2886.12.29.	B 3 B	44	42
2869.	6.	7.	2888.12.29.	B 4 *	42	42
2869.	6.	7.	2888.12.29.	B 6 E	42	42
2871.	6.	7.	2886.12.29.	B 9 B	41	42
2871.	6.	7.	2886.12.29.	B 10 α	37	42
				0 B	0	0
2871.	6.	7.	2886.12.29.	B 0 B	0	42

16492 Bytes free.

(633rd/700) position: 2871. 6. 7. 2886.12.29. E Asa 51

Forward relations for entry Asa (51/120) are generated.

Backward relations for entry Jehoshaphat (42/120) are generated.  
Optimize dates...

Asa	D	Kind	S	from:	to:
2871. 6. 7. 2886.12.29.	E	0	E	51	51
2870. 6. 1. 2886.12.29.	E	5	B	51	51
2871. 6. 7. 2886.12.29.	E	7	B	42	51
2871. 6. 7. 2886.12.29.	+	0	+	51	51
		0	E	0	0
2871. 6. 7. 2886.12.29.	E	0	E	0	51

16492 Bytes free.

(634th/700) position: 2835. 6. 7. 2852.12.29. \* Jehoshaphat 42

Forward relations for entry Jehoshaphat (42/120) are generated.

Backward relations for entry Jehoram (Jehoshaphat) (40/120) are generated.

Optimize dates...

Jehoshaphat	D	Kind	S	from:	to:
2835. 6. 7. 2852.12.29.	*	0	*	42	42
2835. 6. 7. 2852.12.29.	*	10	B	42	42
		0	*	0	0
2835. 6. 7. 2852.12.29.	*	0	*	0	42

16492 Bytes free.

(635th/700) position: 2895. 6. 7. 2912.12.29. E Jehoshaphat 42

Forward relations for entry Jehoshaphat (42/120) are generated.

Backward relations for entry Jehoram (Jehoshaphat) (40/120) are generated.

Optimize dates...

Jehoshaphat	D	Kind	S	from:	to:
2895. 6. 7. 2912.12.29.	E	0	E	42	42
2895. 6. 7. 2912.12.29.	E	6	B	42	42
2895. 6. 7. 2912.12.29.	E	7	α	40	42
2895. 6. 7. 2912.12.29.	+	0	+	42	42
		0	E	0	0
2895. 6. 7. 2912.12.29.	E	0	E	0	42

16492 Bytes free.

(636th/700) position: 2830. 6. 1. 2844.12.29. B Asa 51

Forward relations for entry Asa (51/120) are generated.

Backward relations for entry Jehoshaphat (42/120) are generated.

Optimize dates...

Asa	D	Kind	S	from:	to:
2830. 6. 1. 2844.12.29.	B	0	B	51	51
2830. 6. 1. 2851. 2.29.	B	1	E	52	51
2834. 8.15. 2851. 2.29.	B	3	B	53	51
2829. 6. 7. 2846.12.29.	B	5	E	51	51
2829. 6. 7. 2844.12.29.	B	9	B	44	51
2828. 6. 1. 2853. 2.29.	B	9	α	45	51
2829. 6. 1. 2846.12.23.	B	9	B	47	51
2829. 6. 1. 2846.12.23.	B	9	B	48	51
2829. 6. 1. 2853. 2.29.	B	9	B	49	51
2829. 6. 1. 2852. 2.29.	B	9	B	50	51
2829. 6. 1. 2846.12.23.	B	10	+	48	51
2829. 6. 1. 2853. 2.29.	B	10	+	50	51
4Y 2M14D		0	B	0	0
2834. 8.15. 2844.12.29.	B	0	B	0	51
2834. 8.15. 2844.12.29.				701st position to B Asa	51
2834. 8.15. 2844.12.29.				702nd position to E Abijam = Abijah	52
2815. 8.15. 2825.12.29.				703rd position to B Jeroboam (Nebat)	53
2874. 8.15. 2886.12.29.				704th position to E Asa	51

2871.	8.15.	2881.12.29.	705th position to B Ahab	44
2864.	8.15.	2876.12.29.	706th position to α Omri	45
2860.	8.15.	2872.12.23.	707th position to B Zimri	47
2859.	8.15.	2871.12.23.	708th position to B Elah	48
2836.	8.15.	2848.12.29.	709th position to B Baasha	49
2835.	8.15.	2847.12.29.	710th position to B Nadab	50
2860.	8.15.	2872.12.23.	711th position to + Elah	48
2836.	8.15.	2848.12.29.	712th position to + Nadab	50

16492 Bytes free.

(637th/712) position: 2889. 6. 7. 2902.12.29. E Ahab 44

Forward relations for entry Ahab (44/120) are generated.

Backward relations for entry Ahaziah (Ahab) (41/120) are generated.

Backward relations for entry Elijah (43/120) are generated.

Optimize dates...

Ahab	D	Kind	S	from:	to:	
2889. 6. 7. 2902.12.29.	E	0	E	44	44	
2868. 6. 7. ≥	E	2	B	43	44	
2892. 8.15. 2904.12.29.	E	5	B	44	44	
2889. 6. 7. 2902.12.29.	E	7	B	41	44	
2889. 6. 7. 2902.12.29. +	0	+		44	44	
3Y 2M 8D	0	E		0	0	
2892. 8.15. 2902.12.29.	E	0	E	0	44	
2892. 8.15. 2902.12.29.				713th position to E Ahab		44
2892. 8.15. 2902.12.29.				714th position to B Ahaziah (Ahab)		41

16492 Bytes free.

(638th/714) position: 2868. 6. 7. 2902.12.29. B Elijah 43

Forward relations for entry Elijah (43/120) are generated.

Backward relations for entry Elisha (39/120) are generated.

Backward relations for entry Joram (Ahab) (37/120) are generated.

Backward relations for entry Ahab (44/120) are generated.

Optimize dates...

Elijah	D	Kind	S	from:	to:	
2868. 6. 7. 2902.12.29.	B	0	B	43	43	
2871. 8.15. ≥	B	1	B	44	43	
≤ 2902.12.29.	B	8	E	44	43	
3Y 2M 8D	0	B		0	0	
2871. 8.15. 2902.12.29.	B	0	B	0	43	
2871. 8.15. 2902.12.29.				715th position to B Elijah		43

16492 Bytes free.

(639th/715) position: 2892. 8.15. 2902.12.29. E Ahab 44

Forward relations for entry Ahab (44/120) are generated.

Backward relations for entry Ahaziah (Ahab) (41/120) are generated.

Backward relations for entry Elijah (43/120) are generated.

Optimize dates...

Ahab	D	Kind	S	from:	to:	
2892. 8.15. 2902.12.29.	E	0	E	44	44	
2871. 8.15. ≥	E	2	B	43	44	
2892. 8.15. 2904.12.29.	E	5	B	44	44	
2892. 8.15. 2902.12.29.	E	7	B	41	44	
2892. 8.15. 2902.12.29. +	0	+		44	44	
	0	E		0	0	
2892. 8.15. 2902.12.29.	E	0	E	0	44	

16492 Bytes free.

(640th/715) position: 2871. 8.15. 2902.12.29. B Elijah 43



Forward relations for entry Elijah (43/120) are generated.  
 Backward relations for entry Elisha (39/120) are generated.  
 Backward relations for entry Joram (Ahab) (37/120) are generated.  
 Backward relations for entry Ahab (44/120) are generated.  
 Optimize dates...

Elijah		D	Kind	S	from:	to:
2871. 8.15.	2902.12.29.	B	0	B	43	43
2871. 8.15.≥		B	1	B	44	43
	≤ 2902.12.29.	B	8	E	44	43
			0	B	0	0
2871. 8.15.	2902.12.29.	B	0	B	0	43

16492 Bytes free.

(641st/715) position: 2871. 8.15. 2881.12.29. B Ahab 44  
 Forward relations for entry Ahab (44/120) are generated.  
 Backward relations for entry Ahaziah (Ahab) (41/120) are generated.  
 Backward relations for entry Elijah (43/120) are generated.  
 Optimize dates...

Ahab		D	Kind	S	from:	to:
2871. 8.15.	2881.12.29.	B	0	B	44	44
2868. 6. 7.	2881.12.29.	B	1	E	45	44
2871. 8.15.	2883.12.29.	B	3	B	51	44
2869. 8.15.	2881.12.29.	B	5	E	44	44
	≤ 2902.12.29.	B	7	B	43	44
2866. 6. 7.	2883.12.29.	B	9	B	42	44
			0	B	0	0
2871. 8.15.	2881.12.29.	B	0	B	0	44
2871. 8.15.	2881.12.29.				716th position to E Omri	45
2874. 8.15.	2886.12.29.				717th position to B Jehoshaphat	42

16492 Bytes free.

(642nd/717) position: 2892. 8.15. 2902.12.29. B Ahaziah (Ahab) 41  
 Forward relations for entry Ahaziah (Ahab) (41/120) are generated.  
 Backward relations for entry Joram (Ahab) (37/120) are generated.  
 Backward relations for entry Elijah (43/120) are generated.  
 Optimize dates...

Ahaziah (Ahab)		D	Kind	S	from:	to:
2892. 8.15.	2902.12.29.	B	0	B	41	41
2892. 8.15.	2902.12.29.	B	1	E	44	41
2890. 8.15.	2904.12.29.	B	3	B	42	41
2887. 6. 7.	2902.12.29.	B	5	E	41	41
			0	B	0	0
2892. 8.15.	2902.12.29.	B	0	B	0	41
2893. 8.15.	2903.12.29.				718th position to E Ahaziah (Ahab)	41

16492 Bytes free.

(643rd/718) position: 2860. 8.15. 2872.12.23. B Zimri 47  
 Forward relations for entry Zimri (47/120) are generated.  
 Backward relations for entry Tibni (46/120) are generated.  
 Backward relations for entry Omri (45/120) are generated.  
 Optimize dates...

Zimri		D	Kind	S	from:	to:
2860. 8.15.	2872.12.23.	B	0	B	47	47
2860. 8.15.	2872.12.23.	B	1	E	48	47
2860. 8.15.	2872.12.29.	B	3	B	51	47
2857. 5.29.	2870.12.23.	B	5	E	47	47
	2Y		0	B	0	0
2860. 8.15.	2870.12.23.	B	0	B	0	47

2860. 8.15. 2870.12.23. 719th position to B Zimri 47  
 2860. 8.15. 2870.12.23. 720th position to E Elah 48  
 2834. 8.15. 2844.12.23. 721st position to B Asa 51  
 2860. 8.21. 2870.12.29. 722nd position to E Zimri 47

16492 Bytes free.

(644th/722) position: 2860. 8.15. 2870.12.23. E Elah 48  
 Forward relations for entry Elah (48/120) are generated.  
 Backward relations for entry Zimri (47/120) are generated.  
 Optimize dates...

Elah	D	Kind	S	from:	to:†	
2860. 8.15. 2870.12.23.	E	0	E	48	48	
2860. 8.15. 2874.12.23.	E	5	B	48	48	
2860. 8.15. 2870.12.23.	E	7	B	47	48	
2860. 8.15. 2870.12.23.	+	0	+	48	48	
2860. 8.15. 2872.12.23.	+	4	B	51	48	
		0	E	0	0	
2860. 8.15. 2870.12.23.	E	0	E	0	48	
2859. 8.15. 2869.12.23.				723rd position to B Elah		48

16492 Bytes free.

(645th/723) position: 2860. 8.21. 2870.12.29. E Zimri 47  
 Forward relations for entry Zimri (47/120) are generated.  
 Backward relations for entry Tibni (46/120) are generated.  
 Backward relations for entry Omri (45/120) are generated.  
 Optimize dates...

Zimri	D	Kind	S	from:	to:†	
2860. 8.21. 2870.12.29.	E	0	E	47	47	
2860. 8.21. 2871. 1. 1.	E	5	B	47	47	
2857. 6. 7. 2872.12.29.	E	7	B	46	47	
2857. 6. 7. 2870.12.29.	E	8	B	45	47	
2860. 8.21. 2870.12.29.	+	0	+	47	47	
		0	E	0	0	
2860. 8.21. 2870.12.29.	E	0	E	0	47	
2860. 8.21. 2870.12.29.				724th position to B Tibni		46
2860. 8.21. 2870.12.29.				725th position to B Omri		45

16492 Bytes free.

(646th/725) position: 2860. 8.21. 2870.12.29. E Zimri 47  
 Forward relations for entry Zimri (47/120) are generated.  
 Backward relations for entry Tibni (46/120) are generated.  
 Backward relations for entry Omri (45/120) are generated.  
 Optimize dates...

Zimri	D	Kind	S	from:	to:†	
2860. 8.21. 2870.12.29.	E	0	E	47	47	
2860. 8.21. 2871. 1. 1.	E	5	B	47	47	
2860. 8.21. 2870.12.29.	E	7	B	46	47	
2860. 8.21. 2870.12.29.	E	8	B	45	47	
2860. 8.21. 2870.12.29.	+	0	+	47	47	
		0	E	0	0	
2860. 8.21. 2870.12.29.	E	0	E	0	47	

16492 Bytes free.

(647th/725) position: 2860. 8.15. 2870.12.23. B Zimri 47  
 Forward relations for entry Zimri (47/120) are generated.  
 Backward relations for entry Tibni (46/120) are generated.  
 Backward relations for entry Omri (45/120) are generated.  
 Optimize dates...

Zimri		D	Kind	S	from:	to:
2860. 8.15.	2870.12.23.	B	0	B	47	47
2860. 8.15.	2870.12.23.	B	1	E	48	47
2860. 8.15.	2872.12.23.	B	3	B	51	47
2860. 8.13.	2870.12.23.	B	5	E	47	47
			0	B	0	0
2860. 8.15.	2870.12.23.	B	0	B	0	47

16492 Bytes free.

(648th/725) position: 2860. 8.21. 2870.12.29. B Tibni 46  
 Forward relations for entry Tibni (46/120) are generated.  
 Backward relations for entry Omri (45/120) are generated.  
 Optimize dates...

Tibni		D	Kind	S	from:	to:
2860. 8.21.	2870.12.29.	B	0	B	46	46
2860. 8.21.	2870.12.29.	B	1	E	47	46
			0	B	0	0
2860. 8.21.	2870.12.29.	B	0	B	0	46

16492 Bytes free.

(649th/725) position: ≤ 2589.10.30. E Deborah and Barak 75  
 Forward relations for entry Deborah and Barak (75/120) are generated.  
 Backward relations for entry Midianites (74/120) are generated.  
 Optimize dates...

Deborah and Barak		D	Kind	S	from:	to:
	≤ 2589.10.30.	E	0	E	75	75
2545. 3. 1. ≥		E	5	B	75	75
	≤ 2589.10.30.	E	7	B	74	75
2544Y 2M			0	E	0	0
2545. 3. 1.	2589.10.30.	E	0	E	0	75
2545. 3. 1.	2589.10.30.				726th position to E Deborah and Barak	75
2506. 3. 1.	2550.10.30.				727th position to B Deborah and Barak	75
2545. 3. 1.	2589.10.30.				728th position to B Midianites	74

16492 Bytes free.

(650th/728) position: 2506. 3. 1. 2550.10.30. B Deborah and Barak 75  
 Forward relations for entry Deborah and Barak (75/120) are generated.  
 Backward relations for entry Midianites (74/120) are generated.  
 Optimize dates...

Deborah and Barak		D	Kind	S	from:	to:
2506. 3. 1.	2550.10.30.	B	0	B	75	75
2506. 3. 1. ≥		B	1	E	76	75
2504. 3. 1.	2550.10.30.	B	5	E	75	75
			0	B	0	0
2506. 3. 1.	2550.10.30.	B	0	B	0	75
2506. 3. 1.	2550.10.30.				729th position to E Sisera	76

16492 Bytes free.

(651st/729) position: 2487.11. 1. ≥ B Sisera 76  
 Forward relations for entry Sisera (76/120) are generated.  
 Backward relations for entry Deborah and Barak (75/120) are generated.  
 Optimize dates...

Sisera		D	Kind	S	from:	to:
2487.11. 1. ≥		B	0	B	76	76
2487.11. 1. ≥		B	1	E	77	76
2485. 3. 1.	2531.10.30.	B	5	E	76	76
	2530Y 9M29D		0	B	0	0
2487.11. 1.	2531.10.30.	B	0	B	0	76

2487.11. 1.	2531.10.30.	730th position to B Sisera	76
2487.11. 1.	2531.10.30.	731st position to E Ehud	77
2506.11. 1.	2550.10.30.	732nd position to E Sisera	76

16492 Bytes free.

(652nd/732) position: 1338. 1.15. 1348.12.29. \* Salah 104  
 Forward relations for entry Salah (104/120) are generated.

Optimize dates...

Salah	D	Kind	S	from:	to:	
1338. 1.15. 1348.12.29.	*	0	*	104	104	
1338. 1.15. 1355. 1. 7.	*	3	*	105	104	
1336. 1.15. 1348.12.29.	*	9	*	103	104	
1336. 1.15. 1357. 1. 7.	*	9	+	106	104	
		0	*	0	0	
1338. 1.15. 1348.12.29.	*	0	*	0	104	
1304. 1.15. 1314.12.29.				733rd position to * Arphaxad		105
1740. 1.15. 1752.12.29.				734th position to + Arphaxad		106

16492 Bytes free.

(653rd/734) position: 1769. 1.15. 1781.12.29. + Salah 104  
 Forward relations for entry Salah (104/120) are generated.

Optimize dates...

Salah	D	Kind	S	from:	to:	
1769. 1.15. 1781.12.29.	+	0	+	104	104	
1769. 1.15. 1781.12.29.	+	4	*	103	104	
		0	+	0	0	
1769. 1.15. 1781.12.29.	+	0	+	0	104	

16492 Bytes free.

(654th/734) position: 2992. 3.22. 3007. 9.29. E Shallum 24  
 Forward relations for entry Shallum (24/120) are generated.  
 Backward relations for entry Menahem (23/120) are generated.

Optimize dates...

Shallum	D	Kind	S	from:	to:	
2992. 3.22. 3007. 9.29.	E	0	E	24	24	
2992. 3.22. 3007. 9.29.	E	5	B	24	24	
2992. 3.22. 3007. 9.29.	E	7	B	23	24	
2992. 3.22. 3007. 9.29.	+	0	+	24	24	
		0	E	0	0	
2992. 3.22. 3007. 9.29.	E	0	E	0	24	

16492 Bytes free.

(655th/734) position: 2992. 3.22. 3007. 7.29. E Zachariah 25  
 Forward relations for entry Zachariah (25/120) are generated.  
 Backward relations for entry Shallum (24/120) are generated.

Optimize dates...

Zachariah	D	Kind	S	from:	to:	
2992. 3.22. 3007. 7.29.	E	0	E	25	25	
2991. 9. 1. 3007. 7.29.	E	5	B	25	25	
2992. 3.22. 3007. 7.29.	E	7	B	24	25	
2992. 3.22. 3007. 7.29.	+	0	+	25	25	
		0	E	0	0	
2992. 3.22. 3007. 7.29.	E	0	E	0	25	
2991. 8.22. 3006.12.29.				735th position to B Zachariah		25

16492 Bytes free.

(656th/735) position: 2347. 1.15. > B Chushanrishathaim 80  
 Forward relations for entry Chushanrishathaim (80/120) are generated.

Backward relations for entry Othniel (79/120) are generated.

Optimize dates...

Chushanrishathaim	D	Kind	S	from:	to:
2347. 1.15.≥	B	0	B	80	80
2347. 1.15.≥	B	1	E	83	80
2344. 3.22.≥	B	5	E	80	80
		0	B	0	0
2347. 1.15.≥	B	0	B	0	80
2354. 1.15.≥				736th position to E Chushanrishathaim	80

16492 Bytes free.

(657th/736) position: 2236. 1.15.≥ \* Joshua 83

Forward relations for entry Joshua (83/120) are generated.

Backward relations for entry Chushanrishathaim (80/120) are generated.

Optimize dates...

Joshua	D	Kind	S	from:	to:
2236. 1.15.≥	*	0	*	83	83
2236. 1.15.≥	*	5	+	83	83
		0	*	0	0
2236. 1.15.≥	*	0	*	0	83

16492 Bytes free.

(658th/736) position: 3047. 1.15. 3057.12.29. E 14th Jubile Year 13

Forward relations for entry 14th Jubile Year (13/120) are generated.

Optimize dates...

14th Jubile Year	D	Kind	S	from:	to:
3047. 1.15. 3057.12.29. E	0	E		13	13
3047. 1.15. 3057.12.29. E	6	B		13	13
	0	E		0	0
3047. 1.15. 3057.12.29. E	0	E		0	13

16492 Bytes free.

(659th/736) position: 2300.11.15. 2312.12.29. B Aaron 87

Forward relations for entry Aaron (87/120) are generated.

Backward relations for entry Israel in Egypt (89/120) are generated.

Forward relations for entry Aaron (88/120) are generated.

Optimize dates...

Aaron	D	Kind	S	from:	to:
2300.11.15. 2312.12.29. B	0	B		87	87
2300.11.15. 2312.12.29. B	1	B		86	87
2299. 5.15. 2314. 4.30. B	3	*		87	87
≤ 2312.12.29. B	8	E		89	87
	0	B		0	0
2300.11.15. 2312.12.29. B	0	B		0	87

16492 Bytes free.

(660th/736) position: 2742. 8.15. 2757. 2.29. α David 58

Forward relations for entry David (58/120) are generated.

Backward relations for entry Solomon (57/120) are generated.

Optimize dates...

David	D	Kind	S	from:	to:
2742. 8.15. 2757. 2.29. α	0	α		58	58
2732. 6. 1.≥	α	1	E	59	58
2743. 1.15. 2757. 4.29. α	4	B		58	58
2742. 8.15. 2757. 2.29. α	6	Ω		58	58
5M	0	α		0	0
2743. 1.15. 2757. 2.29. α	0	α		0	58
2743. 1.15. 2757. 2.29.				737th position to α David	58

16492 Bytes free.

(661st/737) position: 2735. 8.15. 2749. 9.29. B David 58  
 Forward relations for entry David (58/120) are generated.  
 Backward relations for entry Solomon (57/120) are generated.  
 Optimize dates...

David	D	Kn	S	from:	to:	
2735. 8.15. 2749. 9.29.	B	0	B	58	58	
2731. 6. 1. 2749. 9.29.	B	2	E	60	58	
2729. 6. 1. 2751. 9.29.	B	3	*	58	58	
2735. 8.15. 2750. 2.29.	B	5	E	58	58	
2735. 6.15. 2749. 9.29.	B	10	α	58	58	
		0	B	0	0	
2735. 8.15. 2749. 9.29.	B	0	B	0	58	
2735. 8.15. 2749. 9.29.				738th position to	E Saul	60
2704. 8.15. 2720. 9.29.				739th position to	* David	58

16492 Bytes free.

(662nd/739) position: 2815. 8.15. 2825.12.29. B Jeroboam (Nebat) 53  
 Forward relations for entry Jeroboam (Nebat) (53/120) are generated.  
 Backward relations for entry Nadab (50/120) are generated.  
 Optimize dates...

Jeroboam (Nebat)	D	Kn	S	from:	to:	
2815. 8.15. 2825.12.29.	B	0	B	53	53	
2815. 8.15. 2830. 2.29.	B	1	E	57	53	
2809. 6. 1. 2832. 2.29.	B	5	E	53	53	
2813. 8.15. 2825.12.23.	B	9	B	51	53	
2809. 6. 1. 2831. 2.29.	B	9	B	52	53	
	6D	0	B	0	0	
2815. 8.15. 2825.12.23.	B	0	B	0	53	
2815. 8.15. 2825.12.23.				740th position to	B Jeroboam (Nebat)	53
2815. 8.15. 2825.12.23.				741st position to	E Solomon	57
2836. 8.15. 2848.12.23.				742nd position to	E Jeroboam (Nebat)	53
2832. 8.15. 2844.12.23.				743rd position to	B Abijam = Abijah	52

16492 Bytes free.

(663rd/743) position: 2815. 8.15. 2830. 2.29. B Rehoboam 54  
 Forward relations for entry Rehoboam (54/120) are generated.  
 Backward relations for entry Abijam = Abijah (52/120) are generated.  
 Optimize dates...

Rehoboam	D	Kn	S	from:	to:	
2815. 8.15. 2830. 2.29.	B	0	B	54	54	
2815. 8.15. 2825.12.23.	B	1	E	57	54	
2809. 6. 1. 2832. 2.29.	B	3	*	54	54	
2810. 6. 1. 2832. 2.29.	B	5	E	54	54	
	4Y 2M 6D	0	B	0	0	
2815. 8.15. 2825.12.23.	B	0	B	0	54	
2815. 8.15. 2825.12.23.				744th position to	B Rehoboam	54
2773. 8.15. 2785.12.23.				745th position to	* Rehoboam	54
2831. 8.15. 2843.12.23.				746th position to	E Rehoboam	54

16492 Bytes free.

(664th/746) position: 2621.11.15. 2636.10.30. B Philistines + Ammon 69  
 Forward relations for entry Philistines + Ammon (69/120) are generated.  
 Backward relations for entry Jephthah (68/120) are generated.  
 Optimize dates...

Philistines + Ammon	D	Kn	S	from:	to:	
2621.11.15. 2636.10.30.	B	0	B	69	69	

		B	1	E	72	69	
2621.11.15.	2636.10.30.	B	5	E	69	69	
			0	B	0	0	
2621.11.15.	2636.10.30.	B	0	B	0	69	

16492 Bytes free.

(665th/746) position: 2645.11.15. 2671. 9.29. B Philistines 63  
 Forward relations for entry Philistines (63/120) are generated.  
 Backward relations for entry Samuel (61/120) are generated.  
 Backward relations for entry Samson (62/120) are generated.  
 Backward relations for entry Saul (60/120) are generated.

Optimize dates...

Philistines		D	Kn	S	from:	to:	
2645.11.15.	2671. 9.29.	B	0	B	63	63	
2645.11.15.>		B	1	E	68	63	
2639. 9. 1.	2671. 9.29.	B	6	E	63	63	
	≤ 2691. 9.29.	B	7	B	62	63	
			0	B	0	0	
2645.11.15.	2671. 9.29.	B	0	B	0	63	
2684.11.15.	2710. 9.29.				747th position to	E Philistines	63
2645.11.15.	2691. 9.29.				748th position to	B Samson	62

16492 Bytes free.

(666th/748) position: 2645.11.15.> B Ibazan 67  
 Forward relations for entry Ibazan (67/120) are generated.  
 Backward relations for entry Elon (66/120) are generated.

Optimize dates...

Ibazan		D	Kn	S	from:	to:	
2645.11.15.>		B	0	B	67	67	
2645.11.15.>		B	1	E	68	67	
2639. 9. 1.>		B	5	E	67	67	
			0	B	0	0	
2645.11.15.>		B	0	B	0	67	
2651.11.15.>					749th position to	E Ibazan	67

16492 Bytes free.

(667th/749) position: 2392. 3.22.> B Eglon 78  
 Forward relations for entry Eglon (78/120) are generated.  
 Backward relations for entry Ehud (77/120) are generated.

Optimize dates...

Eglon		D	Kn	S	from:	to:	
2392. 3.22.>		B	0	B	78	78	
2392. 3.22.>		B	1	E	79	78	
2389.11. 1.>		B	5	E	78	78	
			0	B	0	0	
2392. 3.22.>		B	0	B	0	78	
2409. 3.22.>					750th position to	E Eglon	78

16492 Bytes free.

(668th/750) position: 2894. 4. 1. 2913.12.29. E Athaliah 34  
 Forward relations for entry Athaliah (34/120) are generated.  
 Backward relations for entry Joash (Ahaziah) (32/120) are generated.

Optimize dates...

Athaliah		D	Kn	S	from:	to:	
2894. 4. 1.	2913.12.29.	E	0	E	34	34	
2897. 6. 1.	2914.12.29.	E	5	B	34	34	
2894. 4. 1.	2913.12.29.	E	7	B	32	34	
2894. 4. 1.	2913.12.29.	+	0	+	34	34	

3Y 2M	0 E	0	0	
2897. 6. 1.	2913.12.29. E	0 E	0	34
2897. 6. 1.	2913.12.29.	751st position to E	Athaliah	34
2897. 6. 1.	2913.12.29.	752nd position to B	Joash (Ahaziah)	32

16492 Bytes free.

(669th/752) position: 2886. 4. 1. 2907.12.29. \* Joash (Ahaziah) 32  
 Forward relations for entry Joash (Ahaziah) (32/120) are generated.  
 Backward relations for entry Amaziah (28/120) are generated.  
 Optimize dates...

Joash (Ahaziah)	D Knd S	from:	to:	
2886. 4. 1.	2907.12.29. * 0 *	32	32	
2889. 6. 1.	2907.12.29. * 10 B	32	32	
3Y 2M	0 *	0	0	
2889. 6. 1.	2907.12.29. * 0 *	0	32	
2889. 6. 1.	2907.12.29.	753rd position to *	Joash (Ahaziah)	32

16492 Bytes free.

(670th/753) position: 2916. 4. 1. 2935.12.29. B Jehoahaz (Jehu) 31  
 Forward relations for entry Jehoahaz (Jehu) (31/120) are generated.  
 Backward relations for entry Joash (Jehoahaz) (30/120) are generated.  
 Optimize dates...

Jehoahaz (Jehu)	D Knd S	from:	to:	
2916. 4. 1.	2935.12.29. B 0 B	31	31	
2916. 2. 1.	2935.12.29. B 1 E	33	31	
2919. 6. 1.	2937.12.29. B 3 B	32	31	
2914. 4. 1.	2935.12.29. B 5 E	31	31	
3Y 2M	0 B	0	0	
2919. 6. 1.	2935.12.29. B 0 B	0	31	
2919. 6. 1.	2935.12.29.	754th position to B	Jehoahaz (Jehu)	31
2919. 6. 1.	2935.12.29.	755th position to E	Jehu	33
2935. 6. 1.	2951.12.29.	756th position to E	Jehoahaz (Jehu)	31

16492 Bytes free.

(671st/756) position: 2894. 6. 7. 2907.12.29. B Ahaziah (Joram) 35  
 Forward relations for entry Ahaziah (Joram) (35/120) are generated.  
 Backward relations for entry Jehu (33/120) are generated.  
 Backward relations for entry Athaliah (34/120) are generated.  
 Forward relations for entry Ahaziah (Joram) (36/120) are generated.  
 Optimize dates...

Ahaziah (Joram)	D Knd S	from:	to:	
2894. 6. 7.	2907.12.29. B 0 B	35	35	
2894. 6. 7.	2907.12.29. B 1 E	40	35	
2892. 6. 7.	2909.12.29. B 3 B	37	35	
2891. 6. 1.	2909.12.29. B 4 *	35	35	
2891. 6. 1.	2907.12.29. B 6 E	35	35	
2891. 6. 7.	2908.12.29. B 3 B	37	36	
	0 B	0	0	
2894. 6. 7.	2907.12.29. B 0 B	0	35	
2871. 6. 7.	2886.12.29.	757th position to *	Ahaziah (Joram)	35
2894. 6. 7.	2907.12.29.	758th position to E	Ahaziah (Joram)	35
2882. 6. 7.	2896.12.29.	759th position to B	Joram (Ahab)	37

16492 Bytes free.

(672nd/759) position: 2871. 6. 7. 2886.12.29. \* Ahaziah (Joram) 35  
 Forward relations for entry Ahaziah (Joram) (35/120) are generated.  
 Backward relations for entry Jehu (33/120) are generated.  
 Backward relations for entry Athaliah (34/120) are generated.



Forward relations for entry Ahaziah (Joram) (36/120) are generated.  
Optimize dates...

Ahaziah (Joram)	D	Kind	S	from:	to:
2871. 6. 7. 2886.12.29.	*	0	*	35	35
2871. 6. 7. 2886.12.29.	*	10	B	35	35
		0	*	0	0
2871. 6. 7. 2886.12.29.	*	0	*	0	35

16492 Bytes free.

(673rd/759) position: 2882. 6. 7. 2896.12.29. B Joram (Ahab) 38

Forward relations for entry Joram (Ahab) (37/120) are generated.

Backward relations for entry Jehu (33/120) are generated.

Backward relations for entry Athaliah (34/120) are generated.

Forward relations for entry Joram (Ahab) (38/120) are generated.

Optimize dates...

Joram (Ahab)	D	Kind	S	from:	to:
2882. 6. 7. 2896.12.29.	B	0	B	37	37
2881. 6. 7. 2896.12.29.	B	9	B	35	37
2882. 6. 7. 2897.12.29.	B	9	B	36	37
2881. 6. 7. 2896.12.29.	B	9	B	40	37
2879. 6. 7. 2896.12.29.	B	5	E	38	38
		0	B	0	0
2882. 6. 7. 2896.12.29.	B	0	B	0	37
2893. 6. 7. 2907.12.29.				760th position to E Joram (Ahab)	38

16492 Bytes free.

(674th/760) position: 2893. 6. 7. 2907.12.29. E Joram (Ahab) 38

Forward relations for entry Joram (Ahab) (37/120) are generated.

Backward relations for entry Jehu (33/120) are generated.

Backward relations for entry Athaliah (34/120) are generated.

Forward relations for entry Joram (Ahab) (38/120) are generated.

Optimize dates...

Joram (Ahab)	D	Kind	S	from:	to:
2893. 6. 7. 2907.12.29.	E	0	E	37	37
2892. 6. 1. 2907.12.29.	E	8	B	33	37
2892. 6. 1. 2907.12.29.	E	8	B	34	37
2893. 6. 7. 2909.12.29.	E	5	B	38	38
2893. 6. 7. 2907.12.29.	+	0	+	37	37
		0	E	0	0
2893. 6. 7. 2907.12.29.	E	0	E	0	37
2893. 6. 7. 2907.12.29.				761st position to B Jehu	33
2893. 6. 7. 2907.12.29.				762nd position to B Athaliah	34

16492 Bytes free.

(675th/762) position: 2894. 6. 7. 2907.12.29. E Ahaziah (Joram) 35

Forward relations for entry Ahaziah (Joram) (35/120) are generated.

Backward relations for entry Jehu (33/120) are generated.

Backward relations for entry Athaliah (34/120) are generated.

Forward relations for entry Ahaziah (Joram) (36/120) are generated.

Optimize dates...

Ahaziah (Joram)	D	Kind	S	from:	to:
2894. 6. 7. 2907.12.29.	E	0	E	35	35
2894. 6. 7. 2909.12.29.	E	6	B	35	35
2893. 6. 7. 2907.12.29.	E	7	B	33	35
2893. 6. 7. 2907.12.29.	E	7	B	34	35
2894. 6. 7. 2907.12.29.	+	0	+	35	35
		0	E	0	0
2894. 6. 7. 2907.12.29.	E	0	E	0	35

2894. 6. 7. 2907.12.29. 763rd position to B Jehu 33  
 2894. 6. 7. 2907.12.29. 764th position to B Athaliah 34

16492 Bytes free.

(676th/764) position: 2887. 6. 7. 2900.12.29. B Jehoram (Jehoshaphat) 40

Forward relations for entry Jehoram (Jehoshaphat) (40/120) are generated.

Backward relations for entry Ahaziah (Joram) (35/120) are generated.

Optimize dates...

Jehoram (Jehoshaphat)	D	Kind	S	from:	to:†
2887. 6. 7. 2900.12.29.	B	0	B	40	40
2886. 6. 7. 2902.12.29.	B	3	B	37	40
2885. 6. 7. 2902.12.29.	B	4	*	40	40
2885. 6. 7. 2900.12.29.	B	6	E	40	40
2887. 6. 7. 2902.12.29.	B	9	α	37	40
		0	B	0	0
2887. 6. 7. 2900.12.29.	B	0	B	0	40

16492 Bytes free.

(677th/764) position: 2854. 6. 7. 2869.12.29. \* Jehoram (Jehoshaphat) 40

Forward relations for entry Jehoram (Jehoshaphat) (40/120) are generated.

Backward relations for entry Ahaziah (Joram) (35/120) are generated.

Optimize dates...

Jehoram (Jehoshaphat)	D	Kind	S	from:	to:†
2854. 6. 7. 2869.12.29.	*	0	*	40	40
2854. 6. 7. 2869.12.29.	*	10	B	40	40
		0	*	0	0
2854. 6. 7. 2869.12.29.	*	0	*	0	40

16492 Bytes free.

(678th/764) position: 2894. 6. 7. 2907.12.29. E Jehoram (Jehoshaphat) 40

Forward relations for entry Jehoram (Jehoshaphat) (40/120) are generated.

Backward relations for entry Ahaziah (Joram) (35/120) are generated.

Optimize dates...

Jehoram (Jehoshaphat)	D	Kind	S	from:	to:†
2894. 6. 7. 2907.12.29.	E	0	E	40	40
2894. 6. 7. 2909.12.29.	E	6	B	40	40
2894. 6. 7. 2907.12.29.	E	7	B	35	40
2894. 6. 7. 2907.12.29.	+	0	+	40	40
		0	E	0	0
2894. 6. 7. 2907.12.29.	E	0	E	0	40

16492 Bytes free.

(679th/764) position: 2894. 6. 7. 2907.12.29. B Jehu 33

Forward relations for entry Jehu (33/120) are generated.

Backward relations for entry Jehoahaz (Jehu) (31/120) are generated.

Optimize dates...

Jehu	D	Kind	S	from:	to:†
2894. 6. 7. 2907.12.29.	B	0	B	33	33
2894. 6. 7. 2907.12.29.	B	1	E	35	33
2893. 6. 7. 2907.12.29.	B	2	E	37	33
2890. 6. 1. 2908.12.29.	B	5	E	33	33
2889. 6. 1. 2907.12.29.	B	9	B	32	33
		0	B	0	0
2894. 6. 7. 2907.12.29.	B	0	B	0	33
2894. 6. 7. 2907.12.29.				765th position to E Joram (Ahab)	37
2921. 6. 7. 2935.12.29.				766th position to E Jehu	33
2900. 6. 7. 2913.12.29.				767th position to B Joash (Ahaziah)	32

16492 Bytes free.

(680th/767) position: 2894. 6. 7. 2907.12.29. B Athaliah 34

Forward relations for entry Athaliah (34/120) are generated.

Backward relations for entry Joash (Ahaziah) (32/120) are generated.

Optimize dates...

Athaliah	D	Kind	S	from:	to:	
2894. 6. 7. 2907.12.29.	B	0	B	34	34	
2894. 6. 7. 2907.12.29.	B	1	E	35	34	
2894. 6. 7. 2907.12.29.	B	2	E	37	34	
2890. 6. 1. 2908.12.29.	B	5	E	34	34	
		0	B	0	0	
2894. 6. 7. 2907.12.29.	B	0	B	0	34	
2899. 6. 7. 2913.12.29.				768th position to E Athaliah		34

16492 Bytes free.

(681st/768) position: 2890. 6. 7. 2903.12.29. E Elijah 43

Forward relations for entry Elijah (43/120) are generated.

Backward relations for entry Elisha (39/120) are generated.

Backward relations for entry Joram (Ahab) (37/120) are generated.

Backward relations for entry Ahab (44/120) are generated.

Optimize dates...

Elijah	D	Kind	S	from:	to:	
2890. 6. 7. 2903.12.29.	E	0	E	43	43	
2893. 8.15. ≥	E	2	E	41	43	
2890. 6. 7. 2903.12.29.	E	7	B	39	43	
≤ 2903.12.29.	E	8	α	37	43	
2890. 6. 7. 2903.12.29.	+	0	+	43	43	
3Y 2M 8D		0	E	0	0	
2893. 8.15. 2903.12.29.	E	0	E	0	43	
2893. 8.15. 2903.12.29.				769th position to E Elijah		43
2893. 8.15. 2903.12.29.				770th position to B Elisha		39
2893. 8.15. 2903.12.29.				771st position to α Joram (Ahab)		37

16492 Bytes free.

(682nd/771) position: 2893. 8.15. 2903.12.29. B Elisha 39

Forward relations for entry Elisha (39/120) are generated.

Backward relations for entry Joash (Jehoahaz) (30/120) are generated.

Optimize dates...

Elisha	D	Kind	S	from:	to:	
2893. 8.15. 2903.12.29.	B	0	B	39	39	
2893. 8.15. 2903.12.29.	B	1	E	43	39	
		0	B	0	0	
2893. 8.15. 2903.12.29.	B	0	B	0	39	

16492 Bytes free.

(683rd/771) position: 2893. 8.15. 2903.12.29. E Ahaziah (Ahab) 41

Forward relations for entry Ahaziah (Ahab) (41/120) are generated.

Backward relations for entry Joram (Ahab) (37/120) are generated.

Backward relations for entry Elijah (43/120) are generated.

Optimize dates...

Ahaziah (Ahab)	D	Kind	S	from:	to:	
2893. 8.15. 2903.12.29.	E	0	E	41	41	
2893. 8.15. 2905.12.29.	E	5	B	41	41	
2893. 8.15. 2903.12.29.	E	7	α	37	41	
≤ 2903.12.29.	E	8	E	43	41	
2893. 8.15. 2903.12.29.	+	0	+	41	41	
		0	E	0	0	
2893. 8.15. 2903.12.29.	E	0	E	0	41	

16492 Bytes free.

(684th/771) position: 2893. 8.15. 2903.12.29. α Joram (Ahab) 37

Forward relations for entry Joram (Ahab) (37/120) are generated.

Backward relations for entry Jehu (33/120) are generated.

Backward relations for entry Athaliah (34/120) are generated.

Forward relations for entry Joram (Ahab) (38/120) are generated.

Optimize dates...

Joram (Ahab)	D	Kn	S	from:	to:
2893. 8.15. 2903.12.29.	α	0	α	37	37
2893. 8.15. 2903.12.29.	α	1	E	41	37
2893. 8.15. ≥	α	2	E	43	37
2888. 6. 7. 2903.12.29.	α	3	B	40	37
2891. 8.15. 2905.12.29.	α	4	B	42	37
	0	α		0	0
2893. 8.15. 2903.12.29.	α	0	α	0	37
2890. 8.15. 2900.12.29.				772nd position to B Jehoram (Jehoshaphat)	40

16492 Bytes free.

(685th/772) position: 2893. 8.15. 2903.12.29. E Elijah 43

Forward relations for entry Elijah (43/120) are generated.

Backward relations for entry Elisha (39/120) are generated.

Backward relations for entry Joram (Ahab) (37/120) are generated.

Backward relations for entry Ahab (44/120) are generated.

Optimize dates...

Elijah	D	Kn	S	from:	to:
2893. 8.15. 2903.12.29.	E	0	E	43	43
2893. 8.15. ≥	E	2	E	41	43
2893. 8.15. 2903.12.29.	E	7	B	39	43
≤ 2903.12.29.	E	8	α	37	43
2893. 8.15. 2903.12.29.	+	0	+	43	43
	0	E		0	0
2893. 8.15. 2903.12.29.	E	0	E	0	43

16492 Bytes free.

(686th/772) position: 2893. 8.15. 2903.12.29. B Elisha 39

Forward relations for entry Elisha (39/120) are generated.

Backward relations for entry Joash (Jehoahaz) (30/120) are generated.

Optimize dates...

Elisha	D	Kn	S	from:	to:
2893. 8.15. 2903.12.29.	B	0	B	39	39
2893. 8.15. 2903.12.29.	B	1	E	43	39
	0	B		0	0
2893. 8.15. 2903.12.29.	B	0	B	0	39

16492 Bytes free.

(687th/772) position: 2890. 8.15. 2900.12.29. B Jehoram (Jehoshaphat) 40

Forward relations for entry Jehoram (Jehoshaphat) (40/120) are generated.

Backward relations for entry Ahaziah (Joram) (35/120) are generated.

Optimize dates...

Jehoram (Jehoshaphat)	D	Kn	S	from:	to:
2890. 8.15. 2900.12.29.	B	0	B	40	40
2886. 6. 7. 2902.12.29.	B	3	B	37	40
2885. 6. 7. 2902.12.29.	B	4	*	40	40
2885. 6. 7. 2900.12.29.	B	6	E	40	40
2890. 8.15. 2902.12.29.	B	9	α	37	40
	0	B		0	0
2890. 8.15. 2900.12.29.	B	0	B	0	40

2884. 8.15. 2896.12.29. 773rd position to B Joram (Ahab) 37  
 2857. 8.15. 2869.12.29. 774th position to \* Jehoram (Jehoshaphat) 40  
 2897. 8.15. 2907.12.29. 775th position to E Jehoram (Jehoshaphat) 40

16492 Bytes free.

(688th/775) position: 2884. 8.15. 2896.12.29. B Joram (Ahab) 37  
 Forward relations for entry Joram (Ahab) (37/120) are generated.  
 Backward relations for entry Jehu (33/120) are generated.  
 Backward relations for entry Athaliah (34/120) are generated.  
 Forward relations for entry Joram (Ahab) (38/120) are generated.  
 Optimize dates...

Joram (Ahab)	D	Kind	S	from:	to:†	
2884. 8.15. 2896.12.29.	B	0	B	37	37	
2881. 6. 7. 2896.12.29.	B	9	B	35	37	
2882. 6. 7. 2897.12.29.	B	9	B	36	37	
2884. 8.15. 2896.12.29.	B	9	B	40	37	
2881. 6. 7. 2896.12.29.	B	5	E	38	38	
		0	B	0	0	
2884. 8.15. 2896.12.29.	B	0	B	0	37	
2895. 8.15. 2907.12.29.				776th position to B Ahaziah (Joram)		35
2895. 8.15. 2907.12.29.				777th position to E Joram (Ahab)		38

16492 Bytes free.

(689th/777) position: 2857. 8.15. 2869.12.29. \* Jehoram (Jehoshaphat) 40  
 Forward relations for entry Jehoram (Jehoshaphat) (40/120) are generated.  
 Backward relations for entry Ahaziah (Joram) (35/120) are generated.  
 Optimize dates...

Jehoram (Jehoshaphat)	D	Kind	S	from:	to:†	
2857. 8.15. 2869.12.29.	*	0	*	40	40	
2857. 8.15. 2869.12.29.	*	10	B	40	40	
		0	*	0	0	
2857. 8.15. 2869.12.29.	*	0	*	0	40	

16492 Bytes free.

(690th/777) position: 2897. 8.15. 2907.12.29. E Jehoram (Jehoshaphat) 40  
 Forward relations for entry Jehoram (Jehoshaphat) (40/120) are generated.  
 Backward relations for entry Ahaziah (Joram) (35/120) are generated.  
 Optimize dates...

Jehoram (Jehoshaphat)	D	Kind	S	from:	to:†	
2897. 8.15. 2907.12.29.	E	0	E	40	40	
2897. 8.15. 2909.12.29.	E	6	B	40	40	
2895. 8.15. 2907.12.29.	E	7	B	35	40	
2897. 8.15. 2907.12.29.	+	0	+	40	40	
		0	E	0	0	
2897. 8.15. 2907.12.29.	E	0	E	0	40	
2897. 8.15. 2907.12.29.				778th position to B Ahaziah (Joram)		35

16492 Bytes free.

(691st/778) position: 2895. 8.15. 2907.12.29. E Joram (Ahab) 38  
 Forward relations for entry Joram (Ahab) (37/120) are generated.  
 Backward relations for entry Jehu (33/120) are generated.  
 Backward relations for entry Athaliah (34/120) are generated.  
 Forward relations for entry Joram (Ahab) (38/120) are generated.  
 Optimize dates...

Joram (Ahab)	D	Kind	S	from:	to:†	
2895. 8.15. 2907.12.29.	E	0	E	37	37	
2894. 6. 7. 2907.12.29.	E	8	B	33	37	
2894. 6. 7. 2907.12.29.	E	8	B	34	37	

2895.	8.15.	2909.12.29.	E	5	B	38	38	
2895.	8.15.	2907.12.29.	+	0	+	37	37	
				0	E	0	0	
2895.	8.15.	2907.12.29.	E	0	E	0	37	
2895.	8.15.	2907.12.29.				779th position to	B Jehu	33
2895.	8.15.	2907.12.29.				780th position to	B Athaliah	34

16492 Bytes free.

(692nd/780) position: 2897. 8.15. 2907.12.29. B Ahaziah (Joram) 35  
 Forward relations for entry Ahaziah (Joram) (35/120) are generated.  
 Backward relations for entry Jehu (33/120) are generated.  
 Backward relations for entry Athaliah (34/120) are generated.  
 Forward relations for entry Ahaziah (Joram) (36/120) are generated.

Optimize dates...

Ahaziah (Joram)		D	Kind	S	from:	to:		
2897.	8.15.	2907.12.29.	B	0	B	35	35	
2897.	8.15.	2907.12.29.	B	1	E	40	35	
2895.	8.15.	2909.12.29.	B	3	B	37	35	
2892.	6.	7.	2909.12.29.	B	4	*	35	
2892.	6.	7.	2907.12.29.	B	6	E	35	
2894.	8.15.	2908.12.29.	B	3	B	37	36	
				0	B	0	0	
2897.	8.15.	2907.12.29.	B	0	B	0	35	
2874.	8.15.	2886.12.29.				781st position to	* Ahaziah (Joram)	35
2897.	8.15.	2907.12.29.				782nd position to	E Ahaziah (Joram)	35
2885.	8.15.	2896.12.29.				783rd position to	B Joram (Ahab)	37

16492 Bytes free.

(693rd/783) position: 2871. 8.15. 2881.12.29. E Omri 45  
 Forward relations for entry Omri (45/120) are generated.  
 Backward relations for entry Ahab (44/120) are generated.

Optimize dates...

Omri		D	Kind	S	from:	to:		
2871.	8.15.	2881.12.29.	E	0	E	45	45	
2871.	8.21.	2883.12.29.	E	6	B	45	45	
2871.	8.15.	2881.12.29.	E	7	B	44	45	
2871.	8.15.	2881.12.29.	+	0	+	45	45	
		6D		0	E	0	0	
2871.	8.21.	2881.12.29.	E	0	E	0	45	
2871.	8.21.	2881.12.29.				784th position to	E Omri	45
2871.	8.21.	2881.12.29.				785th position to	B Ahab	44

16492 Bytes free.

(694th/785) position: 2834. 8.15. 2844.12.23. B Asa 51  
 Forward relations for entry Asa (51/120) are generated.  
 Backward relations for entry Jehoshaphat (42/120) are generated.

Optimize dates...

Asa		D	Kind	S	from:	to:	
2834.	8.15.	2844.12.23.	B	0	B	51	51
2834.	8.15.	2844.12.29.	B	1	E	52	51
2834.	8.15.	2846.12.23.	B	3	B	53	51
2832.	8.15.	2846.12.29.	B	5	E	51	51
2832.	8.21.	2844.12.29.	B	9	B	44	51
2832.	8.15.	2846.12.29.	B	9	α	45	51
2832.	8.15.	2844.12.23.	B	9	B	47	51
2832.	8.15.	2844.12.23.	B	9	B	48	51
2832.	8.15.	2846.12.29.	B	9	B	49	51
2832.	8.15.	2846.12.29.	B	9	B	50	51

2832.	8.15.	2844.12.23.	B 10 +	48	51	
2832.	8.15.	2846.12.29.	B 10 +	50	51	
			0 B	0	0	
2834.	8.15.	2844.12.23.	B 0 B	0	51	
2834.	8.15.	2844.12.23.	786th position to	E Abijam = Abijah		52
2874.	8.15.	2886.12.23.	787th position to	E Asa		51
2864.	8.15.	2876.12.23.	788th position to	α Omri		45
2836.	8.15.	2848.12.23.	789th position to	B Baasha		49
2835.	8.15.	2847.12.23.	790th position to	B Nadab		50
2836.	8.15.	2848.12.23.	791st position to	+ Nadab		50

16492 Bytes free.

(695th/791) position: 2895. 6. 7. 2912.12.29. α Jehoram (Jehoshaphat) 40

Forward relations for entry Jehoram (Jehoshaphat) (40/120) are generated.

Backward relations for entry Ahaziah (Joram) (35/120) are generated.

Optimize dates...

Jehoram (Jehoshaphat)	D	Kind	S	from:	to:
2895. 6. 7. 2912.12.29.	α	0	α	40	40
2895. 6. 7. 2912.12.29.	α	1	E	42	40
		0	α	0	0
2895. 6. 7. 2912.12.29.	α	0	α	0	40

16492 Bytes free.

(696th/791) position: 2860. 8.15. 2870.12.23. E Elah 48

Forward relations for entry Elah (48/120) are generated.

Backward relations for entry Zimri (47/120) are generated.

Optimize dates...

Elah	D	Kind	S	from:	to:
2860. 8.15. 2870.12.23.	E	0	E	48	48
2860. 8.15. 2872.12.23.	E	5	B	48	48
2860. 8.15. 2870.12.23.	E	7	B	47	48
2860. 8.15. 2870.12.23.	+	0	+	48	48
2860. 8.15. 2872.12.23.	+	4	B	51	48
		0	E	0	0
2860. 8.15. 2870.12.23.	E	0	E	0	48

16492 Bytes free.

(697th/791) position: 2860. 8.21. 2870.12.29. B Omri 45

Forward relations for entry Omri (45/120) are generated.

Backward relations for entry Ahab (44/120) are generated.

Optimize dates...

Omri	D	Kind	S	from:	to:
2860. 8.21. 2870.12.29.	B	0	B	45	45
2860. 8.21. 2870.12.29.	B	2	E	47	45
2858. 8.21. 2870.12.29.	B	6	E	45	45
		0	B	0	0
2860. 8.21. 2870.12.29.	B	0	B	0	45

16492 Bytes free.

(698th/791) position: 2860. 8.21. 2870.12.29. E Zimri 47

Forward relations for entry Zimri (47/120) are generated.

Backward relations for entry Tibni (46/120) are generated.

Backward relations for entry Omri (45/120) are generated.

Optimize dates...

Zimri	D	Kind	S	from:	to:
2860. 8.21. 2870.12.29.	E	0	E	47	47
2860. 8.21. 2871. 1. 1.	E	5	B	47	47
2860. 8.21. 2870.12.29.	E	7	B	46	47

```

2860. 8.21. 2870.12.29. E 8 B 45 47||
2860. 8.21. 2870.12.29. + 0 + 47 47||
                                0 E 0 0||
2860. 8.21. 2870.12.29. E 0 E 0 47||

```

16492 Bytes free.

```

(699th/791) position: 2859. 8.15. 2869.12.23. B Elah 48
Forward relations for entry Elah (48/120) are generated.
Backward relations for entry Zimri (47/120) are generated.
Optimize dates...

```

```

Elah D Knd S from: to:|
2859. 8.15. 2869.12.23. B 0 B 48 48||
2856. 6. 1. 2871.12.23. B 1 E 49 48||
2859. 8.15. 2871.12.23. B 3 B 51 48||
2857. 8.15. 2869.12.23. B 5 E 48 48||
                                0 B 0 0||
2859. 8.15. 2869.12.23. B 0 B 0 48||
2859. 8.15. 2869.12.23. 792nd position to E Baasha 49

```

16492 Bytes free.

```

(700th/792) position: 2859. 8.15. 2869.12.23. E Baasha 49
Forward relations for entry Baasha (49/120) are generated.
Backward relations for entry Elah (48/120) are generated.
Optimize dates...

```

```

Baasha D Knd S from: to:|
2859. 8.15. 2869.12.23. E 0 E 49 49||
2859. 8.15. 2873.12.23. E 5 B 49 49||
2859. 8.15. 2869.12.23. E 7 B 48 49||
2859. 8.15. 2869.12.23. + 0 + 49 49||
                                0 E 0 0||
2859. 8.15. 2869.12.23. E 0 E 0 49||
2836. 8.15. 2846.12.23. 793rd position to B Baasha 49

```

16492 Bytes free.

```

(701st/793) position: 2834. 8.15. 2844.12.23. B Asa 51
Forward relations for entry Asa (51/120) are generated.
Backward relations for entry Jehoshaphat (42/120) are generated.
Optimize dates...

```

```

Asa D Knd S from: to:|
2834. 8.15. 2844.12.23. B 0 B 51 51||
2834. 8.15. 2844.12.23. B 1 E 52 51||
2834. 8.15. 2846.12.23. B 3 B 53 51||
2832. 8.15. 2846.12.23. B 5 E 51 51||
2832. 8.21. 2844.12.29. B 9 B 44 51||
2832. 8.15. 2846.12.23. B 9 α 45 51||
2832. 8.15. 2844.12.23. B 9 B 47 51||
2832. 8.15. 2844.12.23. B 9 B 48 51||
2832. 8.15. 2844.12.23. B 9 B 49 51||
2832. 8.15. 2846.12.23. B 9 B 50 51||
2832. 8.15. 2844.12.23. B 10 + 48 51||
2832. 8.15. 2846.12.23. B 10 + 50 51||
                                0 B 0 0||
2834. 8.15. 2844.12.23. B 0 B 0 51||

```

16492 Bytes free.

```

(702nd/793) position: 2834. 8.15. 2844.12.23. E Abijam = Abijah 52
Forward relations for entry Abijam = Abijah (52/120) are generated.
Backward relations for entry Asa (51/120) are generated.

```



Optimize dates...

Abijam = Abijah	D	Kind	S	from:	to:	
2834. 8.15. 2844.12.23.	E	0	E	52	52	
2834. 8.15. 2848.12.23.	E	5	B	52	52	
2834. 8.15. 2844.12.23.	E	7	B	51	52	
2834. 8.15. 2844.12.23.	+	0	+	52	52	
		0	E	0	0	
2834. 8.15. 2844.12.23.	E	0	E	0	52	
2832. 8.15. 2842.12.23.				794th position to B Abijam = Abijah		52

16492 Bytes free.

(703rd/794) position: 2815. 8.15. 2825.12.23. B Jeroboam (Nebat) 53

Forward relations for entry Jeroboam (Nebat) (53/120) are generated.

Backward relations for entry Nadab (50/120) are generated.

Optimize dates...

Jeroboam (Nebat)	D	Kind	S	from:	to:	
2815. 8.15. 2825.12.23.	B	0	B	53	53	
2815. 8.15. 2825.12.23.	B	1	E	57	53	
2813. 8.15. 2827.12.23.	B	5	E	53	53	
2813. 8.15. 2825.12.23.	B	9	B	51	53	
2813. 8.15. 2825.12.23.	B	9	B	52	53	
		0	B	0	0	
2815. 8.15. 2825.12.23.	B	0	B	0	53	

16492 Bytes free.

(704th/794) position: 2874. 8.15. 2886.12.23. E Asa 51

Forward relations for entry Asa (51/120) are generated.

Backward relations for entry Jehoshaphat (42/120) are generated.

Optimize dates...

Asa	D	Kind	S	from:	to:	
2874. 8.15. 2886.12.23.	E	0	E	51	51	
2874. 8.15. 2886.12.23.	E	5	B	51	51	
2874. 8.15. 2886.12.29.	E	7	B	42	51	
2874. 8.15. 2886.12.23.	+	0	+	51	51	
		0	E	0	0	
2874. 8.15. 2886.12.23.	E	0	E	0	51	
2874. 8.15. 2886.12.23.				795th position to B Jehoshaphat		42

16492 Bytes free.

(705th/795) position: 2871. 8.21. 2881.12.29. B Ahab 44

Forward relations for entry Ahab (44/120) are generated.

Backward relations for entry Ahaziah (Ahab) (41/120) are generated.

Backward relations for entry Elijah (43/120) are generated.

Optimize dates...

Ahab	D	Kind	S	from:	to:		
2871. 8.21. 2881.12.29.	B	0	B	44	44		
2871. 8.21. 2881.12.29.	B	1	E	45	44		
2871. 8.15. 2883.12.23.	B	3	B	51	44		
2869. 8.15. 2881.12.29.	B	5	E	44	44		
	≤	2902.12.29.	B	7	B	43	44
2869. 8.15. 2883.12.23.	B	9	B	42	44		
			0	B	0	0	
2871. 8.21. 2881.12.29.	B	0	B	0	44		
2892. 8.21. 2902.12.29.				796th position to E Ahab		44	
2871. 8.21. 2902.12.29.				797th position to B Elijah		43	
2874. 8.21. 2886.12.23.				798th position to B Jehoshaphat		42	

16492 Bytes free.

(706th/798) position: 2864. 8.15. 2876.12.23. α Omri 45  
 Forward relations for entry Omri (45/120) are generated.  
 Backward relations for entry Ahab (44/120) are generated.  
 Optimize dates...

Omri	D	Kind	S	from:	to:†	
2864. 8.15. 2876.12.23.	α	0	α	45	45	
2860. 6. 1. 2883. 2.29.	α	1	E	46	45	
2864. 8.15. 2876.12.23.	α	3	B	51	45	
		0	α	0	0	
2864. 8.15. 2876.12.23.	α	0	α	0	45	
2864. 8.15. 2876.12.23.				799th position to E Tibni		46

16492 Bytes free.

(707th/799) position: 2860. 8.15. 2870.12.23. B Zimri 47  
 Forward relations for entry Zimri (47/120) are generated.  
 Backward relations for entry Tibni (46/120) are generated.  
 Backward relations for entry Omri (45/120) are generated.  
 Optimize dates...

Zimri	D	Kind	S	from:	to:†	
2860. 8.15. 2870.12.23.	B	0	B	47	47	
2860. 8.15. 2870.12.23.	B	1	E	48	47	
2860. 8.15. 2872.12.23.	B	3	B	51	47	
2860. 8.13. 2870.12.23.	B	5	E	47	47	
		0	B	0	0	
2860. 8.15. 2870.12.23.	B	0	B	0	47	

16492 Bytes free.

(708th/799) position: 2859. 8.15. 2869.12.23. B Elah 48  
 Forward relations for entry Elah (48/120) are generated.  
 Backward relations for entry Zimri (47/120) are generated.  
 Optimize dates...

Elah	D	Kind	S	from:	to:†	
2859. 8.15. 2869.12.23.	B	0	B	48	48	
2859. 8.15. 2869.12.23.	B	1	E	49	48	
2859. 8.15. 2871.12.23.	B	3	B	51	48	
2857. 8.15. 2869.12.23.	B	5	E	48	48	
		0	B	0	0	
2859. 8.15. 2869.12.23.	B	0	B	0	48	

16492 Bytes free.

(709th/799) position: 2836. 8.15. 2846.12.23. B Baasha 49  
 Forward relations for entry Baasha (49/120) are generated.  
 Backward relations for entry Elah (48/120) are generated.  
 Optimize dates...

Baasha	D	Kind	S	from:	to:†	
2836. 8.15. 2846.12.23.	B	0	B	49	49	
2836. 8.15. 2848.12.23.	B	1	E	50	49	
2836. 8.15. 2848.12.23.	B	3	B	51	49	
2834. 8.15. 2846.12.23.	B	5	E	49	49	
		0	B	0	0	
2836. 8.15. 2846.12.23.	B	0	B	0	49	
2836. 8.15. 2846.12.23.				800th position to E Nadab		50

16492 Bytes free.

(710th/800) position: 2835. 8.15. 2847.12.23. B Nadab 50  
 Forward relations for entry Nadab (50/120) are generated.  
 Backward relations for entry Baasha (49/120) are generated.  
 Optimize dates...

Nadab		D	Kind	S	from:	to:†	
2835.	8.15.	2847.12.23.	B	0 B	50	50	
2836.	8.15.	2848.12.23.	B	1 E	53	50	
2835.	8.15.	2847.12.23.	B	3 B	51	50	
2833.	8.15.	2845.12.23.	B	5 E	50	50	
1Y		2Y		0 B	0	0	
2836.	8.15.	2845.12.23.	B	0 B	0	50	
2836.	8.15.	2845.12.23.		801st position to B Nadab			50
2836.	8.15.	2845.12.23.		802nd position to E Jeroboam (Nebat)			53
2837.	8.15.	2846.12.23.		803rd position to E Nadab			50

16492 Bytes free.

(711th/803) position: 2860. 8.15. 2870.12.23. + Elah 48  
 Forward relations for entry Elah (48/120) are generated.  
 Backward relations for entry Zimri (47/120) are generated.  
 Optimize dates...

Elah		D	Kind	S	from:	to:†	
2860.	8.15.	2870.12.23.	E	0 E	48	48	
2860.	8.15.	2872.12.23.	E	5 B	48	48	
2860.	8.15.	2870.12.23.	E	7 B	47	48	
2860.	8.15.	2870.12.23.	+	0 +	48	48	
2860.	8.15.	2872.12.23.	+	4 B	51	48	
				0 E	0	0	
2860.	8.15.	2870.12.23.	E	0 E	0	48	

16492 Bytes free.

(712th/803) position: 2837. 8.15. 2846.12.23. + Nadab 50  
 Forward relations for entry Nadab (50/120) are generated.  
 Backward relations for entry Baasha (49/120) are generated.  
 Optimize dates...

Nadab		D	Kind	S	from:	to:†	
2837.	8.15.	2846.12.23.	E	0 E	50	50	
2837.	8.15.	2848.12.23.	E	5 B	50	50	
2836.	8.15.	2846.12.23.	E	7 B	49	50	
2837.	8.15.	2846.12.23.	+	0 +	50	50	
2836.	8.15.	2848.12.23.	+	4 B	51	50	
				0 E	0	0	
2837.	8.15.	2846.12.23.	E	0 E	0	50	
2837.	8.15.	2846.12.23.		804th position to B Baasha			49

16492 Bytes free.

(713th/804) position: 2892. 8.21. 2902.12.29. E Ahab 44  
 Forward relations for entry Ahab (44/120) are generated.  
 Backward relations for entry Ahaziah (Ahab) (41/120) are generated.  
 Backward relations for entry Elijah (43/120) are generated.  
 Optimize dates...

Ahab		D	Kind	S	from:	to:†	
2892.	8.21.	2902.12.29.	E	0 E	44	44	
2871.	8.21.≥		E	2 B	43	44	
2892.	8.21.	2904.12.29.	E	5 B	44	44	
2892.	8.15.	2902.12.29.	E	7 B	41	44	
2892.	8.21.	2902.12.29.	+	0 +	44	44	
				0 E	0	0	
2892.	8.21.	2902.12.29.	E	0 E	0	44	
2892.	8.21.	2902.12.29.		805th position to B Ahaziah (Ahab)			41

16492 Bytes free.

(714th/805) position: 2892. 8.21. 2902.12.29. B Ahaziah (Ahab) 41

Forward relations for entry Ahaziah (Ahab) (41/120) are generated.  
 Backward relations for entry Joram (Ahab) (37/120) are generated.  
 Backward relations for entry Elijah (43/120) are generated.  
 Optimize dates...

Ahaziah (Ahab)	D	Kind	S	from:	to:	
2892. 8.21. 2902.12.29.	B	0	B	41	41	
2892. 8.21. 2902.12.29.	B	1	E	44	41	
2890. 8.21. 2904.12.23.	B	3	B	42	41	
2890. 8.15. 2902.12.29.	B	5	E	41	41	
		0	B	0	0	
2892. 8.21. 2902.12.29.	B	0	B	0	41	
2893. 8.21. 2903.12.29.				806th position to E Ahaziah (Ahab)		41

16492 Bytes free.

(715th/806) position: 2871. 8.21. 2902.12.29. B Elijah 43  
 Forward relations for entry Elijah (43/120) are generated.  
 Backward relations for entry Elisha (39/120) are generated.  
 Backward relations for entry Joram (Ahab) (37/120) are generated.  
 Backward relations for entry Ahab (44/120) are generated.  
 Optimize dates...

Elijah	D	Kind	S	from:	to:	
2871. 8.21. 2902.12.29.	B	0	B	43	43	
2871. 8.21. ≥	B	1	B	44	43	
≤ 2902.12.29.	B	8	E	44	43	
		0	B	0	0	
2871. 8.21. 2902.12.29.	B	0	B	0	43	

16492 Bytes free.

(716th/806) position: 2871. 8.21. 2881.12.29. E Omri 45  
 Forward relations for entry Omri (45/120) are generated.  
 Backward relations for entry Ahab (44/120) are generated.  
 Optimize dates...

Omri	D	Kind	S	from:	to:	
2871. 8.21. 2881.12.29.	E	0	E	45	45	
2871. 8.21. 2883.12.29.	E	6	B	45	45	
2871. 8.21. 2881.12.29.	E	7	B	44	45	
2871. 8.21. 2881.12.29.	+	0	+	45	45	
		0	E	0	0	
2871. 8.21. 2881.12.29.	E	0	E	0	45	

16492 Bytes free.

(717th/806) position: 2874. 8.21. 2886.12.23. B Jehoshaphat 42  
 Forward relations for entry Jehoshaphat (42/120) are generated.  
 Backward relations for entry Jehoram (Jehoshaphat) (40/120) are generated.  
 Optimize dates...

Jehoshaphat	D	Kind	S	from:	to:	
2874. 8.21. 2886.12.23.	B	0	B	42	42	
2874. 8.15. 2886.12.23.	B	1	E	51	42	
2874. 8.21. 2886.12.29.	B	3	B	44	42	
2869. 6. 7. 2888.12.29.	B	4	*	42	42	
2869. 6. 7. 2888.12.29.	B	6	E	42	42	
2874. 8.21. 2886.12.29.	B	9	B	41	42	
2874. 8.15. 2886.12.29.	B	10	α	37	42	
		0	B	0	0	
2874. 8.21. 2886.12.23.	B	0	B	0	42	
2874. 8.21. 2886.12.23.				807th position to E Asa		51
2838. 8.21. 2852.12.23.				808th position to * Jehoshaphat		42
2898. 8.21. 2912.12.23.				809th position to E Jehoshaphat		42

16492 Bytes free.  
 (718th/809) position: 2893. 8.21. 2903.12.29. E Ahaziah (Ahab) 41  
 Forward relations for entry Ahaziah (Ahab) (41/120) are generated.  
 Backward relations for entry Joram (Ahab) (37/120) are generated.  
 Backward relations for entry Elijah (43/120) are generated.  
 Optimize dates...

Ahaziah (Ahab)	D	Kind	S	from:	to:	
2893. 8.21. 2903.12.29.	E	0	E	41	41	
2893. 8.21. 2905.12.29.	E	5	B	41	41	
2893. 8.15. 2903.12.29.	E	7	α	37	41	
≤ 2903.12.29.	E	8	E	43	41	
2893. 8.21. 2903.12.29.	+	0	+	41	41	
		0	E	0	0	
2893. 8.21. 2903.12.29.	E	0	E	0	41	
2893. 8.21. 2903.12.29.				810th position to α Joram (Ahab)		37
2893. 8.21. 2903.12.29.				811th position to E Elijah		43

16492 Bytes free.  
 (719th/811) position: 2860. 8.15. 2870.12.23. B Zimri 47  
 Forward relations for entry Zimri (47/120) are generated.  
 Backward relations for entry Tibni (46/120) are generated.  
 Backward relations for entry Omri (45/120) are generated.  
 Optimize dates...

Zimri	D	Kind	S	from:	to:	
2860. 8.15. 2870.12.23.	B	0	B	47	47	
2860. 8.15. 2870.12.23.	B	1	E	48	47	
2860. 8.15. 2872.12.23.	B	3	B	51	47	
2860. 8.13. 2870.12.23.	B	5	E	47	47	
		0	B	0	0	
2860. 8.15. 2870.12.23.	B	0	B	0	47	

16492 Bytes free.  
 (720th/811) position: 2860. 8.15. 2870.12.23. E Elah 48  
 Forward relations for entry Elah (48/120) are generated.  
 Backward relations for entry Zimri (47/120) are generated.  
 Optimize dates...

Elah	D	Kind	S	from:	to:	
2860. 8.15. 2870.12.23.	E	0	E	48	48	
2860. 8.15. 2872.12.23.	E	5	B	48	48	
2860. 8.15. 2870.12.23.	E	7	B	47	48	
2860. 8.15. 2870.12.23.	+	0	+	48	48	
2860. 8.15. 2872.12.23.	+	4	B	51	48	
		0	E	0	0	
2860. 8.15. 2870.12.23.	E	0	E	0	48	

16492 Bytes free.  
 (721st/811) position: 2834. 8.15. 2844.12.23. B Asa 51  
 Forward relations for entry Asa (51/120) are generated.  
 Backward relations for entry Jehoshaphat (42/120) are generated.  
 Optimize dates...

Asa	D	Kind	S	from:	to:	
2834. 8.15. 2844.12.23.	B	0	B	51	51	
2834. 8.15. 2844.12.23.	B	1	E	52	51	
2834. 8.15. 2846.12.23.	B	3	B	53	51	
2832. 8.21. 2846.12.23.	B	5	E	51	51	
2832. 8.21. 2844.12.29.	B	9	B	44	51	
2832. 8.15. 2846.12.23.	B	9	α	45	51	

2832.	8.15.	2844.12.23.	B	9	B	47	51
2832.	8.15.	2844.12.23.	B	9	B	48	51
2833.	8.15.	2844.12.23.	B	9	B	49	51
2833.	8.15.	2844.12.23.	B	9	B	50	51
2832.	8.15.	2844.12.23.	B	10	+	48	51
2833.	8.15.	2844.12.23.	B	10	+	50	51
				0	B	0	0
2834.	8.15.	2844.12.23.	B	0	B	0	51

16492 Bytes free.

(722nd/811) position: 2860. 8.21. 2870.12.29. E Zimri 47

Forward relations for entry Zimri (47/120) are generated.

Backward relations for entry Tibni (46/120) are generated.

Backward relations for entry Omri (45/120) are generated.

Optimize dates...

Zimri	D	Kind	S	from:	to:
2860. 8.21. 2870.12.29.	E	0	E	47	47
2860. 8.21. 2871. 1. 1.	E	5	B	47	47
2860. 8.21. 2870.12.29.	E	7	B	46	47
2860. 8.21. 2870.12.29.	E	8	B	45	47
2860. 8.21. 2870.12.29.	+	0	+	47	47
		0	E	0	0
2860. 8.21. 2870.12.29.	E	0	E	0	47

16492 Bytes free.

(723rd/811) position: 2859. 8.15. 2869.12.23. B Elah 48

Forward relations for entry Elah (48/120) are generated.

Backward relations for entry Zimri (47/120) are generated.

Optimize dates...

Elah	D	Kind	S	from:	to:
2859. 8.15. 2869.12.23.	B	0	B	48	48
2859. 8.15. 2869.12.23.	B	1	E	49	48
2859. 8.15. 2871.12.23.	B	3	B	51	48
2857. 8.15. 2869.12.23.	B	5	E	48	48
		0	B	0	0
2859. 8.15. 2869.12.23.	B	0	B	0	48

16492 Bytes free.

(724th/811) position: 2860. 8.21. 2870.12.29. B Tibni 46

Forward relations for entry Tibni (46/120) are generated.

Backward relations for entry Omri (45/120) are generated.

Optimize dates...

Tibni	D	Kind	S	from:	to:
2860. 8.21. 2870.12.29.	B	0	B	46	46
2860. 8.21. 2870.12.29.	B	1	E	47	46
		0	B	0	0
2860. 8.21. 2870.12.29.	B	0	B	0	46

16492 Bytes free.

(725th/811) position: 2860. 8.21. 2870.12.29. B Omri 45

Forward relations for entry Omri (45/120) are generated.

Backward relations for entry Ahab (44/120) are generated.

Optimize dates...

Omri	D	Kind	S	from:	to:
2860. 8.21. 2870.12.29.	B	0	B	45	45
2860. 8.21. 2870.12.29.	B	2	E	47	45
2858. 8.21. 2870.12.29.	B	6	E	45	45
		0	B	0	0

2860. 8.21. 2870.12.29. B 0 B 0 45||

16492 Bytes free.

(726th/811) position: 2545. 3. 1. 2589.10.30. E Deborah and Barak 75

Forward relations for entry Deborah and Barak (75/120) are generated.

Backward relations for entry Midianites (74/120) are generated.

Optimize dates...

Deborah and Barak	D	Kind	S	from:	to:
2545. 3. 1. 2589.10.30.	E	0	E	75	75
2545. 3. 1. 2591.10.30.	E	5	B	75	75
2545. 3. 1. 2589.10.30.	E	7	B	74	75
		0	E	0	0
2545. 3. 1. 2589.10.30.	E	0	E	0	75

16492 Bytes free.

(727th/811) position: 2506. 3. 1. 2550.10.30. B Deborah and Barak 75

Forward relations for entry Deborah and Barak (75/120) are generated.

Backward relations for entry Midianites (74/120) are generated.

Optimize dates...

Deborah and Barak	D	Kind	S	from:	to:
2506. 3. 1. 2550.10.30.	B	0	B	75	75
2506.11. 1. 2550.10.30.	B	1	E	76	75
2504. 3. 1. 2550.10.30.	B	5	E	75	75
8M		0	B	0	0
2506.11. 1. 2550.10.30.	B	0	B	0	75
2506.11. 1. 2550.10.30.				812th position to B Deborah and Barak	75
2545.11. 1. 2589.10.30.				813th position to E Deborah and Barak	75

16492 Bytes free.

(728th/813) position: 2545. 3. 1. 2589.10.30. B Midianites 74

Forward relations for entry Midianites (74/120) are generated.

Backward relations for entry Gideon = Jerubbaal (73/120) are generated.

Optimize dates...

Midianites	D	Kind	S	from:	to:
2545. 3. 1. 2589.10.30.	B	0	B	74	74
2545.11. 1. 2589.10.30.	B	1	E	75	74
≤ 2589.10.30.	B	5	E	74	74
8M		0	B	0	0
2545.11. 1. 2589.10.30.	B	0	B	0	74
2545.11. 1. 2589.10.30.				814th position to B Midianites	74
2551.11. 1. 2595.10.30.				815th position to E Midianites	74

16492 Bytes free.

(729th/815) position: 2506.11. 1. 2550.10.30. E Sisera 76

Forward relations for entry Sisera (76/120) are generated.

Backward relations for entry Deborah and Barak (75/120) are generated.

Optimize dates...

Sisera	D	Kind	S	from:	to:
2506.11. 1. 2550.10.30.	E	0	E	76	76
2506.11. 1. 2552.10.30.	E	5	B	76	76
2506.11. 1. 2550.10.30.	E	7	B	75	76
2506.11. 1. 2550.10.30.	+	0	+	76	76
		0	E	0	0
2506.11. 1. 2550.10.30.	E	0	E	0	76

16492 Bytes free.

(730th/815) position: 2487.11. 1. 2531.10.30. B Sisera 76

Forward relations for entry Sisera (76/120) are generated.

Backward relations for entry Deborah and Barak (75/120) are generated.  
Optimize dates...

Sisera	D	Kind	S	from:	to:†
2487.11. 1.	2531.10.30.	B	0 B	76	76
2487.11. 1.	2531.10.30.	B	1 E	77	76
2485.11. 1.	2531.10.30.	B	5 E	76	76
			0 B	0	0
2487.11. 1.	2531.10.30.	B	0 B	0	76

16492 Bytes free.

(731st/815) position: 2487.11. 1. 2531.10.30. E Ehud 77

Forward relations for entry Ehud (77/120) are generated.

Backward relations for entry Sisera (76/120) are generated.

Optimize dates...

Ehud	D	Kind	S	from:	to:†
2487.11. 1.	2531.10.30.	E	0 E	77	77
2487.11. 1.≥		E	5 B	77	77
2487.11. 1.	2531.10.30.	E	7 B	76	77
			0 E	0	0
2487.11. 1.	2531.10.30.	E	0 E	0	77
2408.11. 1.	2452.10.30.		816th position to B	Ehud	77

16492 Bytes free.

(732nd/816) position: 2506.11. 1. 2550.10.30. E Sisera 76

Forward relations for entry Sisera (76/120) are generated.

Backward relations for entry Deborah and Barak (75/120) are generated.

Optimize dates...

Sisera	D	Kind	S	from:	to:†
2506.11. 1.	2550.10.30.	E	0 E	76	76
2506.11. 1.	2552.10.30.	E	5 B	76	76
2506.11. 1.	2550.10.30.	E	7 B	75	76
2506.11. 1.	2550.10.30.	+	0 +	76	76
			0 E	0	0
2506.11. 1.	2550.10.30.	E	0 E	0	76

16492 Bytes free.

(733rd/816) position: 1304. 1.15. 1314.12.29. \* Arphaxad 105

Forward relations for entry Arphaxad (105/120) are generated.

Forward relations for entry Arphaxad (106/120) are generated.

Optimize dates...

Arphaxad	D	Kind	S	from:	to:†
1304. 1.15.	1314.12.29.	*	0 *	105	105
1304. 1.15.	1320. 3. 4.	*	3 E	107	105
1302. 1.15.	1319. 1. 7.	*	4 *	109	105
1302. 1.15.	1314.12.29.	*	9 *	104	105
1302. 1.15.	1321. 1. 7.	*	10 +	109	105
			0 *	0	0
1304. 1.15.	1314.12.29.	*	0 *	0	105
1303. 1.15.	1313.12.29.		817th position to E	Great Flood	107
1203. 1.15.	1215.12.29.		818th position to *	Shem	109
1803. 1.15.	1815.12.29.		819th position to +	Shem	109

16492 Bytes free.

(734th/819) position: 1740. 1.15. 1752.12.29. + Arphaxad 106

Forward relations for entry Arphaxad (105/120) are generated.

Forward relations for entry Arphaxad (106/120) are generated.

Optimize dates...

Arphaxad	D	Kind	S	from:	to:†
----------	---	------	---	-------	------



```

1740. 1.15. 1752.12.29. + 0 + 105 105||
1740. 1.15. 1752.12.29. + 3 * 104 106||
                                0 + 0 0||
1740. 1.15. 1752.12.29. + 0 + 0 105||

```

16492 Bytes free.

(735th/819) position: 2991. 8.22. 3006.12.29. B Zachariah 25  
 Forward relations for entry Zachariah (25/120) are generated.  
 Backward relations for entry Shallum (24/120) are generated.  
 Optimize dates...

```

Zachariah          D Knd S   from:   to:|
2991. 8.22. 3006.12.29. B 0 B     25     25||
2991. 4. 1. 3006.12.29. B 1 E     27     25||
2991. 3.22. 3006.12.29. B 3 B     26     25||
2991. 8.22. 3007. 2.29. B 5 E     25     25||
                                0 B     0     0||
2991. 8.22. 3006.12.29. B 0 B     0     25||
2991. 8.22. 3006.12.29. 820th position to E Jeroboam (Joash) 27

```

16492 Bytes free.

(736th/820) position: 2354. 1.15.≥ E Chushanrishathaim 80  
 Forward relations for entry Chushanrishathaim (80/120) are generated.  
 Backward relations for entry Othniel (79/120) are generated.  
 Optimize dates...

```

Chushanrishathaim D Knd S   from:   to:|
2354. 1.15.≥      E 0 E     80     80||
2354. 1.15.≥      E 5 B     80     80||
2353. 3.22.≥      E 7 B     79     80||
                                0 E     0     0||
2354. 1.15.≥      E 0 E     0     80||
2354. 1.15.≥      821st position to B Othniel 79

```

16492 Bytes free.

(737th/821) position: 2743. 1.15. 2757. 2.29. α David 58  
 Forward relations for entry David (58/120) are generated.  
 Backward relations for entry Solomon (57/120) are generated.  
 Optimize dates...

```

David          D Knd S   from:   to:|
2743. 1.15. 2757. 2.29. α 0 α     58     58||
2732. 6. 1.≥      α 1 E     59     58||
2743. 1.15. 2757. 4.29. α 4 B     58     58||
2742. 8.15. 2757. 2.29. α 6 Ω     58     58||
                                0 α     0     0||
2743. 1.15. 2757. 2.29. α 0 α     0     58||

```

16492 Bytes free.

(738th/821) position: 2735. 8.15. 2749. 9.29. E Saul 60  
 Forward relations for entry Saul (60/120) are generated.  
 Backward relations for entry Ishbosheth (59/120) are generated.  
 Backward relations for entry David (58/120) are generated.  
 Optimize dates...

```

Saul          D Knd S   from:   to:|
2735. 8.15. 2749. 9.29. E 0 E     60     60||
2729. 6. 1. 2751. 9.29. E 5 B     60     60||
2731. 6. 1. 2749. 9.29. E 7 B     59     60||
2735. 8.15. 2749. 9.29. E 8 B     58     60||
2735. 8.15. 2749. 9.29. + 0 +     60     60||
                                0 E     0     0||

```

2735. 8.15. 2749. 9.29. E 0 E 0 60||  
 2694. 8.15. 2710. 9.29. 822nd position to B Saul 60  
 2735. 8.15. 2749. 9.29. 823rd position to B Ishbosheth 59

16492 Bytes free.

(739th/823) position: 2704. 8.15. 2720. 9.29. \* David 58

Forward relations for entry David (58/120) are generated.

Backward relations for entry Solomon (57/120) are generated.

Optimize dates...

David	D	Kind	S	from:	to:
2704. 8.15. 2720. 9.29. *	0	*		58	58
2704. 8.15. 2720. 9.29. *	9	B		58	58
	0	*		0	0
2704. 8.15. 2720. 9.29. *	0	*		0	58

16492 Bytes free.

(740th/823) position: 2815. 8.15. 2825.12.23. B Jeroboam (Nebat) 53

Forward relations for entry Jeroboam (Nebat) (53/120) are generated.

Backward relations for entry Nadab (50/120) are generated.

Optimize dates...

Jeroboam (Nebat)	D	Kind	S	from:	to:
2815. 8.15. 2825.12.23. B	0	B		53	53
2815. 8.15. 2825.12.23. B	1	E		57	53
2813. 8.15. 2824.12.23. B	5	E		53	53
2813. 8.15. 2825.12.23. B	9	B		51	53
2813. 8.15. 2825.12.23. B	9	B		52	53
	1Y	0	B	0	0
2815. 8.15. 2824.12.23. B	0	B		0	53
2815. 8.15. 2824.12.23.				824th position to B Jeroboam (Nebat)	53
2815. 8.15. 2824.12.23.				825th position to E Solomon	57

16492 Bytes free.

(741st/825) position: 2815. 8.15. 2824.12.23. E Solomon 57

Forward relations for entry Solomon (57/120) are generated.

Backward relations for entry Jeroboam (Nebat) (53/120) are generated.

Backward relations for entry Rehoboam (54/120) are generated.

Optimize dates...

Solomon	D	Kind	S	from:	to:
2815. 8.15. 2824.12.23. E	0	E		57	57
2815. 8.15. 2830. 2.29. E	5	B		57	57
2815. 8.15. 2824.12.23. E	7	B		53	57
2815. 8.15. 2825.12.23. E	7	B		54	57
2815. 8.15. 2824.12.23. +	0	+		57	57
	0	E		0	0
2815. 8.15. 2824.12.23. E	0	E		0	57
2776. 8.15. 2785.12.23.				826th position to B Solomon	57
2815. 8.15. 2824.12.23.				827th position to B Rehoboam	54

16492 Bytes free.

(742nd/827) position: 2836. 8.15. 2845.12.23. E Jeroboam (Nebat) 53

Forward relations for entry Jeroboam (Nebat) (53/120) are generated.

Backward relations for entry Nadab (50/120) are generated.

Optimize dates...

Jeroboam (Nebat)	D	Kind	S	from:	to:
2836. 8.15. 2845.12.23. E	0	E		53	53
2836. 8.15. 2847.12.23. E	5	B		53	53
2836. 8.15. 2845.12.23. E	7	B		50	53
2836. 8.15. 2845.12.23. +	0	+		53	53

```

                0 E      0      0||
2836. 8.15. 2845.12.23. E 0 E      0      53||

```

16492 Bytes free.

(743rd/827) position: 2832. 8.15. 2842.12.23. B Abijam = Abijah 52

Forward relations for entry Abijam = Abijah (52/120) are generated.

Backward relations for entry Asa (51/120) are generated.

Optimize dates...

```

Abijam = Abijah      D Knd S      from:      to:|
2832. 8.15. 2842.12.23. B 0 B      52      52||
2831. 8.15. 2843.12.23. B 1 E      54      52||
2832. 8.15. 2843.12.23. B 3 B      53      52||
2830. 8.15. 2842.12.23. B 5 E      52      52||
                0 B      0      0||
2832. 8.15. 2842.12.23. B 0 B      0      52||
2832. 8.15. 2842.12.23. 828th position to E Rehoboam      54

```

16492 Bytes free.

(744th/828) position: 2815. 8.15. 2824.12.23. B Rehoboam 54

Forward relations for entry Rehoboam (54/120) are generated.

Backward relations for entry Abijam = Abijah (52/120) are generated.

Optimize dates...

```

Rehoboam      D Knd S      from:      to:|
2815. 8.15. 2824.12.23. B 0 B      54      54||
2815. 8.15. 2824.12.23. B 1 E      57      54||
2813. 8.15. 2827.12.23. B 3 *      54      54||
2814. 8.15. 2826.12.23. B 5 E      54      54||
                0 B      0      0||
2815. 8.15. 2824.12.23. B 0 B      0      54||
2773. 8.15. 2784.12.23. 829th position to * Rehoboam      54

```

16492 Bytes free.

(745th/829) position: 2773. 8.15. 2784.12.23. \* Rehoboam 54

Forward relations for entry Rehoboam (54/120) are generated.

Backward relations for entry Abijam = Abijah (52/120) are generated.

Optimize dates...

```

Rehoboam      D Knd S      from:      to:|
2773. 8.15. 2784.12.23. * 0 *      54      54||
2773. 8.15. 2784.12.23. * 9 B      54      54||
                0 *      0      0||
2773. 8.15. 2784.12.23. * 0 *      0      54||

```

16492 Bytes free.

(746th/829) position: 2832. 8.15. 2842.12.23. E Rehoboam 54

Forward relations for entry Rehoboam (54/120) are generated.

Backward relations for entry Abijam = Abijah (52/120) are generated.

Optimize dates...

```

Rehoboam      D Knd S      from:      to:|
2832. 8.15. 2842.12.23. E 0 E      54      54||
2831. 8.15. 2842.12.23. E 5 B      54      54||
2832. 8.15. 2842.12.23. E 7 B      52      54||
2832. 8.15. 2842.12.23. + 0 +      54      54||
                0 E      0      0||
2832. 8.15. 2842.12.23. E 0 E      0      54||

```

16492 Bytes free.

(747th/829) position: 2684.11.15. 2710. 9.29. E Philistines 63

Forward relations for entry Philistines (63/120) are generated.

Backward relations for entry Samuel (61/120) are generated.  
 Backward relations for entry Samson (62/120) are generated.  
 Backward relations for entry Saul (60/120) are generated.  
 Optimize dates...

Philistines	D	Kind	S	from:	to:	
2684.11.15.	2710.	9.29.	E 0 E	63	63	
2660. 9. 1.>			E 2 E	62	63	
2678. 9. 1.	2712.	9.29.	E 3 B	61	63	
2684.11.15.	2712.	9.29.	E 6 B	63	63	
	≤ 2710.	9.29.	E 7 E	61	63	
	≤ 2710.	9.29.	E 8 B	60	63	
			0 E	0	0	
2684.11.15.	2710.	9.29.	E 0 E	0	63	
2663.11.15.	2691.	9.29.		830th position to B Samuel		61

16492 Bytes free.

(748th/830) position: 2645.11.15. 2691. 9.29. B Samson 62  
 Forward relations for entry Samson (62/120) are generated.  
 Backward relations for entry Philistines (63/120) are generated.  
 Optimize dates...

Samson	D	Kind	S	from:	to:	
2645.11.15.	2691.	9.29.	B 0 B	62	62	
2645.11.15.>			B 1 B	63	62	
2639. 9. 1.	2691.	9.29.	B 5 E	62	62	
			0 B	0	0	
2645.11.15.	2691.	9.29.	B 0 B	0	62	
2664.11.15.	2710.	9.29.		831st position to E Samson		62

16492 Bytes free.

(749th/831) position: 2651.11.15.> E Ibazan 67  
 Forward relations for entry Ibazan (67/120) are generated.  
 Backward relations for entry Elon (66/120) are generated.  
 Optimize dates...

Ibazan	D	Kind	S	from:	to:	
2651.11.15.>			E 0 E	67	67	
2651.11.15.>			E 5 B	67	67	
			E 7 B	66	67	
2651.11.15.>			+ 0 +	67	67	
			0 E	0	0	
2651.11.15.>			E 0 E	0	67	
2651.11.15.>				832nd position to B Elon		66

16492 Bytes free.

(750th/832) position: 2409. 3.22.> E Eglon 78  
 Forward relations for entry Eglon (78/120) are generated.  
 Backward relations for entry Ehud (77/120) are generated.  
 Optimize dates...

Eglon	D	Kind	S	from:	to:	
2409. 3.22.>			E 0 E	78	78	
2409. 3.22.>			E 5 B	78	78	
2408.11. 1.	2452.10.30.		E 7 B	77	78	
2409. 3.22.>			+ 0 +	78	78	
	2451Y 9M29D		0 E	0	0	
2409. 3.22.	2452.10.30.		E 0 E	0	78	
2409. 3.22.	2452.10.30.			833rd position to E Eglon		78
2392. 3.22.	2435.10.30.			834th position to B Eglon		78
2409. 3.22.	2452.10.30.			835th position to B Ehud		77

16492 Bytes free.  
 (751st/835) position: 2899. 6. 7. 2913.12.29. E Athaliah 34  
 Forward relations for entry Athaliah (34/120) are generated.  
 Backward relations for entry Joash (Ahaziah) (32/120) are generated.  
 Optimize dates...

Athaliah	D	Kind	S	from:	to:	
2899. 6. 7. 2913.12.29.	E	0	E	34	34	
2900. 8.15. 2914.12.29.	E	5	B	34	34	
2900. 6. 7. 2913.12.29.	E	7	B	32	34	
2899. 6. 7. 2913.12.29.	+	0	+	34	34	
1Y 2M 8D				0	0	
2900. 8.15. 2913.12.29.	E	0	E	0	34	
2900. 8.15. 2913.12.29.				836th position to E Athaliah		34
2900. 8.15. 2913.12.29.				837th position to B Joash (Ahaziah)		32

16492 Bytes free.  
 (752nd/837) position: 2900. 8.15. 2913.12.29. B Joash (Ahaziah) 32  
 Forward relations for entry Joash (Ahaziah) (32/120) are generated.  
 Backward relations for entry Amaziah (28/120) are generated.  
 Optimize dates...

Joash (Ahaziah)	D	Kind	S	from:	to:	
2900. 8.15. 2913.12.29.	B	0	B	32	32	
2900. 8.15. 2913.12.29.	B	1	E	34	32	
2901. 8.15. 2915.12.29.	B	3	B	33	32	
2892. 4. 1. 2913.12.29.	B	5	E	32	32	
2895. 6. 1. 2915.12.29.	B	4	*	32	32	
2894. 4. 1. 2915.12.29.	B	9	B	30	32	
2895. 6. 1. 2913.12.29.	B	9	B	31	32	
1Y				0	0	
2901. 8.15. 2913.12.29.	B	0	B	0	32	
2901. 8.15. 2913.12.29.				838th position to B Joash (Ahaziah)		32
2901. 8.15. 2913.12.29.				839th position to E Athaliah		34
2940. 8.15. 2952.12.29.				840th position to E Joash (Ahaziah)		32
2893. 8.15. 2907.12.29.				841st position to * Joash (Ahaziah)		32
2937. 8.15. 2951.12.29.				842nd position to B Joash (Jehoahaz)		30
2923. 8.15. 2935.12.29.				843rd position to B Jehoahaz (Jehu)		31

16492 Bytes free.  
 (753rd/843) position: 2893. 8.15. 2907.12.29. \* Joash (Ahaziah) 32  
 Forward relations for entry Joash (Ahaziah) (32/120) are generated.  
 Backward relations for entry Amaziah (28/120) are generated.  
 Optimize dates...

Joash (Ahaziah)	D	Kind	S	from:	to:	
2893. 8.15. 2907.12.29.	*	0	*	32	32	
2893. 8.15. 2907.12.29.	*	10	B	32	32	
				0	0	
2893. 8.15. 2907.12.29.	*	0	*	0	32	

16492 Bytes free.  
 (754th/843) position: 2923. 8.15. 2935.12.29. B Jehoahaz (Jehu) 31  
 Forward relations for entry Jehoahaz (Jehu) (31/120) are generated.  
 Backward relations for entry Joash (Jehoahaz) (30/120) are generated.  
 Optimize dates...

Jehoahaz (Jehu)	D	Kind	S	from:	to:	
2923. 8.15. 2935.12.29.	B	0	B	31	31	
2921. 6. 7. 2935.12.29.	B	1	E	33	31	
2923. 8.15. 2937.12.29.	B	3	B	32	31	
2917. 6. 1. 2935.12.29.	B	5	E	31	31	

```

          0 B      0      0||
2923. 8.15. 2935.12.29. B 0 B      0      31||
2923. 8.15. 2935.12.29. 844th position to E Jehu          33
2939. 8.15. 2951.12.29. 845th position to E Jehoahaz (Jehu) 31

```

16492 Bytes free.

```

(755th/845) position: 2923. 8.15. 2935.12.29. E Jehu          33
Forward relations for entry Jehu          (33/120) are generated.
Backward relations for entry Jehoahaz (Jehu) (31/120) are generated.
Optimize dates...

```

```

Jehu          D Knd S      from:      to:|
2923. 8.15. 2935.12.29. E 0 E      33      33||
2922. 8.15. 2936.12.29. E 5 B      33      33||
2923. 8.15. 2935.12.29. E 7 B      31      33||
2923. 8.15. 2935.12.29. + 0 +      33      33||
          0 E      0      0||
2923. 8.15. 2935.12.29. E 0 E      0      33||

```

16492 Bytes free.

```

(756th/845) position: 2939. 8.15. 2951.12.29. E Jehoahaz (Jehu) 31
Forward relations for entry Jehoahaz (Jehu) (31/120) are generated.
Backward relations for entry Joash (Jehoahaz) (30/120) are generated.
Optimize dates...

```

```

Jehoahaz (Jehu) D Knd S      from:      to:|
2939. 8.15. 2951.12.29. E 0 E      31      31||
2939. 8.15. 2953.12.29. E 5 B      31      31||
2937. 8.15. 2951.12.29. E 7 B      30      31||
2939. 8.15. 2951.12.29. + 0 +      31      31||
          0 E      0      0||
2939. 8.15. 2951.12.29. E 0 E      0      31||
2939. 8.15. 2951.12.29. 846th position to B Joash (Jehoahaz) 30

```

16492 Bytes free.

```

(757th/846) position: 2874. 8.15. 2886.12.29. * Ahaziah (Joram) 35
Forward relations for entry Ahaziah (Joram) (35/120) are generated.
Backward relations for entry Jehu          (33/120) are generated.
Backward relations for entry Athaliah      (34/120) are generated.
Forward relations for entry Ahaziah (Joram) (36/120) are generated.
Optimize dates...

```

```

Ahaziah (Joram) D Knd S      from:      to:|
2874. 8.15. 2886.12.29. * 0 *      35      35||
2874. 8.15. 2886.12.29. * 10 B     35      35||
          0 *      0      0||
2874. 8.15. 2886.12.29. * 0 *      0      35||

```

16492 Bytes free.

```

(758th/846) position: 2897. 8.15. 2907.12.29. E Ahaziah (Joram) 35
Forward relations for entry Ahaziah (Joram) (35/120) are generated.
Backward relations for entry Jehu          (33/120) are generated.
Backward relations for entry Athaliah      (34/120) are generated.
Forward relations for entry Ahaziah (Joram) (36/120) are generated.
Optimize dates...

```

```

Ahaziah (Joram) D Knd S      from:      to:|
2897. 8.15. 2907.12.29. E 0 E      35      35||
2897. 8.15. 2909.12.29. E 6 B      35      35||
2895. 8.15. 2907.12.29. E 7 B      33      35||
2895. 8.15. 2907.12.29. E 7 B      34      35||
2897. 8.15. 2907.12.29. + 0 +      35      35||

```

```

      0 E      0      0||
2897. 8.15. 2907.12.29. E 0 E      0      35||
2897. 8.15. 2907.12.29. 847th position to B Jehu      33
2897. 8.15. 2907.12.29. 848th position to B Athaliah    34

```

16492 Bytes free.

```

(759th/848) position: 2885. 8.15. 2896.12.29. B Joram (Ahab)      37
Forward relations for entry Joram (Ahab)      (37/120) are generated.
Backward relations for entry Jehu             (33/120) are generated.
Backward relations for entry Athaliah         (34/120) are generated.
Forward relations for entry Joram (Ahab)      (38/120) are generated.

```

Optimize dates...

```

Joram (Ahab)      D Knd S      from:      to:|
2885. 8.15. 2896.12.29. B 0 B      37      37||
2884. 8.15. 2896.12.29. B 9 B      35      37||
2885. 8.15. 2897.12.29. B 9 B      36      37||
2884. 8.15. 2896.12.29. B 9 B      40      37||
2882. 8.15. 2896.12.29. B 5 E      38      38||
      0 B      0      0||
2885. 8.15. 2896.12.29. B 0 B      0      37||
2896. 8.15. 2907.12.29. 849th position to E Joram (Ahab)    38

```

16492 Bytes free.

```

(760th/849) position: 2896. 8.15. 2907.12.29. E Joram (Ahab)      38
Forward relations for entry Joram (Ahab)      (37/120) are generated.
Backward relations for entry Jehu             (33/120) are generated.
Backward relations for entry Athaliah         (34/120) are generated.
Forward relations for entry Joram (Ahab)      (38/120) are generated.

```

Optimize dates...

```

Joram (Ahab)      D Knd S      from:      to:|
2896. 8.15. 2907.12.29. E 0 E      37      37||
2897. 8.15. 2907.12.29. E 8 B      33      37||
2897. 8.15. 2907.12.29. E 8 B      34      37||
2896. 8.15. 2909.12.29. E 5 B      38      38||
2896. 8.15. 2907.12.29. + 0 +      37      37||
      1Y      0 E      0      0||
2897. 8.15. 2907.12.29. E 0 E      0      37||
2897. 8.15. 2907.12.29. 850th position to E Joram (Ahab)    38

```

16492 Bytes free.

```

(761st/850) position: 2897. 8.15. 2907.12.29. B Jehu      33
Forward relations for entry Jehu             (33/120) are generated.
Backward relations for entry Jehoahaz (Jehu)  (31/120) are generated.

```

Optimize dates...

```

Jehu      D Knd S      from:      to:|
2897. 8.15. 2907.12.29. B 0 B      33      33||
2897. 8.15. 2907.12.29. B 1 E      35      33||
2897. 8.15. 2907.12.29. B 2 E      37      33||
2894. 8.15. 2908.12.29. B 5 E      33      33||
2893. 8.15. 2907.12.29. B 9 B      32      33||
      0 B      0      0||
2897. 8.15. 2907.12.29. B 0 B      0      33||
2924. 8.15. 2935.12.29. 851st position to E Jehu      33
2903. 8.15. 2913.12.29. 852nd position to B Joash (Ahaziah)  32

```

16492 Bytes free.

```

(762nd/852) position: 2897. 8.15. 2907.12.29. B Athaliah      34
Forward relations for entry Athaliah         (34/120) are generated.

```

Backward relations for entry Joash (Ahaziah) (32/120) are generated.

Optimize dates...

Athaliah	D	Kind	S	from:	to:
2897. 8.15. 2907.12.29.	B	0	B	34	34
2897. 8.15. 2907.12.29.	B	1	E	35	34
2897. 8.15. 2907.12.29.	B	2	E	37	34
2894. 8.15. 2908.12.29.	B	5	E	34	34
		0	B	0	0
2897. 8.15. 2907.12.29.	B	0	B	0	34
2902. 8.15. 2913.12.29.				853rd position to E Athaliah	34

16492 Bytes free.

(763rd/853) position: 2897. 8.15. 2907.12.29. B Jehu 33

Forward relations for entry Jehu (33/120) are generated.

Backward relations for entry Jehoahaz (Jehu) (31/120) are generated.

Optimize dates...

Jehu	D	Kind	S	from:	to:
2897. 8.15. 2907.12.29.	B	0	B	33	33
2897. 8.15. 2907.12.29.	B	1	E	35	33
2897. 8.15. 2907.12.29.	B	2	E	37	33
2895. 8.15. 2908.12.29.	B	5	E	33	33
2895. 8.15. 2907.12.29.	B	9	B	32	33
		0	B	0	0
2897. 8.15. 2907.12.29.	B	0	B	0	33

16492 Bytes free.

(764th/853) position: 2897. 8.15. 2907.12.29. B Athaliah 34

Forward relations for entry Athaliah (34/120) are generated.

Backward relations for entry Joash (Ahaziah) (32/120) are generated.

Optimize dates...

Athaliah	D	Kind	S	from:	to:
2897. 8.15. 2907.12.29.	B	0	B	34	34
2897. 8.15. 2907.12.29.	B	1	E	35	34
2897. 8.15. 2907.12.29.	B	2	E	37	34
2895. 8.15. 2908.12.29.	B	5	E	34	34
		0	B	0	0
2897. 8.15. 2907.12.29.	B	0	B	0	34

16492 Bytes free.

(765th/853) position: 2897. 8.15. 2907.12.29. E Joram (Ahab) 37

Forward relations for entry Joram (Ahab) (37/120) are generated.

Backward relations for entry Jehu (33/120) are generated.

Backward relations for entry Athaliah (34/120) are generated.

Forward relations for entry Joram (Ahab) (38/120) are generated.

Optimize dates...

Joram (Ahab)	D	Kind	S	from:	to:
2897. 8.15. 2907.12.29.	E	0	E	37	37
2897. 8.15. 2907.12.29.	E	8	B	33	37
2897. 8.15. 2907.12.29.	E	8	B	34	37
2896. 8.15. 2909.12.29.	E	5	B	38	38
2897. 8.15. 2907.12.29.	+	0	+	37	37
		0	E	0	0
2897. 8.15. 2907.12.29.	E	0	E	0	37

16492 Bytes free.

(766th/853) position: 2924. 8.15. 2935.12.29. E Jehu 33

Forward relations for entry Jehu (33/120) are generated.

Backward relations for entry Jehoahaz (Jehu) (31/120) are generated.



Optimize dates...

Jehu	D	Kind	S	from:	to:	
2924. 8.15. 2935.12.29.	E	0	E	33	33	
2924. 8.15. 2936.12.29.	E	5	B	33	33	
2923. 8.15. 2935.12.29.	E	7	B	31	33	
2924. 8.15. 2935.12.29.	+	0	+	33	33	
		0	E	0	0	
2924. 8.15. 2935.12.29.	E	0	E	0	33	
2924. 8.15. 2935.12.29.				854th position to B Jehoahaz (Jehu)		31

16492 Bytes free.

(767th/854) position: 2903. 8.15. 2913.12.29. B Joash (Ahaziah) 32

Forward relations for entry Joash (Ahaziah) (32/120) are generated.

Backward relations for entry Amaziah (28/120) are generated.

Optimize dates...

Joash (Ahaziah)	D	Kind	S	from:	to:	
2903. 8.15. 2913.12.29.	B	0	B	32	32	
2902. 8.15. 2913.12.29.	B	1	E	34	32	
2903. 8.15. 2915.12.29.	B	3	B	33	32	
2899. 8.15. 2913.12.29.	B	5	E	32	32	
2899. 8.15. 2915.12.29.	B	4	*	32	32	
2901. 8.15. 2915.12.29.	B	9	B	30	32	
2900. 8.15. 2913.12.29.	B	9	B	31	32	
		0	B	0	0	
2903. 8.15. 2913.12.29.	B	0	B	0	32	
2903. 8.15. 2913.12.29.				855th position to E Athaliah		34
2942. 8.15. 2952.12.29.				856th position to E Joash (Ahaziah)		32
2895. 8.15. 2907.12.29.				857th position to * Joash (Ahaziah)		32
2925. 8.15. 2935.12.29.				858th position to B Jehoahaz (Jehu)		31

16492 Bytes free.

(768th/858) position: 2903. 8.15. 2913.12.29. E Athaliah 34

Forward relations for entry Athaliah (34/120) are generated.

Backward relations for entry Joash (Ahaziah) (32/120) are generated.

Optimize dates...

Athaliah	D	Kind	S	from:	to:	
2903. 8.15. 2913.12.29.	E	0	E	34	34	
2902. 8.15. 2914.12.29.	E	5	B	34	34	
2903. 8.15. 2913.12.29.	E	7	B	32	34	
2903. 8.15. 2913.12.29.	+	0	+	34	34	
		0	E	0	0	
2903. 8.15. 2913.12.29.	E	0	E	0	34	

16492 Bytes free.

(769th/858) position: 2893. 8.21. 2903.12.29. E Elijah 43

Forward relations for entry Elijah (43/120) are generated.

Backward relations for entry Elisha (39/120) are generated.

Backward relations for entry Joram (Ahab) (37/120) are generated.

Backward relations for entry Ahab (44/120) are generated.

Optimize dates...

Elijah	D	Kind	S	from:	to:	
2893. 8.21. 2903.12.29.	E	0	E	43	43	
2893. 8.21. ≥	E	2	E	41	43	
2893. 8.15. 2903.12.29.	E	7	B	39	43	
≤ 2903.12.29.	E	8	α	37	43	
2893. 8.21. 2903.12.29.	+	0	+	43	43	
		0	E	0	0	
2893. 8.21. 2903.12.29.	E	0	E	0	43	

2893. 8.21. 2903.12.29. 859th position to B Elisha 39

16492 Bytes free.

(770th/859) position: 2893. 8.21. 2903.12.29. B Elisha 39

Forward relations for entry Elisha (39/120) are generated.

Backward relations for entry Joash (Jehoahaz) (30/120) are generated.

Optimize dates...

Elisha	D	Kind	S	from:	to:†
2893. 8.21. 2903.12.29.	B	0	B	39	39
2893. 8.21. 2903.12.29.	B	1	E	43	39
		0	B	0	0
2893. 8.21. 2903.12.29.	B	0	B	0	39

16492 Bytes free.

(771st/859) position: 2893. 8.21. 2903.12.29. α Joram (Ahab) 37

Forward relations for entry Joram (Ahab) (37/120) are generated.

Backward relations for entry Jehu (33/120) are generated.

Backward relations for entry Athaliah (34/120) are generated.

Forward relations for entry Joram (Ahab) (38/120) are generated.

Optimize dates...

Joram (Ahab)	D	Kind	S	from:	to:†
2893. 8.21. 2903.12.29.	α	0	α	37	37
2893. 8.21. 2903.12.29.	α	1	E	41	37
2893. 8.21. ≥		α	2	E	43
2891. 8.15. 2903.12.29.	α	3	B	40	37
2891. 8.21. 2905.12.23.	α	4	B	42	37
		0	α	0	0
2893. 8.21. 2903.12.29.	α	0	α	0	37
2890. 8.21. 2900.12.29.				860th position to B Jehoram (Jehoshaphat)	40

16492 Bytes free.

(772nd/860) position: 2890. 8.21. 2900.12.29. B Jehoram (Jehoshaphat) 40

Forward relations for entry Jehoram (Jehoshaphat) (40/120) are generated.

Backward relations for entry Ahaziah (Joram) (35/120) are generated.

Optimize dates...

Jehoram (Jehoshaphat)	D	Kind	S	from:	to:†
2890. 8.21. 2900.12.29.	B	0	B	40	40
2889. 8.15. 2902.12.29.	B	3	B	37	40
2888. 8.15. 2902.12.29.	B	4	*	40	40
2888. 8.15. 2900.12.29.	B	6	E	40	40
2890. 8.21. 2902.12.29.	B	9	α	37	40
		0	B	0	0
2890. 8.21. 2900.12.29.	B	0	B	0	40
2857. 8.21. 2869.12.29.				861st position to * Jehoram (Jehoshaphat)	40
2897. 8.21. 2907.12.29.				862nd position to E Jehoram (Jehoshaphat)	40

16492 Bytes free.

(773rd/862) position: 2885. 8.15. 2896.12.29. B Joram (Ahab) 37

Forward relations for entry Joram (Ahab) (37/120) are generated.

Backward relations for entry Jehu (33/120) are generated.

Backward relations for entry Athaliah (34/120) are generated.

Forward relations for entry Joram (Ahab) (38/120) are generated.

Optimize dates...

Joram (Ahab)	D	Kind	S	from:	to:†
2885. 8.15. 2896.12.29.	B	0	B	37	37
2884. 8.15. 2896.12.29.	B	9	B	35	37
2885. 8.15. 2897.12.29.	B	9	B	36	37
2884. 8.21. 2896.12.29.	B	9	B	40	37

```

2884. 8.15. 2896.12.29. B 5 E      38      38||
                                0 B      0      0||
2885. 8.15. 2896.12.29. B 0 B      0      37||

```

16492 Bytes free.

(774th/862) position: 2857. 8.21. 2869.12.29. \* Jehoram (Jehoshaphat) 40

Forward relations for entry Jehoram (Jehoshaphat) (40/120) are generated.

Backward relations for entry Ahaziah (Joram) (35/120) are generated.

Optimize dates...

```

Jehoram (Jehoshaphat)      D Knd S      from:      to:|
2857. 8.21. 2869.12.29. * 0 *      40      40||
2857. 8.21. 2869.12.29. * 10 B     40      40||
                                0 *      0      0||
2857. 8.21. 2869.12.29. * 0 *      0      40||

```

16492 Bytes free.

(775th/862) position: 2897. 8.21. 2907.12.29. E Jehoram (Jehoshaphat) 40

Forward relations for entry Jehoram (Jehoshaphat) (40/120) are generated.

Backward relations for entry Ahaziah (Joram) (35/120) are generated.

Optimize dates...

```

Jehoram (Jehoshaphat)      D Knd S      from:      to:|
2897. 8.21. 2907.12.29. E 0 E      40      40||
2897. 8.21. 2909.12.29. E 6 B      40      40||
2897. 8.15. 2907.12.29. E 7 B      35      40||
2897. 8.21. 2907.12.29. + 0 +      40      40||
                                0 E      0      0||
2897. 8.21. 2907.12.29. E 0 E      0      40||
2897. 8.21. 2907.12.29. 863rd position to B Ahaziah (Joram)      35

```

16492 Bytes free.

(776th/863) position: 2897. 8.21. 2907.12.29. B Ahaziah (Joram) 35

Forward relations for entry Ahaziah (Joram) (35/120) are generated.

Backward relations for entry Jehu (33/120) are generated.

Backward relations for entry Athaliah (34/120) are generated.

Forward relations for entry Ahaziah (Joram) (36/120) are generated.

Optimize dates...

```

Ahaziah (Joram)           D Knd S      from:      to:|
2897. 8.21. 2907.12.29. B 0 B      35      35||
2897. 8.21. 2907.12.29. B 1 E      40      35||
2896. 8.15. 2909.12.29. B 3 B      37      35||
2895. 8.15. 2909.12.29. B 4 *      35      35||
2895. 8.15. 2907.12.29. B 6 E      35      35||
2895. 8.15. 2908.12.29. B 3 B      37      36||
                                0 B      0      0||
2897. 8.21. 2907.12.29. B 0 B      0      35||
2874. 8.21. 2886.12.29. 864th position to * Ahaziah (Joram)      35
2897. 8.21. 2907.12.29. 865th position to E Ahaziah (Joram)      35
2885. 8.21. 2896.12.29. 866th position to B Joram (Ahab)      37

```

16492 Bytes free.

(777th/866) position: 2897. 8.15. 2907.12.29. E Joram (Ahab) 38

Forward relations for entry Joram (Ahab) (37/120) are generated.

Backward relations for entry Jehu (33/120) are generated.

Backward relations for entry Athaliah (34/120) are generated.

Forward relations for entry Joram (Ahab) (38/120) are generated.

Optimize dates...

```

Joram (Ahab)              D Knd S      from:      to:|
2897. 8.15. 2907.12.29. E 0 E      37      37||

```

2897.	8.15.	2907.12.29.	E	8	B	33	37	
2897.	8.15.	2907.12.29.	E	8	B	34	37	
2896.	8.21.	2909.12.29.	E	5	B	38	38	
2897.	8.15.	2907.12.29.	+	0	+	37	37	
				0	E	0	0	
2897.	8.15.	2907.12.29.	E	0	E	0	37	

16492 Bytes free.

(778th/866) position: 2897. 8.21. 2907.12.29. B Ahaziah (Joram) 35  
 Forward relations for entry Ahaziah (Joram) (35/120) are generated.  
 Backward relations for entry Jehu (33/120) are generated.  
 Backward relations for entry Athaliah (34/120) are generated.  
 Forward relations for entry Ahaziah (Joram) (36/120) are generated.

Optimize dates...

Ahaziah (Joram)	D	Kind	S	from:	to:	
2897. 8.21. 2907.12.29.	B	0	B	35	35	
2897. 8.21. 2907.12.29.	B	1	E	40	35	
2896. 8.21. 2909.12.29.	B	3	B	37	35	
2895. 8.21. 2909.12.29.	B	4	*	35	35	
2895. 8.21. 2907.12.29.	B	6	E	35	35	
2895. 8.21. 2908.12.29.	B	3	B	37	36	
		0	B	0	0	
2897. 8.21. 2907.12.29.	B	0	B	0	35	

16492 Bytes free.

(779th/866) position: 2897. 8.15. 2907.12.29. B Jehu 33  
 Forward relations for entry Jehu (33/120) are generated.  
 Backward relations for entry Jehoahaz (Jehu) (31/120) are generated.

Optimize dates...

Jehu	D	Kind	S	from:	to:		
2897. 8.15. 2907.12.29.	B	0	B	33	33		
2897. 8.21. 2907.12.29.	B	1	E	35	33		
2897. 8.15. 2907.12.29.	B	2	E	37	33		
2895. 8.15. 2908.12.29.	B	5	E	33	33		
2895. 8.15. 2907.12.29.	B	9	B	32	33		
	6D		0	B	0	0	
2897. 8.21. 2907.12.29.	B	0	B	0	33		
2897. 8.21. 2907.12.29.				867th position to B Jehu		33	
2897. 8.21. 2907.12.29.				868th position to E Joram (Ahab)		37	
2924. 8.21. 2935.12.29.				869th position to E Jehu		33	
2903. 8.21. 2913.12.29.				870th position to B Joash (Ahaziah)		32	

16492 Bytes free.

(780th/870) position: 2897. 8.15. 2907.12.29. B Athaliah 34  
 Forward relations for entry Athaliah (34/120) are generated.  
 Backward relations for entry Joash (Ahaziah) (32/120) are generated.

Optimize dates...

Athaliah	D	Kind	S	from:	to:		
2897. 8.15. 2907.12.29.	B	0	B	34	34		
2897. 8.21. 2907.12.29.	B	1	E	35	34		
2897. 8.21. 2907.12.29.	B	2	E	37	34		
2896. 8.15. 2908.12.29.	B	5	E	34	34		
	6D		0	B	0	0	
2897. 8.21. 2907.12.29.	B	0	B	0	34		
2897. 8.21. 2907.12.29.				871st position to B Athaliah		34	

16492 Bytes free.

(781st/871) position: 2874. 8.21. 2886.12.29. \* Ahaziah (Joram) 35

Forward relations for entry Ahaziah (Joram) (35/120) are generated.  
 Backward relations for entry Jehu (33/120) are generated.  
 Backward relations for entry Athaliah (34/120) are generated.  
 Forward relations for entry Ahaziah (Joram) (36/120) are generated.

Optimize dates...

Ahaziah (Joram)	D	Kind	S	from:	to:
2874. 8.21. 2886.12.29.	*	0	*	35	35
2874. 8.21. 2886.12.29.	*	10	B	35	35
		0	*	0	0
2874. 8.21. 2886.12.29.	*	0	*	0	35

16492 Bytes free.

(782nd/871) position: 2897. 8.21. 2907.12.29. E Ahaziah (Joram) 35

Forward relations for entry Ahaziah (Joram) (35/120) are generated.  
 Backward relations for entry Jehu (33/120) are generated.  
 Backward relations for entry Athaliah (34/120) are generated.  
 Forward relations for entry Ahaziah (Joram) (36/120) are generated.

Optimize dates...

Ahaziah (Joram)	D	Kind	S	from:	to:
2897. 8.21. 2907.12.29.	E	0	E	35	35
2897. 8.21. 2909.12.29.	E	6	B	35	35
2897. 8.21. 2907.12.29.	E	7	B	33	35
2897. 8.21. 2907.12.29.	E	7	B	34	35
2897. 8.21. 2907.12.29.	+	0	+	35	35
		0	E	0	0
2897. 8.21. 2907.12.29.	E	0	E	0	35

16492 Bytes free.

(783rd/871) position: 2885. 8.21. 2896.12.29. B Joram (Ahab) 37

Forward relations for entry Joram (Ahab) (37/120) are generated.  
 Backward relations for entry Jehu (33/120) are generated.  
 Backward relations for entry Athaliah (34/120) are generated.  
 Forward relations for entry Joram (Ahab) (38/120) are generated.

Optimize dates...

Joram (Ahab)	D	Kind	S	from:	to:
2885. 8.21. 2896.12.29.	B	0	B	37	37
2884. 8.21. 2896.12.29.	B	9	B	35	37
2885. 8.21. 2897.12.29.	B	9	B	36	37
2884. 8.21. 2896.12.29.	B	9	B	40	37
2884. 8.21. 2896.12.29.	B	5	E	38	38
		0	B	0	0
2885. 8.21. 2896.12.29.	B	0	B	0	37

16492 Bytes free.

(784th/871) position: 2871. 8.21. 2881.12.29. E Omri 45

Forward relations for entry Omri (45/120) are generated.  
 Backward relations for entry Ahab (44/120) are generated.

Optimize dates...

Omri	D	Kind	S	from:	to:
2871. 8.21. 2881.12.29.	E	0	E	45	45
2871. 8.21. 2883.12.29.	E	6	B	45	45
2871. 8.21. 2881.12.29.	E	7	B	44	45
2871. 8.21. 2881.12.29.	+	0	+	45	45
		0	E	0	0
2871. 8.21. 2881.12.29.	E	0	E	0	45

16492 Bytes free.

(785th/871) position: 2871. 8.21. 2881.12.29. B Ahab 44

Forward relations for entry Ahab (44/120) are generated.  
 Backward relations for entry Ahaziah (Ahab) (41/120) are generated.  
 Backward relations for entry Elijah (43/120) are generated.  
 Optimize dates...

Ahab	D	Kind	S	from:	to:†
2871. 8.21. 2881.12.29.	B	0	B	44	44
2871. 8.21. 2881.12.29.	B	1	E	45	44
2871. 8.15. 2883.12.23.	B	3	B	51	44
2869. 8.21. 2881.12.29.	B	5	E	44	44
≤ 2902.12.29.	B	7	B	43	44
2869. 8.21. 2883.12.23.	B	9	B	42	44
		0	B	0	0
2871. 8.21. 2881.12.29.	B	0	B	0	44

16492 Bytes free.

(786th/871) position: 2834. 8.15. 2844.12.23. E Abijam = Abijah 52  
 Forward relations for entry Abijam = Abijah (52/120) are generated.  
 Backward relations for entry Asa (51/120) are generated.  
 Optimize dates...

Abijam = Abijah	D	Kind	S	from:	to:†
2834. 8.15. 2844.12.23.	E	0	E	52	52
2834. 8.15. 2846.12.23.	E	5	B	52	52
2834. 8.15. 2844.12.23.	E	7	B	51	52
2834. 8.15. 2844.12.23.	+	0	+	52	52
		0	E	0	0
2834. 8.15. 2844.12.23.	E	0	E	0	52

16492 Bytes free.

(787th/871) position: 2874. 8.21. 2886.12.23. E Asa 51  
 Forward relations for entry Asa (51/120) are generated.  
 Backward relations for entry Jehoshaphat (42/120) are generated.  
 Optimize dates...

Asa	D	Kind	S	from:	to:†
2874. 8.21. 2886.12.23.	E	0	E	51	51
2874. 8.15. 2886.12.23.	E	5	B	51	51
2874. 8.21. 2886.12.23.	E	7	B	42	51
2874. 8.21. 2886.12.23.	+	0	+	51	51
		0	E	0	0
2874. 8.21. 2886.12.23.	E	0	E	0	51

16492 Bytes free.

(788th/871) position: 2864. 8.15. 2876.12.23. α Omri 45  
 Forward relations for entry Omri (45/120) are generated.  
 Backward relations for entry Ahab (44/120) are generated.  
 Optimize dates...

Omri	D	Kind	S	from:	to:†
2864. 8.15. 2876.12.23.	α	0	α	45	45
2864. 8.15. 2876.12.23.	α	1	E	46	45
2864. 8.15. 2876.12.23.	α	3	B	51	45
		0	α	0	0
2864. 8.15. 2876.12.23.	α	0	α	0	45

16492 Bytes free.

(789th/871) position: 2837. 8.15. 2846.12.23. B Baasha 49  
 Forward relations for entry Baasha (49/120) are generated.  
 Backward relations for entry Elah (48/120) are generated.  
 Optimize dates...

Baasha	D	Kind	S	from:	to:†
--------	---	------	---	-------	------

```

2837. 8.15. 2846.12.23. B 0 B 49 49||
2837. 8.15. 2846.12.23. B 1 E 50 49||
2836. 8.15. 2848.12.23. B 3 B 51 49||
2834. 8.15. 2846.12.23. B 5 E 49 49||
                0 B 0 0||
2837. 8.15. 2846.12.23. B 0 B 0 49||
2860. 8.15. 2869.12.23. 872nd position to E Baasha 49

```

16492 Bytes free.

```

(790th/872) position: 2836. 8.15. 2845.12.23. B Nadab 50
Forward relations for entry Nadab (50/120) are generated.
Backward relations for entry Baasha (49/120) are generated.
Optimize dates...

```

```

Nadab D Knd S from: to:|
2836. 8.15. 2845.12.23. B 0 B 50 50||
2836. 8.15. 2845.12.23. B 1 E 53 50||
2835. 8.15. 2847.12.23. B 3 B 51 50||
2834. 8.15. 2845.12.23. B 5 E 50 50||
                0 B 0 0||
2836. 8.15. 2845.12.23. B 0 B 0 50||

```

16492 Bytes free.

```

(791st/872) position: 2837. 8.15. 2846.12.23. + Nadab 50
Forward relations for entry Nadab (50/120) are generated.
Backward relations for entry Baasha (49/120) are generated.
Optimize dates...

```

```

Nadab D Knd S from: to:|
2837. 8.15. 2846.12.23. E 0 E 50 50||
2837. 8.15. 2848.12.23. E 5 B 50 50||
2837. 8.15. 2846.12.23. E 7 B 49 50||
2837. 8.15. 2846.12.23. + 0 + 50 50||
2836. 8.15. 2848.12.23. + 4 B 51 50||
                0 E 0 0||
2837. 8.15. 2846.12.23. E 0 E 0 50||

```

16492 Bytes free.

```

(792nd/872) position: 2860. 8.15. 2869.12.23. E Baasha 49
Forward relations for entry Baasha (49/120) are generated.
Backward relations for entry Elah (48/120) are generated.
Optimize dates...

```

```

Baasha D Knd S from: to:|
2860. 8.15. 2869.12.23. E 0 E 49 49||
2860. 8.15. 2871.12.23. E 5 B 49 49||
2859. 8.15. 2869.12.23. E 7 B 48 49||
2860. 8.15. 2869.12.23. + 0 + 49 49||
                0 E 0 0||
2860. 8.15. 2869.12.23. E 0 E 0 49||
2860. 8.15. 2869.12.23. 873rd position to B Elah 48

```

16492 Bytes free.

```

(793rd/873) position: 2837. 8.15. 2846.12.23. B Baasha 49
Forward relations for entry Baasha (49/120) are generated.
Backward relations for entry Elah (48/120) are generated.
Optimize dates...

```

```

Baasha D Knd S from: to:|
2837. 8.15. 2846.12.23. B 0 B 49 49||
2837. 8.15. 2846.12.23. B 1 E 50 49||
2836. 8.15. 2848.12.23. B 3 B 51 49||

```

```

2835. 8.15. 2846.12.23. B 5 E      49      49||
                                0 B      0      0||
2837. 8.15. 2846.12.23. B 0 B      0      49||

```

16492 Bytes free.

(794th/873) position: 2832. 8.15. 2842.12.23. B Abijam = Abijah 52

Forward relations for entry Abijam = Abijah (52/120) are generated.

Backward relations for entry Asa (51/120) are generated.

Optimize dates...

```

Abijam = Abijah          D Knd S   from:   to:|
2832. 8.15. 2842.12.23. B 0 B     52     52||
2832. 8.15. 2842.12.23. B 1 E     54     52||
2832. 8.15. 2843.12.23. B 3 B     53     52||
2830. 8.15. 2842.12.23. B 5 E     52     52||
                                0 B     0     0||
2832. 8.15. 2842.12.23. B 0 B     0     52||

```

16492 Bytes free.

(795th/873) position: 2874. 8.21. 2886.12.23. B Jehoshaphat 42

Forward relations for entry Jehoshaphat (42/120) are generated.

Backward relations for entry Jehoram (Jehoshaphat) (40/120) are generated.

Optimize dates...

```

Jehoshaphat            D Knd S   from:   to:|
2874. 8.21. 2886.12.23. B 0 B     42     42||
2874. 8.21. 2886.12.23. B 1 E     51     42||
2874. 8.21. 2886.12.29. B 3 B     44     42||
2872. 8.21. 2888.12.23. B 4 *     42     42||
2872. 8.21. 2888.12.23. B 6 E     42     42||
2874. 8.21. 2886.12.29. B 9 B     41     42||
2874. 8.21. 2886.12.29. B 10 α    37     42||
                                0 B     0     0||
2874. 8.21. 2886.12.23. B 0 B     0     42||

```

16492 Bytes free.

(796th/873) position: 2892. 8.21. 2902.12.29. E Ahab 44

Forward relations for entry Ahab (44/120) are generated.

Backward relations for entry Ahaziah (Ahab) (41/120) are generated.

Backward relations for entry Elijah (43/120) are generated.

Optimize dates...

```

Ahab                   D Knd S   from:   to:|
2892. 8.21. 2902.12.29. E 0 E     44     44||
2871. 8.21. ≥          E 2 B     43     44||
2892. 8.21. 2904.12.29. E 5 B     44     44||
2892. 8.21. 2902.12.29. E 7 B     41     44||
2892. 8.21. 2902.12.29. + 0 +     44     44||
                                0 E     0     0||
2892. 8.21. 2902.12.29. E 0 E     0     44||

```

16492 Bytes free.

(797th/873) position: 2871. 8.21. 2902.12.29. B Elijah 43

Forward relations for entry Elijah (43/120) are generated.

Backward relations for entry Elisha (39/120) are generated.

Backward relations for entry Joram (Ahab) (37/120) are generated.

Backward relations for entry Ahab (44/120) are generated.

Optimize dates...

```

Elijah                 D Knd S   from:   to:|
2871. 8.21. 2902.12.29. B 0 B     43     43||
2871. 8.21. ≥          B 1 B     44     43||

```



```

≤ 2902.12.29. B 8 E      44      43||
                                0 B      0      0||
2871. 8.21. 2902.12.29. B 0 B      0      43||

```

16492 Bytes free.

(798th/873) position: 2874. 8.21. 2886.12.23. B Jehoshaphat 42

Forward relations for entry Jehoshaphat (42/120) are generated.

Backward relations for entry Jehoram (Jehoshaphat) (40/120) are generated.

Optimize dates...

```

Jehoshaphat      D Knd S      from:      to:|
2874. 8.21. 2886.12.23. B 0 B      42      42||
2874. 8.21. 2886.12.23. B 1 E      51      42||
2874. 8.21. 2886.12.29. B 3 B      44      42||
2872. 8.21. 2888.12.23. B 4 *      42      42||
2872. 8.21. 2888.12.23. B 6 E      42      42||
2874. 8.21. 2886.12.29. B 9 B      41      42||
2874. 8.21. 2886.12.29. B 10 α     37      42||
                                0 B      0      0||
2874. 8.21. 2886.12.23. B 0 B      0      42||

```

16492 Bytes free.

(799th/873) position: 2864. 8.15. 2876.12.23. E Tibni 46

Forward relations for entry Tibni (46/120) are generated.

Backward relations for entry Omri (45/120) are generated.

Optimize dates...

```

Tibni      D Knd S      from:      to:|
2864. 8.15. 2876.12.23. E 0 E      46      46||
2864. 8.15. 2876.12.23. E 7 α     45      46||
2864. 8.15. 2876.12.23. + 0 +      46      46||
                                0 E      0      0||
2864. 8.15. 2876.12.23. E 0 E      0      46||

```

16492 Bytes free.

(800th/873) position: 2837. 8.15. 2846.12.23. E Nadab 50

Forward relations for entry Nadab (50/120) are generated.

Backward relations for entry Baasha (49/120) are generated.

Optimize dates...

```

Nadab      D Knd S      from:      to:|
2837. 8.15. 2846.12.23. E 0 E      50      50||
2837. 8.15. 2848.12.23. E 5 B      50      50||
2837. 8.15. 2846.12.23. E 7 B      49      50||
2837. 8.15. 2846.12.23. + 0 +      50      50||
2836. 8.15. 2848.12.23. + 4 B      51      50||
                                0 E      0      0||
2837. 8.15. 2846.12.23. E 0 E      0      50||

```

16492 Bytes free.

(801st/873) position: 2836. 8.15. 2845.12.23. B Nadab 50

Forward relations for entry Nadab (50/120) are generated.

Backward relations for entry Baasha (49/120) are generated.

Optimize dates...

```

Nadab      D Knd S      from:      to:|
2836. 8.15. 2845.12.23. B 0 B      50      50||
2836. 8.15. 2845.12.23. B 1 E      53      50||
2835. 8.15. 2847.12.23. B 3 B      51      50||
2834. 8.15. 2845.12.23. B 5 E      50      50||
                                0 B      0      0||
2836. 8.15. 2845.12.23. B 0 B      0      50||

```

16492 Bytes free.

(802nd/873) position: 2836. 8.15. 2845.12.23. E Jeroboam (Nebat) 53

Forward relations for entry Jeroboam (Nebat) (53/120) are generated.

Backward relations for entry Nadab (50/120) are generated.

Optimize dates...

Jeroboam (Nebat)	D	Kind	S	from:	to:
2836. 8.15. 2845.12.23.	E	0	E	53	53
2836. 8.15. 2847.12.23.	E	5	B	53	53
2836. 8.15. 2845.12.23.	E	7	B	50	53
2836. 8.15. 2845.12.23.	+	0	+	53	53
		0	E	0	0
2836. 8.15. 2845.12.23.	E	0	E	0	53

16492 Bytes free.

(803rd/873) position: 2837. 8.15. 2846.12.23. E Nadab 50

Forward relations for entry Nadab (50/120) are generated.

Backward relations for entry Baasha (49/120) are generated.

Optimize dates...

Nadab	D	Kind	S	from:	to:
2837. 8.15. 2846.12.23.	E	0	E	50	50
2837. 8.15. 2848.12.23.	E	5	B	50	50
2837. 8.15. 2846.12.23.	E	7	B	49	50
2837. 8.15. 2846.12.23.	+	0	+	50	50
2836. 8.15. 2848.12.23.	+	4	B	51	50
		0	E	0	0
2837. 8.15. 2846.12.23.	E	0	E	0	50

16492 Bytes free.

(804th/873) position: 2837. 8.15. 2846.12.23. B Baasha 49

Forward relations for entry Baasha (49/120) are generated.

Backward relations for entry Elah (48/120) are generated.

Optimize dates...

Baasha	D	Kind	S	from:	to:
2837. 8.15. 2846.12.23.	B	0	B	49	49
2837. 8.15. 2846.12.23.	B	1	E	50	49
2836. 8.15. 2848.12.23.	B	3	B	51	49
2835. 8.15. 2846.12.23.	B	5	E	49	49
		0	B	0	0
2837. 8.15. 2846.12.23.	B	0	B	0	49

16492 Bytes free.

(805th/873) position: 2892. 8.21. 2902.12.29. B Ahaziah (Ahab) 41

Forward relations for entry Ahaziah (Ahab) (41/120) are generated.

Backward relations for entry Joram (Ahab) (37/120) are generated.

Backward relations for entry Elijah (43/120) are generated.

Optimize dates...

Ahaziah (Ahab)	D	Kind	S	from:	to:
2892. 8.21. 2902.12.29.	B	0	B	41	41
2892. 8.21. 2902.12.29.	B	1	E	44	41
2890. 8.21. 2904.12.23.	B	3	B	42	41
2890. 8.21. 2902.12.29.	B	5	E	41	41
		0	B	0	0
2892. 8.21. 2902.12.29.	B	0	B	0	41

16492 Bytes free.

(806th/873) position: 2893. 8.21. 2903.12.29. E Ahaziah (Ahab) 41

Forward relations for entry Ahaziah (Ahab) (41/120) are generated.

Backward relations for entry Joram (Ahab) (37/120) are generated.

Backward relations for entry Elijah (43/120) are generated.

Optimize dates...

Ahaziah (Ahab)	D	Kind	S	from:	to:†
2893. 8.21. 2903.12.29.	E	0	E	41	41
2893. 8.21. 2905.12.29.	E	5	B	41	41
2893. 8.21. 2903.12.29.	E	7	α	37	41
≤ 2903.12.29.	E	8	E	43	41
2893. 8.21. 2903.12.29.	+	0	+	41	41
		0	E	0	0
2893. 8.21. 2903.12.29.	E	0	E	0	41

16492 Bytes free.

(807th/873) position: 2874. 8.21. 2886.12.23. E Asa 51

Forward relations for entry Asa (51/120) are generated.

Backward relations for entry Jehoshaphat (42/120) are generated.

Optimize dates...

Asa	D	Kind	S	from:	to:†
2874. 8.21. 2886.12.23.	E	0	E	51	51
2874. 8.15. 2886.12.23.	E	5	B	51	51
2874. 8.21. 2886.12.23.	E	7	B	42	51
2874. 8.21. 2886.12.23.	+	0	+	51	51
		0	E	0	0
2874. 8.21. 2886.12.23.	E	0	E	0	51

16492 Bytes free.

(808th/873) position: 2838. 8.21. 2852.12.23. \* Jehoshaphat 42

Forward relations for entry Jehoshaphat (42/120) are generated.

Backward relations for entry Jehoram (Jehoshaphat) (40/120) are generated.

Optimize dates...

Jehoshaphat	D	Kind	S	from:	to:†
2838. 8.21. 2852.12.23.	*	0	*	42	42
2838. 8.21. 2852.12.23.	*	10	B	42	42
		0	*	0	0
2838. 8.21. 2852.12.23.	*	0	*	0	42

16492 Bytes free.

(809th/873) position: 2898. 8.21. 2912.12.23. E Jehoshaphat 42

Forward relations for entry Jehoshaphat (42/120) are generated.

Backward relations for entry Jehoram (Jehoshaphat) (40/120) are generated.

Optimize dates...

Jehoshaphat	D	Kind	S	from:	to:†
2898. 8.21. 2912.12.23.	E	0	E	42	42
2898. 8.21. 2912.12.23.	E	6	B	42	42
2895. 6. 7. 2912.12.29.	E	7	α	40	42
2898. 8.21. 2912.12.23.	+	0	+	42	42
		0	E	0	0
2898. 8.21. 2912.12.23.	E	0	E	0	42
2898. 8.21. 2912.12.23.				874th position to α Jehoram (Jehoshaphat)	40

16492 Bytes free.

(810th/874) position: 2893. 8.21. 2903.12.29. α Joram (Ahab) 37

Forward relations for entry Joram (Ahab) (37/120) are generated.

Backward relations for entry Jehu (33/120) are generated.

Backward relations for entry Athaliah (34/120) are generated.

Forward relations for entry Joram (Ahab) (38/120) are generated.

Optimize dates...

Joram (Ahab)	D	Kind	S	from:	to:†
--------------	---	------	---	-------	------

2893.	8.21.	2903.12.29.	α	0	α	37	37	
2893.	8.21.	2903.12.29.	α	1	E	41	37	
2893.	8.21.≥		α	2	E	43	37	
2891.	8.21.	2903.12.29.	α	3	B	40	37	
2891.	8.21.	2905.12.23.	α	4	B	42	37	
				0	α	0	0	
2893.	8.21.	2903.12.29.	α	0	α	0	37	

16492 Bytes free.

(811th/874) position: 2893. 8.21. 2903.12.29. E Elijah 43

Forward relations for entry Elijah (43/120) are generated.

Backward relations for entry Elisha (39/120) are generated.

Backward relations for entry Joram (Ahab) (37/120) are generated.

Backward relations for entry Ahab (44/120) are generated.

Optimize dates...

Elijah	D	Kind	S	from:	to:	
2893. 8.21. 2903.12.29.	E	0	E	43	43	
2893. 8.21.≥	E	2	E	41	43	
2893. 8.21. 2903.12.29.	E	7	B	39	43	
≤ 2903.12.29.	E	8	α	37	43	
2893. 8.21. 2903.12.29.	+	0	+	43	43	
		0	E	0	0	
2893. 8.21. 2903.12.29.	E	0	E	0	43	

16492 Bytes free.

(812th/874) position: 2506.11. 1. 2550.10.30. B Deborah and Barak 75

Forward relations for entry Deborah and Barak (75/120) are generated.

Backward relations for entry Midianites (74/120) are generated.

Optimize dates...

Deborah and Barak	D	Kind	S	from:	to:	
2506.11. 1. 2550.10.30.	B	0	B	75	75	
2506.11. 1. 2550.10.30.	B	1	E	76	75	
2504.11. 1. 2550.10.30.	B	5	E	75	75	
		0	B	0	0	
2506.11. 1. 2550.10.30.	B	0	B	0	75	

16492 Bytes free.

(813th/874) position: 2545.11. 1. 2589.10.30. E Deborah and Barak 75

Forward relations for entry Deborah and Barak (75/120) are generated.

Backward relations for entry Midianites (74/120) are generated.

Optimize dates...

Deborah and Barak	D	Kind	S	from:	to:	
2545.11. 1. 2589.10.30.	E	0	E	75	75	
2545.11. 1. 2591.10.30.	E	5	B	75	75	
2545.11. 1. 2589.10.30.	E	7	B	74	75	
		0	E	0	0	
2545.11. 1. 2589.10.30.	E	0	E	0	75	

16492 Bytes free.

(814th/874) position: 2545.11. 1. 2589.10.30. B Midianites 74

Forward relations for entry Midianites (74/120) are generated.

Backward relations for entry Gideon = Jerubbaal (73/120) are generated.

Optimize dates...

Midianites	D	Kind	S	from:	to:	
2545.11. 1. 2589.10.30.	B	0	B	74	74	
2545.11. 1. 2589.10.30.	B	1	E	75	74	
2543.11. 1. 2589.10.30.	B	5	E	74	74	
		0	B	0	0	

2545.11. 1. 2589.10.30. B 0 B 0 74||

16492 Bytes free.

(815th/874) position: 2551.11. 1. 2595.10.30. E Midianites 74

Forward relations for entry Midianites (74/120) are generated.

Backward relations for entry Gideon = Jerubbaal (73/120) are generated.

Optimize dates...

Midianites D Knd S from: to:|

2551.11. 1. 2595.10.30. E 0 E 74 74||

2551.11. 1. 2597.10.30. E 5 B 74 74||

≤ 2595.10.30. E 7 B 73 74||

0 E 0 0||

2551.11. 1. 2595.10.30. E 0 E 0 74||

2551.11. 1. 2595.10.30. 875th position to B Gideon = Jerubbaal 73

16492 Bytes free.

(816th/875) position: 2409. 3.22. 2452.10.30. B Ehud 77

Forward relations for entry Ehud (77/120) are generated.

Backward relations for entry Sisera (76/120) are generated.

Optimize dates...

Ehud D Knd S from: to:|

2409. 3.22. 2452.10.30. B 0 B 77 77||

2409. 3.22. 2452.10.30. B 1 E 78 77||

2406.11. 1. 2452.10.30. B 5 E 77 77||

0 B 0 0||

2409. 3.22. 2452.10.30. B 0 B 0 77||

2488. 3.22. 2531.10.30. 876th position to E Ehud 77

16492 Bytes free.

(817th/876) position: 1303. 1.15. 1313.12.29. E Great Flood 107

Forward relations for entry Great Flood (107/120) are generated.

Forward relations for entry Great Flood (108/120) are generated.

Optimize dates...

Great Flood D Knd S from: to:|

1303. 1.15. 1313.12.29. E 0 E 107 107||

1301. 1.15. 1313.12.29. E 9 \* 105 107||

1301. 1.15. 1319. 1. 7. E 10 + 110 107||

1303. 1.15. 1317. 3. 4. E 3 \* 110 108||

0 E 0 0||

1303. 1.15. 1313.12.29. E 0 E 0 107||

1652. 1.15. 1664.12.29. 877th position to + Noah 110

702.11.19. 713.11. 3. 878th position to \* Noah 110

16492 Bytes free.

(818th/878) position: 1203. 1.15. 1215.12.29. \* Shem 109

Forward relations for entry Shem (109/120) are generated.

Optimize dates...

Shem D Knd S from: to:|

1203. 1.15. 1215.12.29. \* 0 \* 109 109||

1201.11.19. 1214.11. 3. \* 3 \* 110 109||

1203. 1.15. 1215.12.29. \* 10 \* 105 109||

1Y 1M26D 0 \* 0 0||

1203. 1.15. 1214.11. 3. \* 0 \* 0 109||

1203. 1.15. 1214.11. 3. 879th position to \* Shem 109

16492 Bytes free.

(819th/879) position: 1803. 1.15. 1815.12.29. + Shem 109

Forward relations for entry Shem (109/120) are generated.

Optimize dates...

Shem	D	Kind	S	from:	to:
1803. 1.15. 1815.12.29.	+	0	+	109	109
1803. 1.15. 1815.12.29.	+	4	*	105	109
		0	+	0	0
1803. 1.15. 1815.12.29.	+	0	+	0	109

16492 Bytes free.

(820th/879) position: 2991. 8.22. 3006.12.29. E Jeroboam (Joash) 27  
 Forward relations for entry Jeroboam (Joash) (27/120) are generated.  
 Backward relations for entry Zachariah (25/120) are generated.

Optimize dates...

Jeroboam (Joash)	D	Kind	S	from:	to:
2991. 8.22. 3006.12.29.	E	0	E	27	27
2989. 4. 1. 3008.12.29.	E	5	B	27	27
2991. 8.22. 3006.12.29.	E	7	B	25	27
2991. 8.22. 3006.12.29.	+	0	+	27	27
		0	E	0	0
2991. 8.22. 3006.12.29.	E	0	E	0	27
2949. 8.22. 2966.12.29.				880th position to B Jeroboam (Joash)	27

16492 Bytes free.

(821st/880) position: 2354. 1.15.≥ B Othniel 79  
 Forward relations for entry Othniel (79/120) are generated.  
 Backward relations for entry Eglon (78/120) are generated.

Optimize dates...

Othniel	D	Kind	S	from:	to:
2354. 1.15.≥	B	0	B	79	79
2354. 1.15.≥	B	1	E	80	79
2351. 3.22.≥	B	5	E	79	79
		0	B	0	0
2354. 1.15.≥	B	0	B	0	79
2393. 1.15.≥				881st position to E Othniel	79

16492 Bytes free.

(822nd/881) position: 2694. 8.15. 2710. 9.29. B Saul 60  
 Forward relations for entry Saul (60/120) are generated.  
 Backward relations for entry Ishbosheth (59/120) are generated.  
 Backward relations for entry David (58/120) are generated.

Optimize dates...

Saul	D	Kind	S	from:	to:
2694. 8.15. 2710. 9.29.	B	0	B	60	60
2690. 6. 1. 2710. 9.29.	B	1	E	61	60
2684.11.15.≥	B	2	E	63	60
2694. 8.15. 2710. 9.29.	B	5	E	60	60
		0	B	0	0
2694. 8.15. 2710. 9.29.	B	0	B	0	60
2694. 8.15. 2710. 9.29.				882nd position to E Samuel	61

16492 Bytes free.

(823rd/882) position: 2735. 8.15. 2749. 9.29. B Ishbosheth 59  
 Forward relations for entry Ishbosheth (59/120) are generated.  
 Backward relations for entry David (58/120) are generated.

Optimize dates...

Ishbosheth	D	Kind	S	from:	to:
2735. 8.15. 2749. 9.29.	B	0	B	59	59
2735. 8.15. 2749. 9.29.	B	1	E	60	59
2729. 6. 1. 2751. 9.29.	B	3	*	59	59

```

2729. 6. 1. 2751. 9.29. B 5 E 59 59||
                0 B 0 0||
2735. 8.15. 2749. 9.29. B 0 B 0 59||
2694. 8.15. 2710. 9.29. 883rd position to * Ishbosheth 59
2736. 8.15. 2752. 9.29. 884th position to E Ishbosheth 59

```

16492 Bytes free.

```

(824th/884) position: 2815. 8.15. 2824.12.23. B Jeroboam (Nebat) 53
Forward relations for entry Jeroboam (Nebat) (53/120) are generated.
Backward relations for entry Nadab (50/120) are generated.
Optimize dates...

```

```

Jeroboam (Nebat) D Knd S from: to:|
2815. 8.15. 2824.12.23. B 0 B 53 53||
2815. 8.15. 2824.12.23. B 1 E 57 53||
2813. 8.15. 2824.12.23. B 5 E 53 53||
2813. 8.15. 2825.12.23. B 9 B 51 53||
2813. 8.15. 2825.12.23. B 9 B 52 53||
                0 B 0 0||
2815. 8.15. 2824.12.23. B 0 B 0 53||

```

16492 Bytes free.

```

(825th/884) position: 2815. 8.15. 2824.12.23. E Solomon 57
Forward relations for entry Solomon (57/120) are generated.
Backward relations for entry Jeroboam (Nebat) (53/120) are generated.
Backward relations for entry Rehoboam (54/120) are generated.
Optimize dates...

```

```

Solomon D Knd S from: to:|
2815. 8.15. 2824.12.23. E 0 E 57 57||
2815. 8.15. 2826.12.23. E 5 B 57 57||
2815. 8.15. 2824.12.23. E 7 B 53 57||
2815. 8.15. 2824.12.23. E 7 B 54 57||
2815. 8.15. 2824.12.23. + 0 + 57 57||
                0 E 0 0||
2815. 8.15. 2824.12.23. E 0 E 0 57||

```

16492 Bytes free.

```

(826th/884) position: 2776. 8.15. 2785.12.23. B Solomon 57
Forward relations for entry Solomon (57/120) are generated.
Backward relations for entry Jeroboam (Nebat) (53/120) are generated.
Backward relations for entry Rehoboam (54/120) are generated.
Optimize dates...

```

```

Solomon D Knd S from: to:|
2776. 8.15. 2785.12.23. B 0 B 57 57||
2776. 8.15. 2789. 2.29. B 1 E 58 57||
2774. 8.15. 2785.12.23. B 5 E 57 57||
2776. 2.15. 2789. 2.29. B 9 B 55 57||
2776. 8.15. 2789. 8.29. B 9 E 56 57||
                0 B 0 0||
2776. 8.15. 2785.12.23. B 0 B 0 57||
2776. 8.15. 2785.12.23. 885th position to E David 58
2781. 2.15. 2790.12.23. 886th position to B Building the Temple 55
2788. 8.15. 2797.12.23. 887th position to E Building the Temple 56

```

16492 Bytes free.

```

(827th/887) position: 2815. 8.15. 2824.12.23. B Rehoboam 54
Forward relations for entry Rehoboam (54/120) are generated.
Backward relations for entry Abijam = Abijah (52/120) are generated.
Optimize dates...

```

Rehoboam	D	Kind	S	from:	to:
2815. 8.15. 2824.12.23.	B	0	B	54	54
2815. 8.15. 2824.12.23.	B	1	E	57	54
2813. 8.15. 2826.12.23.	B	3	*	54	54
2814. 8.15. 2826.12.23.	B	5	E	54	54
		0	B	0	0
2815. 8.15. 2824.12.23.	B	0	B	0	54

16492 Bytes free.

(828th/887) position: 2832. 8.15. 2842.12.23. E Rehoboam 54  
 Forward relations for entry Rehoboam (54/120) are generated.  
 Backward relations for entry Abijam = Abijah (52/120) are generated.  
 Optimize dates...

Rehoboam	D	Kind	S	from:	to:
2832. 8.15. 2842.12.23.	E	0	E	54	54
2831. 8.15. 2842.12.23.	E	5	B	54	54
2832. 8.15. 2842.12.23.	E	7	B	52	54
2832. 8.15. 2842.12.23.	+	0	+	54	54
		0	E	0	0
2832. 8.15. 2842.12.23.	E	0	E	0	54

16492 Bytes free.

(829th/887) position: 2773. 8.15. 2784.12.23. \* Rehoboam 54  
 Forward relations for entry Rehoboam (54/120) are generated.  
 Backward relations for entry Abijam = Abijah (52/120) are generated.  
 Optimize dates...

Rehoboam	D	Kind	S	from:	to:
2773. 8.15. 2784.12.23.	*	0	*	54	54
2773. 8.15. 2784.12.23.	*	9	B	54	54
		0	*	0	0
2773. 8.15. 2784.12.23.	*	0	*	0	54

16492 Bytes free.

(830th/887) position: 2663.11.15. 2691. 9.29. B Samuel 61  
 Forward relations for entry Samuel (61/120) are generated.  
 Backward relations for entry Saul (60/120) are generated.  
 Optimize dates...

Samuel	D	Kind	S	from:	to:
2663.11.15. 2691. 9.29.	B	0	B	61	61
2659. 9. 1. 2691. 9.29.	B	2	E	64	61
2663.11.15. 2691. 9.29.	B	9	E	63	61
		0	B	0	0
2663.11.15. 2691. 9.29.	B	0	B	0	61
2663.11.15. 2691. 9.29.				888th position to E Eli	64

16492 Bytes free.

(831st/888) position: 2664.11.15. 2710. 9.29. E Samson 62  
 Forward relations for entry Samson (62/120) are generated.  
 Backward relations for entry Philistines (63/120) are generated.  
 Optimize dates...

Samson	D	Kind	S	from:	to:
2664.11.15. 2710. 9.29.	E	0	E	62	62
2664.11.15. 2712. 9.29.	E	5	B	62	62
≤ 2710. 9.29.	E	8	E	63	62
2664.11.15. 2710. 9.29.	+	0	+	62	62
		0	E	0	0
2664.11.15. 2710. 9.29.	E	0	E	0	62



16492 Bytes free.  
 (832nd/888) position: 2651.11.15.≥ B Elon 66  
 Forward relations for entry Elon (66/120) are generated.  
 Backward relations for entry Abdon (65/120) are generated.  
 Optimize dates...

Elon	D	Kind	S	from:	to:†	
2651.11.15.≥	B	0	B	66	66	
2651.11.15.≥	B	1	E	67	66	
2645. 9. 1.≥	B	5	E	66	66	
		0	B	0	0	
2651.11.15.≥	B	0	B	0	66	
2660.11.15.≥				889th position to E	Elon	66

16492 Bytes free.  
 (833rd/889) position: 2409. 3.22. 2452.10.30. E Eglon 78  
 Forward relations for entry Eglon (78/120) are generated.  
 Backward relations for entry Ehud (77/120) are generated.  
 Optimize dates...

Eglon	D	Kind	S	from:	to:†	
2409. 3.22. 2452.10.30.	E	0	E	78	78	
2409. 3.22. 2454.10.30.	E	5	B	78	78	
2409. 3.22. 2452.10.30.	E	7	B	77	78	
2409. 3.22. 2452.10.30.	+	0	+	78	78	
		0	E	0	0	
2409. 3.22. 2452.10.30.	E	0	E	0	78	

16492 Bytes free.  
 (834th/889) position: 2392. 3.22. 2435.10.30. B Eglon 78  
 Forward relations for entry Eglon (78/120) are generated.  
 Backward relations for entry Ehud (77/120) are generated.  
 Optimize dates...

Eglon	D	Kind	S	from:	to:†	
2392. 3.22. 2435.10.30.	B	0	B	78	78	
2393. 1.15.≥	B	1	E	79	78	
2390. 3.22. 2435.10.30.	B	5	E	78	78	
9M23D		0	B	0	0	
2393. 1.15. 2435.10.30.	B	0	B	0	78	
2393. 1.15. 2435.10.30.				890th position to B	Eglon	78
2393. 1.15. 2435.10.30.				891st position to E	Othniel	79
2410. 1.15. 2452.10.30.				892nd position to E	Eglon	78

16492 Bytes free.  
 (835th/892) position: 2409. 3.22. 2452.10.30. B Ehud 77  
 Forward relations for entry Ehud (77/120) are generated.  
 Backward relations for entry Sisera (76/120) are generated.  
 Optimize dates...

Ehud	D	Kind	S	from:	to:†	
2409. 3.22. 2452.10.30.	B	0	B	77	77	
2410. 1.15. 2452.10.30.	B	1	E	78	77	
2407. 3.22. 2452.10.30.	B	5	E	77	77	
9M23D		0	B	0	0	
2410. 1.15. 2452.10.30.	B	0	B	0	77	
2410. 1.15. 2452.10.30.				893rd position to B	Ehud	77
2489. 1.15. 2531.10.30.				894th position to E	Ehud	77

16492 Bytes free.  
 (836th/894) position: 2903. 8.15. 2913.12.29. E Athaliah 34  
 Forward relations for entry Athaliah (34/120) are generated.

Backward relations for entry Joash (Ahaziah) (32/120) are generated.

Optimize dates...

Athaliah	D	Kind	S	from:	to:	
2903. 8.15. 2913.12.29.	E	0	E	34	34	
2902. 8.21. 2914.12.29.	E	5	B	34	34	
2903. 8.21. 2913.12.29.	E	7	B	32	34	
2903. 8.15. 2913.12.29.	+	0	+	34	34	
6D		0	E	0	0	
2903. 8.21. 2913.12.29.	E	0	E	0	34	
2903. 8.21. 2913.12.29.				895th position to E Athaliah		34

16492 Bytes free.

(837th/895) position: 2903. 8.21. 2913.12.29. B Joash (Ahaziah) 32

Forward relations for entry Joash (Ahaziah) (32/120) are generated.

Backward relations for entry Amaziah (28/120) are generated.

Optimize dates...

Joash (Ahaziah)	D	Kind	S	from:	to:	
2903. 8.21. 2913.12.29.	B	0	B	32	32	
2903. 8.21. 2913.12.29.	B	1	E	34	32	
2903. 8.21. 2915.12.29.	B	3	B	33	32	
2901. 8.15. 2913.12.29.	B	5	E	32	32	
2901. 8.15. 2915.12.29.	B	4	*	32	32	
2901. 8.15. 2915.12.29.	B	9	B	30	32	
2901. 8.15. 2913.12.29.	B	9	B	31	32	
		0	B	0	0	
2903. 8.21. 2913.12.29.	B	0	B	0	32	
2942. 8.21. 2952.12.29.				896th position to E Joash (Ahaziah)		32
2895. 8.21. 2907.12.29.				897th position to * Joash (Ahaziah)		32
2939. 8.21. 2951.12.29.				898th position to B Joash (Jehoahaz)		30
2925. 8.21. 2935.12.29.				899th position to B Jehoahaz (Jehu)		31

16492 Bytes free.

(838th/899) position: 2903. 8.21. 2913.12.29. B Joash (Ahaziah) 32

Forward relations for entry Joash (Ahaziah) (32/120) are generated.

Backward relations for entry Amaziah (28/120) are generated.

Optimize dates...

Joash (Ahaziah)	D	Kind	S	from:	to:	
2903. 8.21. 2913.12.29.	B	0	B	32	32	
2903. 8.21. 2913.12.29.	B	1	E	34	32	
2903. 8.21. 2915.12.29.	B	3	B	33	32	
2901. 8.21. 2913.12.29.	B	5	E	32	32	
2901. 8.21. 2915.12.29.	B	4	*	32	32	
2901. 8.21. 2915.12.29.	B	9	B	30	32	
2901. 8.21. 2913.12.29.	B	9	B	31	32	
		0	B	0	0	
2903. 8.21. 2913.12.29.	B	0	B	0	32	

16492 Bytes free.

(839th/899) position: 2903. 8.21. 2913.12.29. E Athaliah 34

Forward relations for entry Athaliah (34/120) are generated.

Backward relations for entry Joash (Ahaziah) (32/120) are generated.

Optimize dates...

Athaliah	D	Kind	S	from:	to:	
2903. 8.21. 2913.12.29.	E	0	E	34	34	
2902. 8.21. 2914.12.29.	E	5	B	34	34	
2903. 8.21. 2913.12.29.	E	7	B	32	34	
2903. 8.21. 2913.12.29.	+	0	+	34	34	
		0	E	0	0	

2903. 8.21. 2913.12.29. E 0 E 0 34||

16492 Bytes free.

(840th/899) position: 2942. 8.21. 2952.12.29. E Joash (Ahaziah) 32

Forward relations for entry Joash (Ahaziah) (32/120) are generated.

Backward relations for entry Amaziah (28/120) are generated.

Optimize dates...

Joash (Ahaziah)	D	Kind	S	from:	to:	
2942. 8.21. 2952.12.29.	E	0	E	32	32	
2942. 8.21. 2954.12.29.	E	5	B	32	32	
2933. 4. 1. 2952.12.29.	E	7	B	28	32	
2942. 8.21. 2952.12.29.	+	0	+	32	32	
		0	E	0	0	
2942. 8.21. 2952.12.29.	E	0	E	0	32	
2942. 8.21. 2952.12.29.				900th position to B Amaziah		28

16492 Bytes free.

(841st/900) position: 2895. 8.21. 2907.12.29. \* Joash (Ahaziah) 32

Forward relations for entry Joash (Ahaziah) (32/120) are generated.

Backward relations for entry Amaziah (28/120) are generated.

Optimize dates...

Joash (Ahaziah)	D	Kind	S	from:	to:	
2895. 8.21. 2907.12.29.	*	0	*	32	32	
2895. 8.21. 2907.12.29.	*	10	B	32	32	
		0	*	0	0	
2895. 8.21. 2907.12.29.	*	0	*	0	32	

16492 Bytes free.

(842nd/900) position: 2939. 8.21. 2951.12.29. B Joash (Jehoahaz) 30

Forward relations for entry Joash (Jehoahaz) (30/120) are generated.

Backward relations for entry Jeroboam (Joash) (27/120) are generated.

Backward relations for entry Elisha (39/120) are generated.

Optimize dates...

Joash (Jehoahaz)	D	Kind	S	from:	to:	
2939. 8.21. 2951.12.29.	B	0	B	30	30	
2939. 8.15. 2951.12.29.	B	1	E	31	30	
2939. 8.21. 2951.12.29.	B	3	B	32	30	
2932. 4. 1. 2951.12.29.	B	5	E	30	30	
≤ 2966.12.29.	B	8	E	39	30	
2939. 8.21. 2951.12.29.	B	9	B	28	30	
		0	B	0	0	
2939. 8.21. 2951.12.29.	B	0	B	0	30	
2939. 8.21. 2951.12.29.				901st position to E Jehoahaz (Jehu)		31
2954. 8.21. 2966.12.29.				902nd position to E Joash (Jehoahaz)		30
2939. 8.21. 2966.12.29.				903rd position to E Elisha		39

16492 Bytes free.

(843rd/903) position: 2925. 8.21. 2935.12.29. B Jehoahaz (Jehu) 31

Forward relations for entry Jehoahaz (Jehu) (31/120) are generated.

Backward relations for entry Joash (Jehoahaz) (30/120) are generated.

Optimize dates...

Jehoahaz (Jehu)	D	Kind	S	from:	to:	
2925. 8.21. 2935.12.29.	B	0	B	31	31	
2924. 8.21. 2935.12.29.	B	1	E	33	31	
2925. 8.21. 2937.12.29.	B	3	B	32	31	
2921. 8.21. 2935.12.29.	B	5	E	31	31	
		0	B	0	0	
2925. 8.21. 2935.12.29.	B	0	B	0	31	

2925. 8.21. 2935.12.29. 904th position to E Jehu 33  
 2941. 8.21. 2951.12.29. 905th position to E Jehoahaz (Jehu) 31

16492 Bytes free.

(844th/905) position: 2925. 8.21. 2935.12.29. E Jehu 33

Forward relations for entry Jehu (33/120) are generated.

Backward relations for entry Jehoahaz (Jehu) (31/120) are generated.

Optimize dates...

Jehu	D	Kind	S	from:	to:†
2925. 8.21. 2935.12.29.	E	0	E	33	33
2924. 8.21. 2936.12.29.	E	5	B	33	33
2925. 8.21. 2935.12.29.	E	7	B	31	33
2925. 8.21. 2935.12.29.	+	0	+	33	33
		0	E	0	0
2925. 8.21. 2935.12.29.	E	0	E	0	33

16492 Bytes free.

(845th/905) position: 2941. 8.21. 2951.12.29. E Jehoahaz (Jehu) 31

Forward relations for entry Jehoahaz (Jehu) (31/120) are generated.

Backward relations for entry Joash (Jehoahaz) (30/120) are generated.

Optimize dates...

Jehoahaz (Jehu)	D	Kind	S	from:	to:†
2941. 8.21. 2951.12.29.	E	0	E	31	31
2941. 8.21. 2953.12.29.	E	5	B	31	31
2939. 8.21. 2951.12.29.	E	7	B	30	31
2941. 8.21. 2951.12.29.	+	0	+	31	31
		0	E	0	0
2941. 8.21. 2951.12.29.	E	0	E	0	31
2941. 8.21. 2951.12.29.				906th position to B Joash (Jehoahaz)	30

16492 Bytes free.

(846th/906) position: 2941. 8.21. 2951.12.29. B Joash (Jehoahaz) 30

Forward relations for entry Joash (Jehoahaz) (30/120) are generated.

Backward relations for entry Jeroboam (Joash) (27/120) are generated.

Backward relations for entry Elisha (39/120) are generated.

Optimize dates...

Joash (Jehoahaz)	D	Kind	S	from:	to:†
2941. 8.21. 2951.12.29.	B	0	B	30	30
2941. 8.21. 2951.12.29.	B	1	E	31	30
2939. 8.21. 2951.12.29.	B	3	B	32	30
2937. 8.21. 2951.12.29.	B	5	E	30	30
≤ 2966.12.29.	B	8	E	39	30
2939. 8.21. 2951.12.29.	B	9	B	28	30
		0	B	0	0
2941. 8.21. 2951.12.29.	B	0	B	0	30
2956. 8.21. 2966.12.29.				907th position to E Joash (Jehoahaz)	30
2941. 8.21. 2966.12.29.				908th position to E Elisha	39

16492 Bytes free.

(847th/908) position: 2897. 8.21. 2907.12.29. B Jehu 33

Forward relations for entry Jehu (33/120) are generated.

Backward relations for entry Jehoahaz (Jehu) (31/120) are generated.

Optimize dates...

Jehu	D	Kind	S	from:	to:†
2897. 8.21. 2907.12.29.	B	0	B	33	33
2897. 8.21. 2907.12.29.	B	1	E	35	33
2897. 8.21. 2907.12.29.	B	2	E	37	33
2896. 8.21. 2908.12.29.	B	5	E	33	33

```

2895. 8.21. 2907.12.29. B 9 B      32      33||
                                0 B      0      0||
2897. 8.21. 2907.12.29. B 0 B      0      33||

```

16492 Bytes free.

(848th/908) position: 2897. 8.21. 2907.12.29. B Athaliah 34

Forward relations for entry Athaliah (34/120) are generated.

Backward relations for entry Joash (Ahaziah) (32/120) are generated.

Optimize dates...

```

Athaliah          D Knd S   from:   to:|
2897. 8.21. 2907.12.29. B 0 B      34      34||
2897. 8.21. 2907.12.29. B 1 E      35      34||
2897. 8.21. 2907.12.29. B 2 E      37      34||
2896. 8.21. 2908.12.29. B 5 E      34      34||
                                0 B      0      0||
2897. 8.21. 2907.12.29. B 0 B      0      34||

```

16492 Bytes free.

(849th/908) position: 2897. 8.21. 2907.12.29. E Joram (Ahab) 38

Forward relations for entry Joram (Ahab) (37/120) are generated.

Backward relations for entry Jehu (33/120) are generated.

Backward relations for entry Athaliah (34/120) are generated.

Forward relations for entry Joram (Ahab) (38/120) are generated.

Optimize dates...

```

Joram (Ahab)      D Knd S   from:   to:|
2897. 8.21. 2907.12.29. E 0 E      37      37||
2897. 8.21. 2907.12.29. E 8 B      33      37||
2897. 8.21. 2907.12.29. E 8 B      34      37||
2896. 8.21. 2909.12.29. E 5 B      38      38||
2897. 8.21. 2907.12.29. + 0 +      37      37||
                                0 E      0      0||
2897. 8.21. 2907.12.29. E 0 E      0      37||

```

16492 Bytes free.

(850th/908) position: 2897. 8.21. 2907.12.29. E Joram (Ahab) 38

Forward relations for entry Joram (Ahab) (37/120) are generated.

Backward relations for entry Jehu (33/120) are generated.

Backward relations for entry Athaliah (34/120) are generated.

Forward relations for entry Joram (Ahab) (38/120) are generated.

Optimize dates...

```

Joram (Ahab)      D Knd S   from:   to:|
2897. 8.21. 2907.12.29. E 0 E      37      37||
2897. 8.21. 2907.12.29. E 8 B      33      37||
2897. 8.21. 2907.12.29. E 8 B      34      37||
2896. 8.21. 2909.12.29. E 5 B      38      38||
2897. 8.21. 2907.12.29. + 0 +      37      37||
                                0 E      0      0||
2897. 8.21. 2907.12.29. E 0 E      0      37||

```

16492 Bytes free.

(851st/908) position: 2925. 8.21. 2935.12.29. E Jehu 33

Forward relations for entry Jehu (33/120) are generated.

Backward relations for entry Jehoahaz (Jehu) (31/120) are generated.

Optimize dates...

```

Jehu              D Knd S   from:   to:|
2925. 8.21. 2935.12.29. E 0 E      33      33||
2924. 8.21. 2936.12.29. E 5 B      33      33||
2925. 8.21. 2935.12.29. E 7 B      31      33||

```

```

2925. 8.21. 2935.12.29. + 0 +      33      33||
                                0 E      0      0||
2925. 8.21. 2935.12.29. E 0 E      0      33||

```

16492 Bytes free.

(852nd/908) position: 2903. 8.21. 2913.12.29. B Joash (Ahaziah) 32

Forward relations for entry Joash (Ahaziah) (32/120) are generated.

Backward relations for entry Amaziah (28/120) are generated.

Optimize dates...

```

Joash (Ahaziah)          D Knd S   from:   to:|
2903. 8.21. 2913.12.29. B 0 B     32     32||
2903. 8.21. 2913.12.29. B 1 E     34     32||
2903. 8.21. 2915.12.29. B 3 B     33     32||
2901. 8.21. 2913.12.29. B 5 E     32     32||
2901. 8.21. 2915.12.29. B 4 *     32     32||
2903. 8.21. 2915.12.29. B 9 B     30     32||
2901. 8.21. 2913.12.29. B 9 B     31     32||
                                0 B     0     0||
2903. 8.21. 2913.12.29. B 0 B     0     32||

```

16492 Bytes free.

(853rd/908) position: 2903. 8.21. 2913.12.29. E Athaliah 34

Forward relations for entry Athaliah (34/120) are generated.

Backward relations for entry Joash (Ahaziah) (32/120) are generated.

Optimize dates...

```

Athaliah                 D Knd S   from:   to:|
2903. 8.21. 2913.12.29. E 0 E     34     34||
2902. 8.21. 2914.12.29. E 5 B     34     34||
2903. 8.21. 2913.12.29. E 7 B     32     34||
2903. 8.21. 2913.12.29. + 0 +     34     34||
                                0 E     0     0||
2903. 8.21. 2913.12.29. E 0 E     0     34||

```

16492 Bytes free.

(854th/908) position: 2925. 8.21. 2935.12.29. B Jehoahaz (Jehu) 31

Forward relations for entry Jehoahaz (Jehu) (31/120) are generated.

Backward relations for entry Joash (Jehoahaz) (30/120) are generated.

Optimize dates...

```

Jehoahaz (Jehu)         D Knd S   from:   to:|
2925. 8.21. 2935.12.29. B 0 B     31     31||
2925. 8.21. 2935.12.29. B 1 E     33     31||
2925. 8.21. 2937.12.29. B 3 B     32     31||
2923. 8.21. 2935.12.29. B 5 E     31     31||
                                0 B     0     0||
2925. 8.21. 2935.12.29. B 0 B     0     31||

```

16492 Bytes free.

(855th/908) position: 2903. 8.21. 2913.12.29. E Athaliah 34

Forward relations for entry Athaliah (34/120) are generated.

Backward relations for entry Joash (Ahaziah) (32/120) are generated.

Optimize dates...

```

Athaliah                 D Knd S   from:   to:|
2903. 8.21. 2913.12.29. E 0 E     34     34||
2902. 8.21. 2914.12.29. E 5 B     34     34||
2903. 8.21. 2913.12.29. E 7 B     32     34||
2903. 8.21. 2913.12.29. + 0 +     34     34||
                                0 E     0     0||
2903. 8.21. 2913.12.29. E 0 E     0     34||

```

16492 Bytes free.

(856th/908) position: 2942. 8.21. 2952.12.29. E Joash (Ahaziah) 32

Forward relations for entry Joash (Ahaziah) (32/120) are generated.

Backward relations for entry Amaziah (28/120) are generated.

Optimize dates...

Joash (Ahaziah)	D	Kind	S	from:	to:†
2942. 8.21. 2952.12.29.	E	0	E	32	32
2942. 8.21. 2954.12.29.	E	5	B	32	32
2942. 8.21. 2952.12.29.	E	7	B	28	32
2942. 8.21. 2952.12.29.	+	0	+	32	32
		0	E	0	0
2942. 8.21. 2952.12.29.	E	0	E	0	32

16492 Bytes free.

(857th/908) position: 2895. 8.21. 2907.12.29. \* Joash (Ahaziah) 32

Forward relations for entry Joash (Ahaziah) (32/120) are generated.

Backward relations for entry Amaziah (28/120) are generated.

Optimize dates...

Joash (Ahaziah)	D	Kind	S	from:	to:†
2895. 8.21. 2907.12.29.	*	0	*	32	32
2895. 8.21. 2907.12.29.	*	10	B	32	32
		0	*	0	0
2895. 8.21. 2907.12.29.	*	0	*	0	32

16492 Bytes free.

(858th/908) position: 2925. 8.21. 2935.12.29. B Jehoahaz (Jehu) 31

Forward relations for entry Jehoahaz (Jehu) (31/120) are generated.

Backward relations for entry Joash (Jehoahaz) (30/120) are generated.

Optimize dates...

Jehoahaz (Jehu)	D	Kind	S	from:	to:†
2925. 8.21. 2935.12.29.	B	0	B	31	31
2925. 8.21. 2935.12.29.	B	1	E	33	31
2925. 8.21. 2937.12.29.	B	3	B	32	31
2923. 8.21. 2935.12.29.	B	5	E	31	31
		0	B	0	0
2925. 8.21. 2935.12.29.	B	0	B	0	31

16492 Bytes free.

(859th/908) position: 2893. 8.21. 2903.12.29. B Elisha 39

Forward relations for entry Elisha (39/120) are generated.

Backward relations for entry Joash (Jehoahaz) (30/120) are generated.

Optimize dates...

Elisha	D	Kind	S	from:	to:†
2893. 8.21. 2903.12.29.	B	0	B	39	39
2893. 8.21. 2903.12.29.	B	1	E	43	39
		0	B	0	0
2893. 8.21. 2903.12.29.	B	0	B	0	39

16492 Bytes free.

(860th/908) position: 2890. 8.21. 2900.12.29. B Jehoram (Jehoshaphat) 40

Forward relations for entry Jehoram (Jehoshaphat) (40/120) are generated.

Backward relations for entry Ahaziah (Joram) (35/120) are generated.

Optimize dates...

Jehoram (Jehoshaphat)	D	Kind	S	from:	to:†
2890. 8.21. 2900.12.29.	B	0	B	40	40
2889. 8.21. 2902.12.29.	B	3	B	37	40
2888. 8.21. 2902.12.29.	B	4	*	40	40

2888.	8.21.	2900.12.29.	B	6	E	40	40	
2890.	8.21.	2902.12.29.	B	9	α	37	40	
				0	B	0	0	
2890.	8.21.	2900.12.29.	B	0	B	0	40	

16492 Bytes free.

(861st/908) position: 2857. 8.21. 2869.12.29. \* Jehoram (Jehoshaphat) 40  
 Forward relations for entry Jehoram (Jehoshaphat) (40/120) are generated.  
 Backward relations for entry Ahaziah (Joram) (35/120) are generated.  
 Optimize dates...

Jehoram (Jehoshaphat)		D	Kn	S	from:	to:		
2857.	8.21.	2869.12.29.	*	0	*	40	40	
2857.	8.21.	2869.12.29.	*	10	B	40	40	
				0	*	0	0	
2857.	8.21.	2869.12.29.	*	0	*	0	40	

16492 Bytes free.

(862nd/908) position: 2897. 8.21. 2907.12.29. E Jehoram (Jehoshaphat) 40  
 Forward relations for entry Jehoram (Jehoshaphat) (40/120) are generated.  
 Backward relations for entry Ahaziah (Joram) (35/120) are generated.  
 Optimize dates...

Jehoram (Jehoshaphat)		D	Kn	S	from:	to:		
2897.	8.21.	2907.12.29.	E	0	E	40	40	
2897.	8.21.	2909.12.29.	E	6	B	40	40	
2897.	8.21.	2907.12.29.	E	7	B	35	40	
2897.	8.21.	2907.12.29.	+	0	+	40	40	
				0	E	0	0	
2897.	8.21.	2907.12.29.	E	0	E	0	40	

16492 Bytes free.

(863rd/908) position: 2897. 8.21. 2907.12.29. B Ahaziah (Joram) 35  
 Forward relations for entry Ahaziah (Joram) (35/120) are generated.  
 Backward relations for entry Jehu (33/120) are generated.  
 Backward relations for entry Athaliah (34/120) are generated.  
 Forward relations for entry Ahaziah (Joram) (36/120) are generated.  
 Optimize dates...

Ahaziah (Joram)		D	Kn	S	from:	to:		
2897.	8.21.	2907.12.29.	B	0	B	35	35	
2897.	8.21.	2907.12.29.	B	1	E	40	35	
2896.	8.21.	2909.12.29.	B	3	B	37	35	
2895.	8.21.	2909.12.29.	B	4	*	35	35	
2895.	8.21.	2907.12.29.	B	6	E	35	35	
2895.	8.21.	2908.12.29.	B	3	B	37	36	
				0	B	0	0	
2897.	8.21.	2907.12.29.	B	0	B	0	35	

16492 Bytes free.

(864th/908) position: 2874. 8.21. 2886.12.29. \* Ahaziah (Joram) 35  
 Forward relations for entry Ahaziah (Joram) (35/120) are generated.  
 Backward relations for entry Jehu (33/120) are generated.  
 Backward relations for entry Athaliah (34/120) are generated.  
 Forward relations for entry Ahaziah (Joram) (36/120) are generated.  
 Optimize dates...

Ahaziah (Joram)		D	Kn	S	from:	to:		
2874.	8.21.	2886.12.29.	*	0	*	35	35	
2874.	8.21.	2886.12.29.	*	10	B	35	35	
				0	*	0	0	
2874.	8.21.	2886.12.29.	*	0	*	0	35	



16492 Bytes free.

(865th/908) position: 2897. 8.21. 2907.12.29. E Ahaziah (Joram) 35

Forward relations for entry Ahaziah (Joram) (35/120) are generated.

Backward relations for entry Jehu (33/120) are generated.

Backward relations for entry Athaliah (34/120) are generated.

Forward relations for entry Ahaziah (Joram) (36/120) are generated.

Optimize dates...

Ahaziah (Joram)	D	Kind	S	from:	to:
2897. 8.21. 2907.12.29.	E	0	E	35	35
2897. 8.21. 2909.12.29.	E	6	B	35	35
2897. 8.21. 2907.12.29.	E	7	B	33	35
2897. 8.21. 2907.12.29.	E	7	B	34	35
2897. 8.21. 2907.12.29.	+	0	+	35	35
		0	E	0	0
2897. 8.21. 2907.12.29.	E	0	E	0	35

16492 Bytes free.

(866th/908) position: 2885. 8.21. 2896.12.29. B Joram (Ahab) 37

Forward relations for entry Joram (Ahab) (37/120) are generated.

Backward relations for entry Jehu (33/120) are generated.

Backward relations for entry Athaliah (34/120) are generated.

Forward relations for entry Joram (Ahab) (38/120) are generated.

Optimize dates...

Joram (Ahab)	D	Kind	S	from:	to:
2885. 8.21. 2896.12.29.	B	0	B	37	37
2884. 8.21. 2896.12.29.	B	9	B	35	37
2885. 8.21. 2897.12.29.	B	9	B	36	37
2884. 8.21. 2896.12.29.	B	9	B	40	37
2884. 8.21. 2896.12.29.	B	5	E	38	38
		0	B	0	0
2885. 8.21. 2896.12.29.	B	0	B	0	37

16492 Bytes free.

(867th/908) position: 2897. 8.21. 2907.12.29. B Jehu 33

Forward relations for entry Jehu (33/120) are generated.

Backward relations for entry Jehoahaz (Jehu) (31/120) are generated.

Optimize dates...

Jehu	D	Kind	S	from:	to:
2897. 8.21. 2907.12.29.	B	0	B	33	33
2897. 8.21. 2907.12.29.	B	1	E	35	33
2897. 8.21. 2907.12.29.	B	2	E	37	33
2896. 8.21. 2908.12.29.	B	5	E	33	33
2895. 8.21. 2907.12.29.	B	9	B	32	33
		0	B	0	0
2897. 8.21. 2907.12.29.	B	0	B	0	33

16492 Bytes free.

(868th/908) position: 2897. 8.21. 2907.12.29. E Joram (Ahab) 37

Forward relations for entry Joram (Ahab) (37/120) are generated.

Backward relations for entry Jehu (33/120) are generated.

Backward relations for entry Athaliah (34/120) are generated.

Forward relations for entry Joram (Ahab) (38/120) are generated.

Optimize dates...

Joram (Ahab)	D	Kind	S	from:	to:
2897. 8.21. 2907.12.29.	E	0	E	37	37
2897. 8.21. 2907.12.29.	E	8	B	33	37
2897. 8.21. 2907.12.29.	E	8	B	34	37

```

2896. 8.21. 2909.12.29. E 5 B      38      38||
2897. 8.21. 2907.12.29. + 0 +      37      37||
                               0 E      0       0||
2897. 8.21. 2907.12.29. E 0 E      0       37||

```

16492 Bytes free.

(869th/908) position: 2925. 8.21. 2935.12.29. E Jehu 33

Forward relations for entry Jehu (33/120) are generated.

Backward relations for entry Jehoahaz (Jehu) (31/120) are generated.

Optimize dates...

```

Jehu          D Knd S      from:      to:|
2925. 8.21. 2935.12.29. E 0 E      33      33||
2924. 8.21. 2936.12.29. E 5 B      33      33||
2925. 8.21. 2935.12.29. E 7 B      31      33||
2925. 8.21. 2935.12.29. + 0 +      33      33||
                               0 E      0       0||
2925. 8.21. 2935.12.29. E 0 E      0       33||

```

16492 Bytes free.

(870th/908) position: 2903. 8.21. 2913.12.29. B Joash (Ahaziah) 32

Forward relations for entry Joash (Ahaziah) (32/120) are generated.

Backward relations for entry Amaziah (28/120) are generated.

Optimize dates...

```

Joash (Ahaziah) D Knd S      from:      to:|
2903. 8.21. 2913.12.29. B 0 B      32      32||
2903. 8.21. 2913.12.29. B 1 E      34      32||
2903. 8.21. 2915.12.29. B 3 B      33      32||
2901. 8.21. 2913.12.29. B 5 E      32      32||
2901. 8.21. 2915.12.29. B 4 *      32      32||
2903. 8.21. 2915.12.29. B 9 B      30      32||
2901. 8.21. 2913.12.29. B 9 B      31      32||
                               0 B      0       0||
2903. 8.21. 2913.12.29. B 0 B      0       32||

```

16492 Bytes free.

(871st/908) position: 2897. 8.21. 2907.12.29. B Athaliah 34

Forward relations for entry Athaliah (34/120) are generated.

Backward relations for entry Joash (Ahaziah) (32/120) are generated.

Optimize dates...

```

Athaliah      D Knd S      from:      to:|
2897. 8.21. 2907.12.29. B 0 B      34      34||
2897. 8.21. 2907.12.29. B 1 E      35      34||
2897. 8.21. 2907.12.29. B 2 E      37      34||
2896. 8.21. 2908.12.29. B 5 E      34      34||
                               0 B      0       0||
2897. 8.21. 2907.12.29. B 0 B      0       34||

```

16492 Bytes free.

(872nd/908) position: 2860. 8.15. 2869.12.23. E Baasha 49

Forward relations for entry Baasha (49/120) are generated.

Backward relations for entry Elah (48/120) are generated.

Optimize dates...

```

Baasha        D Knd S      from:      to:|
2860. 8.15. 2869.12.23. E 0 E      49      49||
2860. 8.15. 2871.12.23. E 5 B      49      49||
2860. 8.15. 2869.12.23. E 7 B      48      49||
2860. 8.15. 2869.12.23. + 0 +      49      49||
                               0 E      0       0||

```

2860. 8.15. 2869.12.23. E 0 E 0 49||

16492 Bytes free.

(873rd/908) position: 2860. 8.15. 2869.12.23. B Elah 48

Forward relations for entry Elah (48/120) are generated.

Backward relations for entry Zimri (47/120) are generated.

Optimize dates...

Elah	D	Kind	S	from:	to:
2860. 8.15. 2869.12.23.	B	0	B	48	48
2860. 8.15. 2869.12.23.	B	1	E	49	48
2859. 8.15. 2871.12.23.	B	3	B	51	48
2857. 8.15. 2869.12.23.	B	5	E	48	48
		0	B	0	0
2860. 8.15. 2869.12.23.	B	0	B	0	48
2861. 8.15. 2870.12.23.	909th position to E Elah				48

16492 Bytes free.

(874th/909) position: 2898. 8.21. 2912.12.23. α Jehoram (Jehoshaphat) 40

Forward relations for entry Jehoram (Jehoshaphat) (40/120) are generated.

Backward relations for entry Ahaziah (Joram) (35/120) are generated.

Optimize dates...

Jehoram (Jehoshaphat)	D	Kind	S	from:	to:
2898. 8.21. 2912.12.23.	α	0	α	40	40
2898. 8.21. 2912.12.23.	α	1	E	42	40
		0	α	0	0
2898. 8.21. 2912.12.23.	α	0	α	0	40

16492 Bytes free.

(875th/909) position: 2551.11. 1. 2595.10.30. B Gideon = Jerubbaal 73

Forward relations for entry Gideon = Jerubbaal (73/120) are generated.

Backward relations for entry Abimelech (72/120) are generated.

Optimize dates...

Gideon = Jerubbaal	D	Kind	S	from:	to:
2551.11. 1. 2595.10.30.	B	0	B	73	73
2551.11. 1. 2595.10.30.	B	1	E	74	73
≤ 2595.10.30.	B	5	E	73	73
		0	B	0	0
2551.11. 1. 2595.10.30.	B	0	B	0	73
2590.11. 1. 2634.10.30.	910th position to E Gideon = Jerubbaal				73

16492 Bytes free.

(876th/910) position: 2489. 1.15. 2531.10.30. E Ehud 77

Forward relations for entry Ehud (77/120) are generated.

Backward relations for entry Sisera (76/120) are generated.

Optimize dates...

Ehud	D	Kind	S	from:	to:
2489. 1.15. 2531.10.30.	E	0	E	77	77
2489. 1.15. 2533.10.30.	E	5	B	77	77
2487.11. 1. 2531.10.30.	E	7	B	76	77
		0	E	0	0
2489. 1.15. 2531.10.30.	E	0	E	0	77
2489. 1.15. 2531.10.30.	911th position to B Sisera				76

16492 Bytes free.

(877th/911) position: 1652. 1.15. 1664.12.29. + Noah 110

Forward relations for entry Noah (110/120) are generated.

Optimize dates...

Noah	D	Kind	S	from:	to:
------	---	------	---	-------	-----

```

1652. 1.15. 1664.12.29. + 0 + 110 110||
1651.11.19. 1664.11. 3. + 5 * 110 110||
1652. 1.15. 1664.12.29. + 4 E 107 110||
                1M26D 0 + 0 0||
1652. 1.15. 1664.11. 3. + 0 + 0 110||
1652. 1.15. 1664.11. 3. 912th position to + Noah 110

```

16492 Bytes free.

```

(878th/912) position: 702.11.19. 713.11. 3. * Noah 110
Forward relations for entry Noah (110/120) are generated.

```

Optimize dates...

```

Noah          D Knd S   from:   to:|
702.11.19.   713.11. 3. * 0 *   110    110||
700.11.19.   717. 1. 7. * 3 *   111    110||
701. 1.15.   715.11. 3. * 5 +   110    110||
702.11.19.   717. 1. 8. * 9 B   107    110||
702.11.18.   713.11. 3. * 9 E   108    110||
702. 1.15.   715.11. 3. * 9 *   109    110||
702.11.18.   717. 1. 8. * 10 Ω  107    110||
700.11.19.   717. 2.24. * 10 +   111    110||
                0 *     0     0||
702.11.19.   713.11. 3. * 0 *     0    110||
648.11.19.   661.11. 3. 913th position to * Lamech 111
1302. 1. 6.   1312.12.20. 914th position to B Great Flood 107
1302.11.19.  1313.11. 4. 915th position to Ω Great Flood 107
1301.11.19.  1314.11. 3. 916th position to + Lamech 111

```

16492 Bytes free.

```

(879th/916) position: 1203. 1.15. 1214.11. 3. * Shem 109
Forward relations for entry Shem (109/120) are generated.

```

Optimize dates...

```

Shem          D Knd S   from:   to:|
1203. 1.15.  1214.11. 3. * 0 *   109    109||
1201.11.19.  1214.11. 3. * 3 *   110    109||
1203. 1.15.  1215.12.29. * 10 *   105    109||
                0 *     0     0||
1203. 1.15.  1214.11. 3. * 0 *     0    109||

```

16492 Bytes free.

```

(880th/916) position: 2949. 8.22. 2966.12.29. B Jeroboam (Joash) 27
Forward relations for entry Jeroboam (Joash) (27/120) are generated.

```

```

Backward relations for entry Zachariah (25/120) are generated.

```

Optimize dates...

```

Jeroboam (Joash) D Knd S   from:   to:|
2949. 8.22.   2966.12.29. B 0 B    27    27||
2956. 8.21.   2966.12.29. B 1 E    30    27||
2956. 8.21.   2968.12.29. B 3 B    28    27||
2949. 8.22.   2966.12.29. B 5 E    27    27||
        6Y11M29D      0 B     0     0||
2956. 8.21.   2966.12.29. B 0 B     0    27||
2956. 8.21.   2966.12.29. 917th position to B Jeroboam (Joash) 27
2996. 8.21.   3006.12.29. 918th position to E Jeroboam (Joash) 27

```

16492 Bytes free.

```

(881st/918) position: 2393. 1.15. 2435.10.30. E Othniel 79
Forward relations for entry Othniel (79/120) are generated.

```

```

Backward relations for entry Eglon (78/120) are generated.

```

Optimize dates...

Othniel		D	Kn	S	from:	to:
2393. 1.15.	2435.10.30.	E	0	E	79	79
2393. 1.15.≥		E	5	B	79	79
2393. 1.15.	2435.10.30.	E	7	B	78	79
2393. 1.15.	2435.10.30.	+	0	+	79	79
			0	E	0	0
2393. 1.15.	2435.10.30.	E	0	E	0	79
2354. 1.15.	2396.10.30.				919th position to B Othniel	79

16492 Bytes free.

(882nd/919) position: 2694. 8.15. 2710. 9.29. E Samuel 61  
 Forward relations for entry Samuel (61/120) are generated.  
 Backward relations for entry Saul (60/120) are generated.

Optimize dates...

Samuel		D	Kn	S	from:	to:
2694. 8.15.	2710. 9.29.	E	0	E	61	61
2684.11.15.≥		E	1	E	63	61
2694. 8.15.	2710. 9.29.	E	7	B	60	61
			0	E	0	0
2694. 8.15.	2710. 9.29.	E	0	E	0	61

16492 Bytes free.

(883rd/919) position: 2694. 8.15. 2710. 9.29. \* Ishbosheth 59  
 Forward relations for entry Ishbosheth (59/120) are generated.  
 Backward relations for entry David (58/120) are generated.

Optimize dates...

Ishbosheth		D	Kn	S	from:	to:
2694. 8.15.	2710. 9.29.	*	0	*	59	59
2694. 8.15.	2710. 9.29.	*	9	B	59	59
			0	*	0	0
2694. 8.15.	2710. 9.29.	*	0	*	0	59

16492 Bytes free.

(884th/919) position: 2736. 8.15. 2752. 9.29. E Ishbosheth 59  
 Forward relations for entry Ishbosheth (59/120) are generated.  
 Backward relations for entry David (58/120) are generated.

Optimize dates...

Ishbosheth		D	Kn	S	from:	to:
2736. 8.15.	2752. 9.29.	E	0	E	59	59
2736. 8.15.	2752. 9.29.	E	5	B	59	59
	≤ 2757. 2.29.	E	7	α	58	59
2736. 8.15.	2752. 9.29.	+	0	+	59	59
			0	E	0	0
2736. 8.15.	2752. 9.29.	E	0	E	0	59

16492 Bytes free.

(885th/919) position: 2776. 8.15. 2785.12.23. E David 58  
 Forward relations for entry David (58/120) are generated.  
 Backward relations for entry Solomon (57/120) are generated.

Optimize dates...

David		D	Kn	S	from:	to:
2776. 8.15.	2785.12.23.	Ω	0	Ω	58	58
2775. 1.15.	2791. 2.29.	Ω	6	α	58	58
2776. 8.15.	2785.12.23.	E	0	E	58	58
2774. 8.15.	2790. 9.29.	E	5	B	58	58
2776. 8.15.	2785.12.23.	E	7	B	57	58
2776. 8.15.	2785.12.23.	+	0	+	58	58
			0	Ω	0	0

2776. 8.15. 2785.12.23. Ω 0 Ω 0 58||  
 2743. 1.15. 2753.12.23. 920th position to α David 58  
 2735. 8.15. 2746.12.23. 921st position to B David 58

16492 Bytes free.

(886th/921) position: 2781. 2.15. 2790.12.23. B Building the Temple 55  
 Forward relations for entry Building the Temple (55/120) are generated.  
 Forward relations for entry Building the Temple (56/120) are generated.  
 Optimize dates...

Building the Temple	D	Kind	S	from:	to:	
2781. 2.15. 2790.12.23.	B	0	B	55	55	
2779. 8.15. 2790.12.23.	B	3	B	57	55	
2780. 8.15. 2791.12.23.	B	5	E	55	55	
2781. 2.15. 2792. 2.29.	B	4	E	89	55	
		0	B	0	0	
2781. 2.15. 2790.12.23.	B	0	B	0	55	
2302. 1.15. 2311.11.23.				922nd position to E Israel in Egypt		89

16492 Bytes free.

(887th/922) position: 2788. 8.15. 2797.12.23. E Building the Temple 56  
 Forward relations for entry Building the Temple (55/120) are generated.  
 Forward relations for entry Building the Temple (56/120) are generated.  
 Optimize dates...

Building the Temple	D	Kind	S	from:	to:	
2788. 8.15. 2797.12.23.	E	0	E	55	55	
2787. 2.15. 2798.12.23.	E	5	B	55	55	
2786. 8.15. 2797.12.23.	E	3	B	57	56	
2788. 8.15. 2798. 7.23.	E	4	E	89	56	
		0	E	0	0	
2788. 8.15. 2797.12.23.	E	0	E	0	55	
2302. 1.15. 2311. 5.23.				923rd position to E Israel in Egypt		89

16492 Bytes free.

(888th/923) position: 2663.11.15. 2691. 9.29. E Eli 64  
 Forward relations for entry Eli (64/120) are generated.  
 Backward relations for entry Samuel (61/120) are generated.  
 Optimize dates...

Eli	D	Kind	S	from:	to:	
2663.11.15. 2691. 9.29.	E	0	E	64	64	
2657. 9. 1. 2693. 9.29.	E	6	B	64	64	
2663.11.15. 2691. 9.29.	E	8	B	61	64	
2663.11.15. 2691. 9.29.	+	0	+	64	64	
2657. 9. 1. 2693. 9.29.	+	5	*	64	64	
		0	E	0	0	
2663.11.15. 2691. 9.29.	E	0	E	0	64	
2622.11.15. 2652. 9.29.				924th position to B Eli		64
2564.11.15. 2594. 9.29.				925th position to * Eli		64

16492 Bytes free.

(889th/925) position: 2660.11.15.≥ E Elon 66  
 Forward relations for entry Elon (66/120) are generated.  
 Backward relations for entry Abdon (65/120) are generated.  
 Optimize dates...

Elon	D	Kind	S	from:	to:	
2660.11.15.≥	E	0	E	66	66	
2660.11.15.≥	E	5	B	66	66	
	E	7	B	65	66	
2660.11.15.≥	+	0	+	66	66	

```

                0 E      0      0||
2660.11.15.≥      E 0 E      0      66||
2660.11.15.≥      926th position to B Abdon      65

```

16492 Bytes free.

(890th/926) position: 2393. 1.15. 2435.10.30. B Eglon 78

Forward relations for entry Eglon (78/120) are generated.

Backward relations for entry Ehud (77/120) are generated.

Optimize dates...

```

Eglon          D Knd S   from:   to:|
2393. 1.15. 2435.10.30. B 0 B     78     78||
2393. 1.15. 2435.10.30. B 1 E     79     78||
2391. 1.15. 2435.10.30. B 5 E     78     78||
                0 B     0     0||
2393. 1.15. 2435.10.30. B 0 B     0     78||

```

16492 Bytes free.

(891st/926) position: 2393. 1.15. 2435.10.30. E Othniel 79

Forward relations for entry Othniel (79/120) are generated.

Backward relations for entry Eglon (78/120) are generated.

Optimize dates...

```

Othniel        D Knd S   from:   to:|
2393. 1.15. 2435.10.30. E 0 E     79     79||
2393. 1.15. 2437.10.30. E 5 B     79     79||
2393. 1.15. 2435.10.30. E 7 B     78     79||
2393. 1.15. 2435.10.30. + 0 +     79     79||
                0 E     0     0||
2393. 1.15. 2435.10.30. E 0 E     0     79||

```

16492 Bytes free.

(892nd/926) position: 2410. 1.15. 2452.10.30. E Eglon 78

Forward relations for entry Eglon (78/120) are generated.

Backward relations for entry Ehud (77/120) are generated.

Optimize dates...

```

Eglon          D Knd S   from:   to:|
2410. 1.15. 2452.10.30. E 0 E     78     78||
2410. 1.15. 2454.10.30. E 5 B     78     78||
2410. 1.15. 2452.10.30. E 7 B     77     78||
2410. 1.15. 2452.10.30. + 0 +     78     78||
                0 E     0     0||
2410. 1.15. 2452.10.30. E 0 E     0     78||

```

16492 Bytes free.

(893rd/926) position: 2410. 1.15. 2452.10.30. B Ehud 77

Forward relations for entry Ehud (77/120) are generated.

Backward relations for entry Sisera (76/120) are generated.

Optimize dates...

```

Ehud           D Knd S   from:   to:|
2410. 1.15. 2452.10.30. B 0 B     77     77||
2410. 1.15. 2452.10.30. B 1 E     78     77||
2408. 1.15. 2452.10.30. B 5 E     77     77||
                0 B     0     0||
2410. 1.15. 2452.10.30. B 0 B     0     77||

```

16492 Bytes free.

(894th/926) position: 2489. 1.15. 2531.10.30. E Ehud 77

Forward relations for entry Ehud (77/120) are generated.

Backward relations for entry Sisera (76/120) are generated.

Optimize dates...

Ehud		D	Kind	S	from:	to:
2489.	1.15.	2531.10.30.	E	0 E	77	77
2489.	1.15.	2533.10.30.	E	5 B	77	77
2489.	1.15.	2531.10.30.	E	7 B	76	77
				0 E	0	0
2489.	1.15.	2531.10.30.	E	0 E	0	77

16492 Bytes free.

(895th/926) position: 2903. 8.21. 2913.12.29. E Athaliah 34

Forward relations for entry Athaliah (34/120) are generated.

Backward relations for entry Joash (Ahaziah) (32/120) are generated.

Optimize dates...

Athaliah		D	Kind	S	from:	to:
2903.	8.21.	2913.12.29.	E	0 E	34	34
2902.	8.21.	2914.12.29.	E	5 B	34	34
2903.	8.21.	2913.12.29.	E	7 B	32	34
2903.	8.21.	2913.12.29.	+	0 +	34	34
				0 E	0	0
2903.	8.21.	2913.12.29.	E	0 E	0	34

16492 Bytes free.

(896th/926) position: 2942. 8.21. 2952.12.29. E Joash (Ahaziah) 32

Forward relations for entry Joash (Ahaziah) (32/120) are generated.

Backward relations for entry Amaziah (28/120) are generated.

Optimize dates...

Joash (Ahaziah)		D	Kind	S	from:	to:
2942.	8.21.	2952.12.29.	E	0 E	32	32
2942.	8.21.	2954.12.29.	E	5 B	32	32
2942.	8.21.	2952.12.29.	E	7 B	28	32
2942.	8.21.	2952.12.29.	+	0 +	32	32
				0 E	0	0
2942.	8.21.	2952.12.29.	E	0 E	0	32

16492 Bytes free.

(897th/926) position: 2895. 8.21. 2907.12.29. \* Joash (Ahaziah) 32

Forward relations for entry Joash (Ahaziah) (32/120) are generated.

Backward relations for entry Amaziah (28/120) are generated.

Optimize dates...

Joash (Ahaziah)		D	Kind	S	from:	to:
2895.	8.21.	2907.12.29.	*	0 *	32	32
2895.	8.21.	2907.12.29.	*	10 B	32	32
				0 *	0	0
2895.	8.21.	2907.12.29.	*	0 *	0	32

16492 Bytes free.

(898th/926) position: 2941. 8.21. 2951.12.29. B Joash (Jehoahaz) 30

Forward relations for entry Joash (Jehoahaz) (30/120) are generated.

Backward relations for entry Jeroboam (Joash) (27/120) are generated.

Backward relations for entry Elisha (39/120) are generated.

Optimize dates...

Joash (Jehoahaz)		D	Kind	S	from:	to:
2941.	8.21.	2951.12.29.	B	0 B	30	30
2941.	8.21.	2951.12.29.	B	1 E	31	30
2939.	8.21.	2951.12.29.	B	3 B	32	30
2939.	8.21.	2951.12.29.	B	5 E	30	30
		≤ 2966.12.29.	B	8 E	39	30
2939.	8.21.	2951.12.29.	B	9 B	28	30



```

                0 B      0      0||
2941. 8.21. 2951.12.29. B 0 B      0      30||

```

16492 Bytes free.

(899th/926) position: 2925. 8.21. 2935.12.29. B Jehoahaz (Jehu) 31

Forward relations for entry Jehoahaz (Jehu) (31/120) are generated.

Backward relations for entry Joash (Jehoahaz) (30/120) are generated.

Optimize dates...

```

Jehoahaz (Jehu)      D Knd S      from:      to:|
2925. 8.21. 2935.12.29. B 0 B      31      31||
2925. 8.21. 2935.12.29. B 1 E      33      31||
2925. 8.21. 2937.12.29. B 3 B      32      31||
2923. 8.21. 2935.12.29. B 5 E      31      31||
                0 B      0      0||
2925. 8.21. 2935.12.29. B 0 B      0      31||

```

16492 Bytes free.

(900th/926) position: 2942. 8.21. 2952.12.29. B Amaziah 28

Forward relations for entry Amaziah (28/120) are generated.

Backward relations for entry Azariah = Uzziah (26/120) are generated.

Forward relations for entry Amaziah (29/120) are generated.

Optimize dates...

```

Amaziah              D Knd S      from:      to:|
2942. 8.21. 2952.12.29. B 0 B      28      28||
2942. 8.21. 2952.12.29. B 1 E      32      28||
2942. 8.21. 2954.12.29. B 3 B      30      28||
2931. 4. 1. 2954.12.29. B 4 *      28      28||
2933. 4. 1. 2954.12.29. B 6 E      28      28||
2940. 8.21. 2952.12.29. B 9 B      27      28||
                0 B      0      0||
2942. 8.21. 2952.12.29. B 0 B      0      28||
2916. 8.21. 2928.12.29. 927th position to * Amaziah      28
2970. 8.21. 2982.12.29. 928th position to E Amaziah      28

```

16492 Bytes free.

(901st/928) position: 2941. 8.21. 2951.12.29. E Jehoahaz (Jehu) 31

Forward relations for entry Jehoahaz (Jehu) (31/120) are generated.

Backward relations for entry Joash (Jehoahaz) (30/120) are generated.

Optimize dates...

```

Jehoahaz (Jehu)      D Knd S      from:      to:|
2941. 8.21. 2951.12.29. E 0 E      31      31||
2941. 8.21. 2953.12.29. E 5 B      31      31||
2941. 8.21. 2951.12.29. E 7 B      30      31||
2941. 8.21. 2951.12.29. + 0 +      31      31||
                0 E      0      0||
2941. 8.21. 2951.12.29. E 0 E      0      31||

```

16492 Bytes free.

(902nd/928) position: 2956. 8.21. 2966.12.29. E Joash (Jehoahaz) 30

Forward relations for entry Joash (Jehoahaz) (30/120) are generated.

Backward relations for entry Jeroboam (Joash) (27/120) are generated.

Backward relations for entry Elisha (39/120) are generated.

Optimize dates...

```

Joash (Jehoahaz)     D Knd S      from:      to:|
2956. 8.21. 2966.12.29. E 0 E      30      30||
2941. 8.21.≥          E 2 +      39      30||
2956. 8.21. 2968.12.29. E 5 B      30      30||
2956. 8.21. 2966.12.29. E 7 B      27      30||

```

```

2956. 8.21. 2966.12.29. + 0 + 30 30||
2954. 8.21. 2968.12.29. + 9 + 29 30||
                                0 E 0 0||
2956. 8.21. 2966.12.29. E 0 E 0 30||

```

16492 Bytes free.

```

(903rd/928) position: 2941. 8.21. 2966.12.29. E Elisha 39
Forward relations for entry Elisha (39/120) are generated.
Backward relations for entry Joash (Jehoahaz) (30/120) are generated.
Optimize dates...

```

```

Elisha D Knd S from: to:|
2941. 8.21. 2966.12.29. E 0 E 39 39||
2941. 8.21. ≥ E 2 B 30 39||
2941. 8.21. 2966.12.29. + 0 + 39 39||
                ≤ 2966.12.29. + 8 E 30 39||
                                0 E 0 0||
2941. 8.21. 2966.12.29. E 0 E 0 39||

```

16492 Bytes free.

```

(904th/928) position: 2925. 8.21. 2935.12.29. E Jehu 33
Forward relations for entry Jehu (33/120) are generated.
Backward relations for entry Jehoahaz (Jehu) (31/120) are generated.
Optimize dates...

```

```

Jehu D Knd S from: to:|
2925. 8.21. 2935.12.29. E 0 E 33 33||
2924. 8.21. 2936.12.29. E 5 B 33 33||
2925. 8.21. 2935.12.29. E 7 B 31 33||
2925. 8.21. 2935.12.29. + 0 + 33 33||
                                0 E 0 0||
2925. 8.21. 2935.12.29. E 0 E 0 33||

```

16492 Bytes free.

```

(905th/928) position: 2941. 8.21. 2951.12.29. E Jehoahaz (Jehu) 31
Forward relations for entry Jehoahaz (Jehu) (31/120) are generated.
Backward relations for entry Joash (Jehoahaz) (30/120) are generated.
Optimize dates...

```

```

Jehoahaz (Jehu) D Knd S from: to:|
2941. 8.21. 2951.12.29. E 0 E 31 31||
2941. 8.21. 2953.12.29. E 5 B 31 31||
2941. 8.21. 2951.12.29. E 7 B 30 31||
2941. 8.21. 2951.12.29. + 0 + 31 31||
                                0 E 0 0||
2941. 8.21. 2951.12.29. E 0 E 0 31||

```

16492 Bytes free.

```

(906th/928) position: 2941. 8.21. 2951.12.29. B Joash (Jehoahaz) 30
Forward relations for entry Joash (Jehoahaz) (30/120) are generated.
Backward relations for entry Jeroboam (Joash) (27/120) are generated.
Backward relations for entry Elisha (39/120) are generated.
Optimize dates...

```

```

Joash (Jehoahaz) D Knd S from: to:|
2941. 8.21. 2951.12.29. B 0 B 30 30||
2941. 8.21. 2951.12.29. B 1 E 31 30||
2939. 8.21. 2951.12.29. B 3 B 32 30||
2939. 8.21. 2951.12.29. B 5 E 30 30||
                ≤ 2966.12.29. B 8 E 39 30||
2939. 8.21. 2951.12.29. B 9 B 28 30||
                                0 B 0 0||

```

2941. 8.21. 2951.12.29. B 0 B 0 30||

16492 Bytes free.

(907th/928) position: 2956. 8.21. 2966.12.29. E Joash (Jehoahaz) 30

Forward relations for entry Joash (Jehoahaz) (30/120) are generated.

Backward relations for entry Jeroboam (Joash) (27/120) are generated.

Backward relations for entry Elisha (39/120) are generated.

Optimize dates...

Joash (Jehoahaz)	D	Kind	S	from:	to:
2956. 8.21. 2966.12.29.	E	0	E	30	30
2941. 8.21. ≥	E	2	+	39	30
2956. 8.21. 2968.12.29.	E	5	B	30	30
2956. 8.21. 2966.12.29.	E	7	B	27	30
2956. 8.21. 2966.12.29.	+	0	+	30	30
2954. 8.21. 2968.12.29.	+	9	+	29	30
		0	E	0	0
2956. 8.21. 2966.12.29.	E	0	E	0	30

16492 Bytes free.

(908th/928) position: 2941. 8.21. 2966.12.29. E Elisha 39

Forward relations for entry Elisha (39/120) are generated.

Backward relations for entry Joash (Jehoahaz) (30/120) are generated.

Optimize dates...

Elisha	D	Kind	S	from:	to:
2941. 8.21. 2966.12.29.	E	0	E	39	39
2941. 8.21. ≥	E	2	B	30	39
2941. 8.21. 2966.12.29.	+	0	+	39	39
≤ 2966.12.29.	+	8	E	30	39
		0	E	0	0
2941. 8.21. 2966.12.29.	E	0	E	0	39

16492 Bytes free.

(909th/928) position: 2861. 8.15. 2870.12.23. E Elah 48

Forward relations for entry Elah (48/120) are generated.

Backward relations for entry Zimri (47/120) are generated.

Optimize dates...

Elah	D	Kind	S	from:	to:
2861. 8.15. 2870.12.23.	E	0	E	48	48
2861. 8.15. 2872.12.23.	E	5	B	48	48
2860. 8.15. 2870.12.23.	E	7	B	47	48
2861. 8.15. 2870.12.23.	+	0	+	48	48
2860. 8.15. 2872.12.23.	+	4	B	51	48
		0	E	0	0
2861. 8.15. 2870.12.23.	E	0	E	0	48
2861. 8.15. 2870.12.23.				929th position to B Zimri	47

16492 Bytes free.

(910th/929) position: 2590.11. 1. 2634.10.30. E Gideon = Jerubbaal 73

Forward relations for entry Gideon = Jerubbaal (73/120) are generated.

Backward relations for entry Abimelech (72/120) are generated.

Optimize dates...

Gideon = Jerubbaal	D	Kind	S	from:	to:
2590.11. 1. 2634.10.30.	E	0	E	73	73
2590.11. 1. 2636.10.30.	E	5	B	73	73
≤ 2634.10.30.	E	7	B	72	73
2590.11. 1. 2634.10.30.	+	0	+	73	73
		0	E	0	0
2590.11. 1. 2634.10.30.	E	0	E	0	73

2590.11. 1. 2634.10.30. 930th position to B Abimelech 72

16492 Bytes free.

(911th/930) position: 2489. 1.15. 2531.10.30. B Sisera 76

Forward relations for entry Sisera (76/120) are generated.

Backward relations for entry Deborah and Barak (75/120) are generated.

Optimize dates...

Sisera	D	Kn	S	from:	to:†	
2489. 1.15. 2531.10.30.	B	0	B	76	76	76
2489. 1.15. 2531.10.30.	B	1	E	77	76	76
2485.11. 1. 2531.10.30.	B	5	E	76	76	76
		0	B	0	0	0
2489. 1.15. 2531.10.30.	B	0	B	0	76	76
2508. 1.15. 2550.10.30.				931st position to E Sisera		76

16492 Bytes free.

(912th/931) position: 1652. 1.15. 1664.11. 3. + Noah 110

Forward relations for entry Noah (110/120) are generated.

Optimize dates...

Noah	D	Kn	S	from:	to:†	
1652. 1.15. 1664.11. 3. +	0	+		110	110	110
1651.11.19. 1664.11. 3. +	5	*		110	110	110
1652. 1.15. 1664.12.29. +	4	E		107	110	110
	0	+		0	0	0
1652. 1.15. 1664.11. 3. +	0	+		0	110	110

16492 Bytes free.

(913th/931) position: 648.11.19. 661.11. 3. \* Lamech 111

Forward relations for entry Lamech (111/120) are generated.

Backward relations for entry Great Flood (107/120) are generated.

Optimize dates...

Lamech	D	Kn	S	from:	to:†	
648.11.19. 661.11. 3. *	0	*		111	111	111
647. 1. 6. 663. 1. 7. *	3	*		112	111	111
647.11.19. 662.11. 3. *	5	+		111	111	111
648.11.19. 661.11. 3. *	9	*		110	111	111
646.11.19. 664. 1. 7. *	10	+		112	111	111
	0	*		0	0	0
648.11.19. 661.11. 3. *	0	*		0	111	111
1300.11.19. 1315.11. 3.				932nd position to + Methuselah		112

16492 Bytes free.

(914th/932) position: 1302. 1. 6. 1312.12.20. B Great Flood 107

Forward relations for entry Great Flood (107/120) are generated.

Forward relations for entry Great Flood (108/120) are generated.

Optimize dates...

Great Flood	D	Kn	S	from:	to:†	
1302. 1. 6. 1312.12.20.	B	0	B	107	107	107
1301.11.19. ≥	B	1	+	111	107	107
1300.11.19. ≥	B	2	+	112	107	107
1302. 1. 5. 1312.12.20.	B	3	*	110	107	107
1302. 1. 6. ≥	B	1	+	114	108	108
	0	B		0	0	0
1302. 1. 6. 1312.12.20.	B	0	B	0	107	107
1301.11.19. 1312.12.20.				933rd position to + Lamech		111
1300.11.19. 1312.12.20.				934th position to + Methuselah		112
1302. 1. 6. 1312.12.20.				935th position to + Jared		114

16492 Bytes free.  
 (915th/935) position: 1302.11.19. 1313.11. 4. Ω Great Flood 107  
 Forward relations for entry Great Flood (107/120) are generated.  
 Backward relations for entry Great Flood (108/120) are generated.

Optimize dates...

Great Flood		D	Kind	S	from:	to:†
1302.11.19.	1313.11.	4.	Ω	0 Ω	107	107
1302.11.19.	1313.11.	4.	Ω	4 *	110	107
				0 Ω	0	0
1302.11.19.	1313.11.	4.	Ω	0 Ω	0	107

16492 Bytes free.  
 (916th/935) position: 1301.11.19. 1312.12.20. + Lamech 111  
 Forward relations for entry Lamech (111/120) are generated.  
 Backward relations for entry Great Flood (107/120) are generated.

Optimize dates...

Lamech		D	Kind	S	from:	to:†
1301.11.19.	1312.12.20.	+	0	+	111	111
1300.11.19.	1315.11.	3.	+	5 *	111	111
1301.11.19.	1314.11.	3.	+	4 *	110	111
	≤ 1312.12.20.	+	7	B	107	111
			0	+	0	0
1301.11.19.	1312.12.20.	+	0	+	0	111
648.11.19.	660.12.20.				936th position to * Lamech	111

16492 Bytes free.  
 (917th/936) position: 2956. 8.21. 2966.12.29. B Jeroboam (Joash) 27  
 Forward relations for entry Jeroboam (Joash) (27/120) are generated.  
 Backward relations for entry Zachariah (25/120) are generated.

Optimize dates...

Jeroboam (Joash)		D	Kind	S	from:	to:†
2956. 8.21.	2966.12.29.	B	0	B	27	27
2956. 8.21.	2966.12.29.	B	1	E	30	27
2956. 8.21.	2968.12.29.	B	3	B	28	27
2954. 8.21.	2966.12.29.	B	5	E	27	27
			0	B	0	0
2956. 8.21.	2966.12.29.	B	0	B	0	27

16492 Bytes free.  
 (918th/936) position: 2996. 8.21. 3006.12.29. E Jeroboam (Joash) 27  
 Forward relations for entry Jeroboam (Joash) (27/120) are generated.  
 Backward relations for entry Zachariah (25/120) are generated.

Optimize dates...

Jeroboam (Joash)		D	Kind	S	from:	to:†
2996. 8.21.	3006.12.29.	E	0	E	27	27
2996. 8.21.	3008.12.29.	E	5	B	27	27
2991. 8.22.	3006.12.29.	E	7	B	25	27
2996. 8.21.	3006.12.29.	+	0	+	27	27
			0	E	0	0
2996. 8.21.	3006.12.29.	E	0	E	0	27
2996. 8.21.	3006.12.29.				937th position to B Zachariah	25

16492 Bytes free.  
 (919th/937) position: 2354. 1.15. 2396.10.30. B Othniel 79  
 Forward relations for entry Othniel (79/120) are generated.  
 Backward relations for entry Eglon (78/120) are generated.

Optimize dates...

Othniel		D	Kind	S	from:	to:†
---------	--	---	------	---	-------	------

```

2354. 1.15. 2396.10.30. B 0 B      79      79||
2354. 1.15.≥                B 1 E      80      79||
2352. 1.15. 2396.10.30. B 5 E      79      79||
                0 B      0      0||
2354. 1.15. 2396.10.30. B 0 B      0      79||
2354. 1.15. 2396.10.30. 938th position to E Chushanrishathaim      80

```

16492 Bytes free.

```

(920th/938) position: 2743. 1.15. 2753.12.23. α David      58
Forward relations for entry David      (58/120) are generated.
Backward relations for entry Solomon      (57/120) are generated.
Optimize dates...

```

```

David          D Knd S      from:      to:|
2743. 1.15. 2753.12.23. α 0 α      58      58||
2736. 8.15.≥                α 1 E      59      58||
2743. 1.15. 2754. 7.23. α 4 B      58      58||
2742. 8.15. 2753.12.23. α 6 Ω      58      58||
                0 α      0      0||
2743. 1.15. 2753.12.23. α 0 α      0      58||
2735. 8.15. 2746. 7.23. 939th position to B David      58

```

16492 Bytes free.

```

(921st/939) position: 2735. 8.15. 2746. 7.23. B David      58
Forward relations for entry David      (58/120) are generated.
Backward relations for entry Solomon      (57/120) are generated.
Optimize dates...

```

```

David          D Knd S      from:      to:|
2735. 8.15. 2746. 7.23. B 0 B      58      58||
2735. 8.15. 2749. 9.29. B 2 E      60      58||
2733. 8.15. 2751. 9.29. B 3 *      58      58||
2735. 8.15. 2746.12.23. B 5 E      58      58||
2735. 6.15. 2746. 7.23. B 10 α     58      58||
                0 B      0      0||
2735. 8.15. 2746. 7.23. B 0 B      0      58||
2735. 8.15. 2746. 7.23. 940th position to E Saul      60
2704. 8.15. 2717. 7.23. 941st position to * David      58

```

16492 Bytes free.

```

(922nd/941) position: 2302. 1.15. 2311. 5.23. E Israel in Egypt      89
Forward relations for entry Israel in Egypt      (89/120) are generated.
Optimize dates...

```

```

Israel in Egypt D Knd S      from:      to:|
2302. 1.15. 2311. 5.23. E 0 E      89      89||
2300.11.15.≥                E 1 B      86      89||
2300.11.15.≥                E 2 B      87      89||
2302. 1.15. 2314.12.29. E 6 B      89      89||
2301. 1.15. 2312.12.29. E 9 B      85      89||
2302. 1.14. 2312.12.30. E 9 +      88      89||
2301.12.15. 2311.11.23. E 10 B     55      89||
2301.12.15. 2311. 5.23. E 10 E     56      89||
2302. 1.14. 2312.12.30. E 10 B     84      89||
                0 E      0      0||
2302. 1.15. 2311. 5.23. E 0 E      0      89||
2300.11.15. 2311. 5.23. 942nd position to B Moses      86
2300.11.15. 2311. 5.23. 943rd position to B Aaron      87
1873. 1.15. 1882. 5.23. 944th position to B Israel in Egypt      89
2303. 1.15. 2313. 5.23. 945th position to B Explorers of Canaan      85
2341. 5.15. 2350. 9.24. 946th position to + Aaron      88

```

2781. 2.15. 2790. 7.23. 947th position to B Building the Temple 55  
 2341.11.15. 2351. 3.24. 948th position to B Moses' Speech 84

16492 Bytes free.

(923rd/948) position: 2302. 1.15. 2311. 5.23. E Israel in Egypt 89  
 Forward relations for entry Israel in Egypt (89/120) are generated.

Optimize dates...

Israel in Egypt	D	Kind	S	from:	to:†
2302. 1.15. 2311. 5.23.	E	0	E	89	89
2300.11.15.≥	E	1	B	86	89
2300.11.15.≥	E	2	B	87	89
2302. 1.15. 2313. 5.23.	E	6	B	89	89
2301. 1.15. 2312. 5.23.	E	9	B	85	89
2302. 1.14. 2311. 5.24.	E	9	+	88	89
2301.12.15. 2311. 6.23.	E	10	B	55	89
2301.12.15. 2311. 5.23.	E	10	E	56	89
2302. 1.14. 2311. 5.24.	E	10	B	84	89
	0	E		0	0
2302. 1.15. 2311. 5.23.	E	0	E	0	89

16492 Bytes free.

(924th/948) position: 2622.11.15. 2652. 9.29. B Eli 64  
 Forward relations for entry Eli (64/120) are generated.

Backward relations for entry Samuel (61/120) are generated.

Optimize dates...

Eli	D	Kind	S	from:	to:†
2622.11.15. 2652. 9.29.	B	0	B	64	64
2622.11.15. 2652. 9.29.	B	6	E	64	64
	0	B		0	0
2622.11.15. 2652. 9.29.	B	0	B	0	64

16492 Bytes free.

(925th/948) position: 2564.11.15. 2594. 9.29. \* Eli 64  
 Forward relations for entry Eli (64/120) are generated.

Backward relations for entry Samuel (61/120) are generated.

Optimize dates...

Eli	D	Kind	S	from:	to:†
2564.11.15. 2594. 9.29.	*	0	*	64	64
2564.11.15. 2594. 9.29.	*	5	+	64	64
	0	*		0	0
2564.11.15. 2594. 9.29.	*	0	*	0	64

16492 Bytes free.

(926th/948) position: 2660.11.15.≥ B Abdon 65  
 Forward relations for entry Abdon (65/120) are generated.

Optimize dates...

Abdon	D	Kind	S	from:	to:†
2660.11.15.≥	B	0	B	65	65
2660.11.15.≥	B	1	E	66	65
2654. 9. 1.≥	B	5	E	65	65
	0	B		0	0
2660.11.15.≥	B	0	B	0	65
2667.11.15.≥				949th position to E Abdon	65

16492 Bytes free.

(927th/949) position: 2916. 8.21. 2928.12.29. \* Amaziah 28  
 Forward relations for entry Amaziah (28/120) are generated.

Backward relations for entry Azariah = Uzziah (26/120) are generated.

Forward relations for entry Amaziah (29/120) are generated.  
Optimize dates...

Amaziah	D	Kind	S	from:	to:
2916. 8.21. 2928.12.29.	*	0	*	28	28
2916. 8.21. 2928.12.29.	*	10	B	28	28
		0	*	0	0
2916. 8.21. 2928.12.29.	*	0	*	0	28

16492 Bytes free.

(928th/949) position: 2970. 8.21. 2982.12.29. E Amaziah 28

Forward relations for entry Amaziah (28/120) are generated.  
Backward relations for entry Azariah = Uzziah (26/120) are generated.  
Forward relations for entry Amaziah (29/120) are generated.

Optimize dates...

Amaziah	D	Kind	S	from:	to:
2970. 8.21. 2982.12.29.	E	0	E	28	28
2970. 8.21. 2982.12.29.	E	6	B	28	28
2970. 8.21. 2982.12.29.	+	0	+	28	28
2970. 8.21. 2982.12.29.	+	3	+	30	29
		0	E	0	0
2970. 8.21. 2982.12.29.	E	0	E	0	28

16492 Bytes free.

(929th/949) position: 2861. 8.15. 2870.12.23. B Zimri 47

Forward relations for entry Zimri (47/120) are generated.  
Backward relations for entry Tibni (46/120) are generated.  
Backward relations for entry Omri (45/120) are generated.

Optimize dates...

Zimri	D	Kind	S	from:	to:
2861. 8.15. 2870.12.23.	B	0	B	47	47
2861. 8.15. 2870.12.23.	B	1	E	48	47
2860. 8.15. 2872.12.23.	B	3	B	51	47
2860. 8.13. 2870.12.23.	B	5	E	47	47
		0	B	0	0
2861. 8.15. 2870.12.23.	B	0	B	0	47
2861. 8.21. 2870.12.29.				950th position to E Zimri	47

16492 Bytes free.

(930th/950) position: 2590.11. 1. 2634.10.30. B Abimelech 72

Forward relations for entry Abimelech (72/120) are generated.  
Backward relations for entry Philistines + Ammon (69/120) are generated.  
Backward relations for entry Tola (71/120) are generated.

Optimize dates...

Abimelech	D	Kind	S	from:	to:
2590.11. 1. 2634.10.30.	B	0	B	72	72
2590.11. 1. 2634.10.30.	B	1	E	73	72
≤ 2634.10.30.	B	5	E	72	72
		0	B	0	0
2590.11. 1. 2634.10.30.	B	0	B	0	72
2592.11. 1. 2636.10.30.				951st position to E Abimelech	72

16492 Bytes free.

(931st/951) position: 2508. 1.15. 2550.10.30. E Sisera 76

Forward relations for entry Sisera (76/120) are generated.  
Backward relations for entry Deborah and Barak (75/120) are generated.

Optimize dates...

Sisera	D	Kind	S	from:	to:
2508. 1.15. 2550.10.30.	E	0	E	76	76



```

2508. 1.15. 2552.10.30. E 5 B      76      76||
2506.11. 1. 2550.10.30. E 7 B      75      76||
2508. 1.15. 2550.10.30. + 0 +      76      76||
                          0 E      0      0||
2508. 1.15. 2550.10.30. E 0 E      0      76||
2508. 1.15. 2550.10.30. 952nd position to B Deborah and Barak      75

```

16492 Bytes free.

```

(932nd/952) position: 1300.11.19. 1312.12.20. + Methuselah      112
Forward relations for entry Methuselah      (112/120) are generated.
Backward relations for entry Great Flood      (107/120) are generated.
Optimize dates...

```

```

Methuselah      D Knd S      from:      to:|
1300.11.19. 1312.12.20. + 0 +      112      112||
1300. 1. 6. 1316. 1. 7. + 5 *      112      112||
1300.11.19. 1314.12.20. + 4 *      111      112||
                ≤ 1312.12.20. + 8 B      107      112||
                          0 +      0      0||
1300.11.19. 1312.12.20. + 0 +      0      112||
581. 1. 6. 593.12.20. 953rd position to * Methuselah      112

```

16492 Bytes free.

```

(933rd/953) position: 1301.11.19. 1312.12.20. + Lamech      111
Forward relations for entry Lamech      (111/120) are generated.
Backward relations for entry Great Flood      (107/120) are generated.
Optimize dates...

```

```

Lamech      D Knd S      from:      to:|
1301.11.19. 1312.12.20. + 0 +      111      111||
1300.11.19. 1314.12.20. + 5 *      111      111||
1301.11.19. 1314.11. 3. + 4 *      110      111||
                ≤ 1312.12.20. + 7 B      107      111||
                          0 +      0      0||
1301.11.19. 1312.12.20. + 0 +      0      111||

```

16492 Bytes free.

```

(934th/953) position: 1300.11.19. 1312.12.20. + Methuselah      112
Forward relations for entry Methuselah      (112/120) are generated.
Backward relations for entry Great Flood      (107/120) are generated.
Optimize dates...

```

```

Methuselah      D Knd S      from:      to:|
1300.11.19. 1312.12.20. + 0 +      112      112||
1300. 1. 6. 1314.12.20. + 5 *      112      112||
1300.11.19. 1314.12.20. + 4 *      111      112||
                ≤ 1312.12.20. + 8 B      107      112||
                          0 +      0      0||
1300.11.19. 1312.12.20. + 0 +      0      112||

```

16492 Bytes free.

```

(935th/953) position: 1302. 1. 6. 1312.12.20. + Jared      114
Forward relations for entry Jared      (114/120) are generated.
Backward relations for entry Great Flood      (108/120) are generated.
Optimize dates...

```

```

Jared      D Knd S      from:      to:|
1302. 1. 6. 1312.12.20. + 0 +      114      114||
1302. 1. 6. 1314. 1. 7. + 5 *      114      114||
1301. 1. 6. 1315. 1. 7. + 4 *      113      114||
                ≤ 1312.12.20. + 7 B      108      114||
                          0 +      0      0||

```

1302. 1. 6. 1312.12.20. + 0 + 0 114||  
 517. 1. 6. 528.12.20. 954th position to \* Enoch 113

16492 Bytes free.

(936th/954) position: 648.11.19. 660.12.20. \* Lamech 111

Forward relations for entry Lamech (111/120) are generated.

Backward relations for entry Great Flood (107/120) are generated.

Optimize dates...

Lamech	D	Kind	S	from:	to:
648.11.19.	660.12.20.	*	0 *	111	111
647. 1. 6.	661.12.20.	*	3 *	112	111
647.11.19.	660.12.20.	*	5 +	111	111
648.11.19.	661.11. 3.	*	9 *	110	111
646.11.19.	660.12.20.	*	10 +	112	111
			0 *	0	0
648.11.19.	660.12.20.	*	0 *	0	111

16492 Bytes free.

(937th/954) position: 2996. 8.21. 3006.12.29. B Zachariah 25

Forward relations for entry Zachariah (25/120) are generated.

Backward relations for entry Shallum (24/120) are generated.

Optimize dates...

Zachariah	D	Kind	S	from:	to:
2996. 8.21.	3006.12.29.	B	0 B	25	25
2996. 8.21.	3006.12.29.	B	1 E	27	25
2991. 3.22.	3006.12.29.	B	3 B	26	25
2991. 8.22.	3007. 2.29.	B	5 E	25	25
			0 B	0	0
2996. 8.21.	3006.12.29.	B	0 B	0	25
2957. 8.21.	2967.12.29.		955th position to B Azariah = Uzziah		26
2997. 1.21.	3007. 7.29.		956th position to E Zachariah		25

16492 Bytes free.

(938th/956) position: 2354. 1.15. 2396.10.30. E Chushanrishathaim 80

Forward relations for entry Chushanrishathaim (80/120) are generated.

Backward relations for entry Othniel (79/120) are generated.

Optimize dates...

Chushanrishathaim	D	Kind	S	from:	to:
2354. 1.15.	2396.10.30.	E	0 E	80	80
2354. 1.15.≥		E	5 B	80	80
2354. 1.15.	2396.10.30.	E	7 B	79	80
			0 E	0	0
2354. 1.15.	2396.10.30.	E	0 E	0	80
2347. 1.15.	2389.10.30.		957th position to B Chushanrishathaim		80

16492 Bytes free.

(939th/957) position: 2735. 8.15. 2746. 7.23. B David 58

Forward relations for entry David (58/120) are generated.

Backward relations for entry Solomon (57/120) are generated.

Optimize dates...

David	D	Kind	S	from:	to:
2735. 8.15.	2746. 7.23.	B	0 B	58	58
2735. 8.15.	2746. 7.23.	B	2 E	60	58
2733. 8.15.	2748. 7.23.	B	3 *	58	58
2735. 8.15.	2746.12.23.	B	5 E	58	58
2735. 6.15.	2746. 7.23.	B	10 α	58	58
			0 B	0	0
2735. 8.15.	2746. 7.23.	B	0 B	0	58

16492 Bytes free.  
 (940th/957) position: 2735. 8.15. 2746. 7.23. E Saul 60  
 Forward relations for entry Saul (60/120) are generated.  
 Backward relations for entry Ishbosheth (59/120) are generated.  
 Backward relations for entry David (58/120) are generated.  
 Optimize dates...

Saul	D	Kn	S	from:	to:†	
2735. 8.15. 2746. 7.23.	E	0	E	60	60	
2733. 8.15. 2751. 9.29.	E	5	B	60	60	
2735. 8.15. 2749. 9.29.	E	7	B	59	60	
2735. 8.15. 2746. 7.23.	E	8	B	58	60	
2735. 8.15. 2746. 7.23.	+	0	+	60	60	
		0	E	0	0	
2735. 8.15. 2746. 7.23.	E	0	E	0	60	
2694. 8.15. 2707. 7.23.				958th position to B Saul		60
2735. 8.15. 2746. 7.23.				959th position to B Ishbosheth		59

16492 Bytes free.  
 (941st/959) position: 2704. 8.15. 2717. 7.23. \* David 58  
 Forward relations for entry David (58/120) are generated.  
 Backward relations for entry Solomon (57/120) are generated.  
 Optimize dates...

David	D	Kn	S	from:	to:†	
2704. 8.15. 2717. 7.23.	*	0	*	58	58	
2704. 8.15. 2717. 7.23.	*	9	B	58	58	
		0	*	0	0	
2704. 8.15. 2717. 7.23.	*	0	*	0	58	

16492 Bytes free.  
 (942nd/959) position: 2300.11.15. 2311. 5.23. B Moses 86  
 Forward relations for entry Moses (86/120) are generated.  
 Backward relations for entry Joshua (83/120) are generated.  
 Backward relations for entry Aaron (87/120) are generated.  
 Backward relations for entry Israel in Egypt (89/120) are generated.  
 Optimize dates...

Moses	D	Kn	S	from:	to:†	
2300.11.15. 2311. 5.23.	B	0	B	86	86	
2299.11.15. 2313.10.30.	B	3	*	86	86	
2300.11.15. 2313.10.30.	B	5	E	86	86	
2300.11.15. 2311. 5.23.	B	7	B	87	86	
≤ 2311. 5.23.	B	7	E	89	86	
		0	B	0	0	
2300.11.15. 2311. 5.23.	B	0	B	0	86	
2220.11.15. 2232. 5.23.				960th position to * Moses		86
2341.11.15. 2352. 5.23.				961st position to E Moses		86

16492 Bytes free.  
 (943rd/961) position: 2300.11.15. 2311. 5.23. B Aaron 87  
 Forward relations for entry Aaron (87/120) are generated.  
 Backward relations for entry Israel in Egypt (89/120) are generated.  
 Forward relations for entry Aaron (88/120) are generated.  
 Optimize dates...

Aaron	D	Kn	S	from:	to:†	
2300.11.15. 2311. 5.23.	B	0	B	87	87	
2300.11.15. 2311. 5.23.	B	1	B	86	87	
2299. 5.15. 2314. 4.30.	B	3	*	87	87	
≤ 2311. 5.23.	B	8	E	89	87	

```

0 B      0      0||
2300.11.15. 2311. 5.23. B 0 B      0      87||
2217. 5.15. 2229. 5.23. 962nd position to * Aaron      87

```

16492 Bytes free.

```

(944th/962) position: 1873. 1.15. 1882. 5.23. B Israel in Egypt      89
Forward relations for entry Israel in Egypt      (89/120) are generated.

```

Optimize dates...

```

Israel in Egypt      D Knd S      from:      to:|
1873. 1.15. 1882. 5.23. B 0 B      89      89||
1873. 1.15. 1885.12.29. B 3 *      90      89||
1871. 1.15. 1882. 5.23. B 6 E      89      89||
1872. 1.15. 1885.12.29. B 10 +      90      89||
0 B      0      0||
1873. 1.15. 1882. 5.23. B 0 B      0      89||
1744. 1.15. 1753. 5.23. 963rd position to * Jacob = Israel      90
1890. 1.15. 1900. 5.23. 964th position to + Jacob = Israel      90

```

16492 Bytes free.

```

(945th/964) position: 2303. 1.15. 2313. 5.23. B Explorers of Canaan      85
Forward relations for entry Explorers of Canaan      (85/120) are generated.

```

Optimize dates...

```

Explorers of Canaan      D Knd S      from:      to:|
2303. 1.15. 2313. 5.23. B 0 B      85      85||
2303. 1.15. 2313. 5.23. B 3 E      89      85||
2303. 1.15. 2313.12.29. B 5 E      85      85||
2301. 1.15. 2314.12.29. B 4 *      82      85||
2301. 1.15. 2313.12.29. B 9 B      81      85||
2302.11.15. 2314. 3.24. B 9 B      84      85||
0 B      0      0||
2303. 1.15. 2313. 5.23. B 0 B      0      85||
2303. 2.25. 2313. 7. 3. 965th position to E Explorers of Canaan      85

```

16492 Bytes free.

```

(946th/965) position: 2341. 5.15. 2350. 9.24. + Aaron      88
Forward relations for entry Aaron      (87/120) are generated.

```

```

Backward relations for entry Israel in Egypt      (89/120) are generated.

```

```

Forward relations for entry Aaron      (88/120) are generated.

```

Optimize dates...

```

Aaron      D Knd S      from:      to:|
2341. 5.15. 2350. 9.24. E 0 E      87      87||
2341. 5.15. 2350. 9.24. + 0 +      87      87||
2339. 5.15. 2353. 5.23. + 6 *      87      87||
2341. 5.15. 2350. 9.24. + 3 E      89      88||
0 E      0      0||
2341. 5.15. 2350. 9.24. E 0 E      0      87||
2217. 5.15. 2228. 9.24. 966th position to * Aaron      87

```

16492 Bytes free.

```

(947th/966) position: 2781. 2.15. 2790. 7.23. B Building the Temple      55
Forward relations for entry Building the Temple      (55/120) are generated.

```

```

Forward relations for entry Building the Temple      (56/120) are generated.

```

Optimize dates...

```

Building the Temple      D Knd S      from:      to:|
2781. 2.15. 2790. 7.23. B 0 B      55      55||
2779. 8.15. 2790.12.23. B 3 B      57      55||
2780. 8.15. 2791.12.23. B 5 E      55      55||
2781. 2.15. 2790. 7.23. B 4 E      89      55||

```

```

                0 B      0      0||
2781. 2.15. 2790. 7.23. B 0 B      0      55||

```

16492 Bytes free.

(948th/966) position: 2341.11.15. 2351. 3.24. B Moses' Speech 84

Forward relations for entry Moses' Speech (84/120) are generated.

Backward relations for entry Moses (86/120) are generated.

Optimize dates...

```

Moses' Speech      D Knd S      from:      to:|
2341.11.15. 2351. 3.24. B 0 B      84      84||
2340. 1.15. 2352. 5.23. B 3 B      85      84||
2341.11.15. 2351. 3.24. B 4 E      89      84||
2341.11.15. 2352. 5.23. B 7 E      86      84||
2339.11.15. 2354.10.30. B 9 B      68      84||
                0 B      0      0||
2341.11.15. 2351. 3.24. B 0 B      0      84||
2341.11.15. 2351. 3.24. 967th position to E Moses      86
2640.11.15. 2652. 3.24. 968th position to B Jephthah      68

```

16492 Bytes free.

(949th/968) position: 2667.11.15.> E Abdon 65

Forward relations for entry Abdon (65/120) are generated.

Optimize dates...

```

Abdon      D Knd S      from:      to:|
2667.11.15.>      E 0 E      65      65||
2667.11.15.>      E 5 B      65      65||
2667.11.15.>      + 0 +      65      65||
                0 E      0      0||
2667.11.15.>      E 0 E      0      65||

```

16492 Bytes free.

(950th/968) position: 2861. 8.21. 2870.12.29. E Zimri 47

Forward relations for entry Zimri (47/120) are generated.

Backward relations for entry Tibni (46/120) are generated.

Backward relations for entry Omri (45/120) are generated.

Optimize dates...

```

Zimri      D Knd S      from:      to:|
2861. 8.21. 2870.12.29. E 0 E      47      47||
2861. 8.21. 2871. 1. 1. E 5 B      47      47||
2860. 8.21. 2870.12.29. E 7 B      46      47||
2860. 8.21. 2870.12.29. E 8 B      45      47||
2861. 8.21. 2870.12.29. + 0 +      47      47||
                0 E      0      0||
2861. 8.21. 2870.12.29. E 0 E      0      47||
2861. 8.21. 2870.12.29. 969th position to B Tibni      46
2861. 8.21. 2870.12.29. 970th position to B Omri      45

```

16492 Bytes free.

(951st/970) position: 2592.11. 1. 2636.10.30. E Abimelech 72

Forward relations for entry Abimelech (72/120) are generated.

Backward relations for entry Philistines + Ammon (69/120) are generated.

Backward relations for entry Tola (71/120) are generated.

Optimize dates...

```

Abimelech      D Knd S      from:      to:|
2592.11. 1. 2636.10.30. E 0 E      72      72||
2592.11. 1. 2638.10.30. E 5 B      72      72||
                ≤ 2636.10.30. E 7 B      69      72||
                E 7 B      71      72||

```

```

2592.11. 1. 2636.10.30. + 0 +      72      72||
                                0 E      0      0||
2592.11. 1. 2636.10.30. E 0 E      0      72||
2592.11. 1.>                                971st position to B Tola      71

```

16492 Bytes free.

```

(952nd/971) position: 2508. 1.15. 2550.10.30. B Deborah and Barak      75
Forward relations for entry Deborah and Barak      (75/120) are generated.
Backward relations for entry Midianites      (74/120) are generated.
Optimize dates...

```

```

Deborah and Barak      D Knd S      from:      to:|
2508. 1.15. 2550.10.30. B 0 B      75      75||
2508. 1.15. 2550.10.30. B 1 E      76      75||
2504.11. 1. 2550.10.30. B 5 E      75      75||
                                0 B      0      0||
2508. 1.15. 2550.10.30. B 0 B      0      75||
2547. 1.15. 2589.10.30. 972nd position to E Deborah and Barak      75

```

16492 Bytes free.

```

(953rd/972) position: 581. 1. 6. 593.12.20. * Methuselah      112
Forward relations for entry Methuselah      (112/120) are generated.
Backward relations for entry Great Flood      (107/120) are generated.
Optimize dates...

```

```

Methuselah      D Knd S      from:      to:|
581. 1. 6. 593.12.20. * 0 *      112      112||
581. 1. 6. 594.12.20. * 3 *      113      112||
579.11.19. 593.12.20. * 5 +      112      112||
580.11.19. 594.12.20. * 9 *      111      112||
580. 1. 6. 596. 1. 7. * 10 +      113      112||
                                0 *      0      0||
581. 1. 6. 593.12.20. * 0 *      0      112||
881. 1. 6. 894.12.20. 973rd position to + Enoch      113

```

16492 Bytes free.

```

(954th/973) position: 517. 1. 6. 528.12.20. * Enoch      113
Forward relations for entry Enoch      (113/120) are generated.
Optimize dates...

```

```

Enoch      D Knd S      from:      to:|
517. 1. 6. 528.12.20. * 0 *      113      113||
517. 1. 6. 529. 1. 7. * 3 *      114      113||
515. 1. 6. 530.12.20. * 5 +      113      113||
515. 1. 6. 529.12.20. * 9 *      112      113||
516. 1. 6. 528.12.20. * 10 +      114      113||
                                0 *      0      0||
517. 1. 6. 528.12.20. * 0 *      0      113||

```

16492 Bytes free.

```

(955th/973) position: 2957. 8.21. 2967.12.29. B Azariah = Uziah      26
Forward relations for entry Azariah = Uziah      (26/120) are generated.
Backward relations for entry Jotham      (19/120) are generated.
Optimize dates...

```

```

Azariah = Uziah      D Knd S      from:      to:|
2957. 8.21. 2967.12.29. B 0 B      26      26||
2954. 3.22. 2967.12.29. B 1 Ω      28      26||
2952. 3.22. 2969.12.29. B 3 *      27      26||
2952. 3.22. 2969.12.29. B 4 *      26      26||
2954. 3.22. 2968.12.29. B 6 E      26      26||
2953. 3.22. 2967.12.29. B 9 B      21      26||

```

2952.	3.22.	2968.12.29.	B	9	B	22	26	
2952.	3.22.	2969. 9.29.	B	9	B	23	26	
2952.	3.22.	2969. 7.29.	B	9	B	24	26	
2957.	8.21.	2969.12.29.	B	9	B	25	26	
				0	B	0	0	
2957.	8.21.	2967.12.29.	B	0	B	0	26	
2957.	8.21.	2967.12.29.				974th position to	Ω Amaziah	28
2929.	8.21.	2941.12.29.				975th position to	* Jeroboam (Joash)	27
2940.	8.21.	2952.12.29.				976th position to	* Azariah = Uzziah	26
3008.	8.21.	3019.12.29.				977th position to	E Azariah = Uzziah	26
3008.	8.21.	3018.12.29.				978th position to	B Pekah	21
3006.	8.21.	3017.12.29.				979th position to	B Pekahiah	22
2995.	8.21.	3007. 9.29.				980th position to	B Menahem	23
2995.	8.21.	3007. 7.29.				981st position to	B Shallum	24

16492 Bytes free.

(956th/981) position: 2997. 1.21. 3007. 7.29. E Zachariah 25  
 Forward relations for entry Zachariah (25/120) are generated.  
 Backward relations for entry Shallum (24/120) are generated.  
 Optimize dates...

Zachariah	D	Kind	S	from:	to:	
2997. 1.21. 3007. 7.29.	E	0	E	25	25	
2997. 1.21. 3007. 7.29.	E	5	B	25	25	
2995. 8.21. 3007. 7.29.	E	7	B	24	25	
2997. 1.21. 3007. 7.29.	+	0	+	25	25	
		0	E	0	0	
2997. 1.21. 3007. 7.29.	E	0	E	0	25	
2997. 1.21. 3007. 7.29.				982nd position to	B Shallum	24

16492 Bytes free.

(957th/982) position: 2347. 1.15. 2389.10.30. B Chushanrishathaim 80  
 Forward relations for entry Chushanrishathaim (80/120) are generated.  
 Backward relations for entry Othniel (79/120) are generated.  
 Optimize dates...

Chushanrishathaim	D	Kind	S	from:	to:	
2347. 1.15. 2389.10.30.	B	0	B	80	80	
2347. 1.15. ≥	B	1	E	83	80	
2345. 1.15. 2389.10.30.	B	5	E	80	80	
		0	B	0	0	
2347. 1.15. 2389.10.30.	B	0	B	0	80	
2347. 1.15. 2389.10.30.				983rd position to	E Joshua	83

16492 Bytes free.

(958th/983) position: 2694. 8.15. 2707. 7.23. B Saul 60  
 Forward relations for entry Saul (60/120) are generated.  
 Backward relations for entry Ishbosheth (59/120) are generated.  
 Backward relations for entry David (58/120) are generated.  
 Optimize dates...

Saul	D	Kind	S	from:	to:	
2694. 8.15. 2707. 7.23.	B	0	B	60	60	
2694. 8.15. 2710. 9.29.	B	1	E	61	60	
2684.11.15. ≥	B	2	E	63	60	
2694. 8.15. 2707. 7.23.	B	5	E	60	60	
		0	B	0	0	
2694. 8.15. 2707. 7.23.	B	0	B	0	60	
2694. 8.15. 2707. 7.23.				984th position to	E Samuel	61
2684.11.15. 2707. 7.23.				985th position to	E Philistines	63

16492 Bytes free.  
 (959th/985) position: 2735. 8.15. 2746. 7.23. B Ishbosheth 59  
 Forward relations for entry Ishbosheth (59/120) are generated.  
 Backward relations for entry David (58/120) are generated.  
 Optimize dates...

Ishbosheth	D	Kn	S	from:	to:	
2735. 8.15. 2746. 7.23.	B	0	B	59	59	
2735. 8.15. 2746. 7.23.	B	1	E	60	59	
2733. 8.15. 2751. 9.29.	B	3	*	59	59	
2733. 8.15. 2751. 9.29.	B	5	E	59	59	
		0	B	0	0	
2735. 8.15. 2746. 7.23.	B	0	B	0	59	
2694. 8.15. 2707. 7.23.				986th position to	* Ishbosheth	59
2736. 8.15. 2749. 7.23.				987th position to	E Ishbosheth	59

16492 Bytes free.  
 (960th/987) position: 2220.11.15. 2232. 5.23. \* Moses 86  
 Forward relations for entry Moses (86/120) are generated.  
 Backward relations for entry Joshua (83/120) are generated.  
 Backward relations for entry Aaron (87/120) are generated.  
 Backward relations for entry Israel in Egypt (89/120) are generated.  
 Optimize dates...

Moses	D	Kn	S	from:	to:	
2220.11.15. 2232. 5.23.	*	0	*	86	86	
2220.11.15. 2231. 3.24.	*	6	+	86	86	
2219.11.15. 2232. 5.23.	*	9	B	86	86	
	1Y	1M	29D	0	0	
2220.11.15. 2231. 3.24.	*	0	*	0	86	
2220.11.15. 2231. 3.24.				988th position to	* Moses	86

16492 Bytes free.  
 (961st/988) position: 2341.11.15. 2351. 3.24. E Moses 86  
 Forward relations for entry Moses (86/120) are generated.  
 Backward relations for entry Joshua (83/120) are generated.  
 Backward relations for entry Aaron (87/120) are generated.  
 Backward relations for entry Israel in Egypt (89/120) are generated.  
 Optimize dates...

Moses	D	Kn	S	from:	to:	
2341.11.15. 2351. 3.24.	E	0	E	86	86	
2341.11.15. 2351. 3.24.	E	1	B	84	86	
2339.11.15. 2352. 5.23.	E	5	B	86	86	
2341.11.15. 2352.10.30.	E	7	B	83	86	
2341.11.15. 2351. 3.24.	+	0	+	86	86	
2340.11.15. 2352. 3.24.	+	6	*	86	86	
		0	E	0	0	
2341.11.15. 2351. 3.24.	E	0	E	0	86	
2341.11.15. 2351. 3.24.				989th position to	B Joshua	83

16492 Bytes free.  
 (962nd/989) position: 2217. 5.15. 2228. 9.24. \* Aaron 87  
 Forward relations for entry Aaron (87/120) are generated.  
 Backward relations for entry Israel in Egypt (89/120) are generated.  
 Forward relations for entry Aaron (88/120) are generated.  
 Optimize dates...

Aaron	D	Kn	S	from:	to:	
2217. 5.15. 2228. 9.24.	*	0	*	87	87	
2217. 5.15. 2228. 9.24.	*	6	+	87	87	
2216.11.15. 2229. 5.23.	*	9	B	87	87	



```

                0 *      0      0||
2217. 5.15.  2228. 9.24. * 0 *      0      87||

```

16492 Bytes free.

(963rd/989) position: 1744. 1.15. 1753. 5.23. \* Jacob = Israel 90  
 Forward relations for entry Jacob = Israel (90/120) are generated.

Optimize dates...

```

Jacob = Israel      D Knd S      from:      to:|
1744. 1.15. 1753. 5.23. * 0 *      90      90||
1744. 1.15. 1756.12.29. * 3 *      91      90||
1742. 1.15. 1754. 5.23. * 5 +      90      90||
1742. 1.15. 1753. 5.23. * 9 B      89      90||
                0 *      0      0||
1744. 1.15. 1753. 5.23. * 0 *      0      90||
1685. 1.15. 1694. 5.23. 990th position to * Isaac      91

```

16492 Bytes free.

(964th/990) position: 1890. 1.15. 1900. 5.23. + Jacob = Israel 90  
 Forward relations for entry Jacob = Israel (90/120) are generated.

Optimize dates...

```

Jacob = Israel      D Knd S      from:      to:|
1890. 1.15. 1900. 5.23. + 0 +      90      90||
1890. 1.15. 1901. 5.23. + 5 *      90      90||
1889. 1.15. 1900. 5.23. + 4 B      89      90||
                0 +      0      0||
1890. 1.15. 1900. 5.23. + 0 +      0      90||

```

16492 Bytes free.

(965th/990) position: 2303. 2.25. 2313. 7. 3. E Explorers of Canaan 85  
 Forward relations for entry Explorers of Canaan (85/120) are generated.

Optimize dates...

```

Explorers of Canaan      D Knd S      from:      to:|
2303. 2.25. 2313. 7. 3. E 0 E      85      85||
2303. 2.25. 2313. 7. 3. E 5 B      85      85||
                0 E      0      0||
2303. 2.25. 2313. 7. 3. E 0 E      0      85||

```

16492 Bytes free.

(966th/990) position: 2217. 5.15. 2228. 9.24. \* Aaron 87  
 Forward relations for entry Aaron (87/120) are generated.

Backward relations for entry Israel in Egypt (89/120) are generated.

Forward relations for entry Aaron (88/120) are generated.

Optimize dates...

```

Aaron      D Knd S      from:      to:|
2217. 5.15. 2228. 9.24. * 0 *      87      87||
2217. 5.15. 2228. 9.24. * 6 +      87      87||
2216.11.15. 2229. 5.23. * 9 B      87      87||
                0 *      0      0||
2217. 5.15. 2228. 9.24. * 0 *      0      87||

```

16492 Bytes free.

(967th/990) position: 2341.11.15. 2351. 3.24. E Moses 86  
 Forward relations for entry Moses (86/120) are generated.

Backward relations for entry Joshua (83/120) are generated.

Backward relations for entry Aaron (87/120) are generated.

Backward relations for entry Israel in Egypt (89/120) are generated.

Optimize dates...

```

Moses      D Knd S      from:      to:|

```

2341.11.15.	2351. 3.24.	E 0 E	86	86
2341.11.15.	2351. 3.24.	E 1 B	84	86
2339.11.15.	2352. 5.23.	E 5 B	86	86
2341.11.15.	2351. 3.24.	E 7 B	83	86
2341.11.15.	2351. 3.24.	+ 0 +	86	86
2340.11.15.	2352. 3.24.	+ 6 *	86	86
		0 E	0	0
2341.11.15.	2351. 3.24.	E 0 E	0	86

16492 Bytes free.

(968th/990) position: 2640.11.15. 2652. 3.24. B Jephthah 68

Forward relations for entry Jephthah (68/120) are generated.

Backward relations for entry Philistines (63/120) are generated.

Backward relations for entry Ibzan (67/120) are generated.

Optimize dates...

Jephthah	D	Kind	S	from:	to:	
2640.11.15.	2652. 3.24.	B 0 B	68	68		
2640.11.15.	2653.10.30.	B 1 E	69	68		
2640.11.15.	2652. 3.24.	B 3 B	84	68		
2638.11.15.	2655.10.30.	B 6 E	68	68		
		0 B	0	0		
2640.11.15.	2652. 3.24.	B 0 B	0	68		
2640.11.15.	2652. 3.24.	991st position to	E Philistines + Ammon	69		
2645.11.15.	2659. 3.24.	992nd position to	E Jephthah	68		

16492 Bytes free.

(969th/992) position: 2861. 8.21. 2870.12.29. B Tibni 46

Forward relations for entry Tibni (46/120) are generated.

Backward relations for entry Omri (45/120) are generated.

Optimize dates...

Tibni	D	Kind	S	from:	to:	
2861. 8.21.	2870.12.29.	B 0 B	46	46		
2861. 8.21.	2870.12.29.	B 1 E	47	46		
		0 B	0	0		
2861. 8.21.	2870.12.29.	B 0 B	0	46		

16492 Bytes free.

(970th/992) position: 2861. 8.21. 2870.12.29. B Omri 45

Forward relations for entry Omri (45/120) are generated.

Backward relations for entry Ahab (44/120) are generated.

Optimize dates...

Omri	D	Kind	S	from:	to:	
2861. 8.21.	2870.12.29.	B 0 B	45	45		
2861. 8.21.	2870.12.29.	B 2 E	47	45		
2858. 8.21.	2870.12.29.	B 6 E	45	45		
		0 B	0	0		
2861. 8.21.	2870.12.29.	B 0 B	0	45		
2872. 8.21.	2881.12.29.	993rd position to	E Omri	45		

16492 Bytes free.

(971st/993) position: 2592.11. 1.> B Tola 71

Forward relations for entry Tola (71/120) are generated.

Backward relations for entry Jair (70/120) are generated.

Optimize dates...

Tola	D	Kind	S	from:	to:	
2592.11. 1.>		B 0 B	71	71		
2592.11. 1.>		B 1 E	72	71		
		B 5 E	71	71		

	0 B	0	0		
2592.11. 1.≥	B 0 B	0	71		
2614.11. 1.≥	994th position to E Tola				71

16492 Bytes free.

(972nd/994) position: 2547. 1.15. 2589.10.30. E Deborah and Barak 75  
 Forward relations for entry Deborah and Barak (75/120) are generated.  
 Backward relations for entry Midianites (74/120) are generated.  
 Optimize dates...

Deborah and Barak	D Knd S	from:	to:	
2547. 1.15. 2589.10.30. E	0 E	75	75	
2547. 1.15. 2591.10.30. E	5 B	75	75	
2545.11. 1. 2589.10.30. E	7 B	74	75	
	0 E	0	0	
2547. 1.15. 2589.10.30. E	0 E	0	75	
2547. 1.15. 2589.10.30.	995th position to B Midianites			74

16492 Bytes free.

(973rd/995) position: 881. 1. 6. 894.12.20. + Enoch 113  
 Forward relations for entry Enoch (113/120) are generated.  
 Optimize dates...

Enoch	D Knd S	from:	to:	
881. 1. 6. 894.12.20. +	0 +	113	113	
881. 1. 6. 894.12.20. +	5 *	113	113	
880. 1. 6. 894.12.20. +	4 *	112	113	
	0 +	0	0	
881. 1. 6. 894.12.20. +	0 +	0	113	

16492 Bytes free.

(974th/995) position: 2957. 8.21. 2967.12.29. Ω Amaziah 28  
 Forward relations for entry Amaziah (28/120) are generated.  
 Backward relations for entry Azariah = Uzziah (26/120) are generated.  
 Forward relations for entry Amaziah (29/120) are generated.  
 Optimize dates...

Amaziah	D Knd S	from:	to:	
2957. 8.21. 2967.12.29. Ω	0 Ω	28	28	
2957. 8.21. 2967.12.29. Ω	7 B	26	28	
	0 Ω	0	0	
2957. 8.21. 2967.12.29. Ω	0 Ω	0	28	

16492 Bytes free.

(975th/995) position: 2929. 8.21. 2941.12.29. \* Jeroboam (Joash) 27  
 Forward relations for entry Jeroboam (Joash) (27/120) are generated.  
 Backward relations for entry Zachariah (25/120) are generated.  
 Optimize dates...

Jeroboam (Joash)	D Knd S	from:	to:	
2929. 8.21. 2941.12.29. *	0 *	27	27	
2929. 8.21. 2941.12.29. *	9 B	26	27	
	0 *	0	0	
2929. 8.21. 2941.12.29. *	0 *	0	27	

16492 Bytes free.

(976th/995) position: 2940. 8.21. 2952.12.29. \* Azariah = Uzziah 26  
 Forward relations for entry Azariah = Uzziah (26/120) are generated.  
 Backward relations for entry Jotham (19/120) are generated.  
 Optimize dates...

Azariah = Uzziah	D Knd S	from:	to:	
2940. 8.21. 2952.12.29. *	0 *	26	26	

```

2940. 8.21. 2952.12.29. * 10 B      26      26||
                        0 *          0        0||
2940. 8.21. 2952.12.29. * 0 *          0        26||

```

16492 Bytes free.

(977th/995) position: 3008. 8.21. 3019.12.29. E Azariah = Uzziah 26

Forward relations for entry Azariah = Uzziah (26/120) are generated.

Backward relations for entry Jotham (19/120) are generated.

Optimize dates...

```

Azariah = Uzziah      D Knd S      from:      to:|
3008. 8.21. 3019.12.29. E 0 E      26        26||
3008. 8.21. 3020.12.29. E 6 B      26        26||
3007. 3.22. 3019.12.29. E 7 α     19        26||
3008. 8.21. 3019.12.29. + 0 +      26        26||
                        + 2 B      20        26||
                        0 E      0         0||
3008. 8.21. 3019.12.29. E 0 E      0         26||
3008. 8.21. 3019.12.29. 996th position to α Jotham      19

```

16492 Bytes free.

(978th/996) position: 3008. 8.21. 3018.12.29. B Pekah 21

Forward relations for entry Pekah (21/120) are generated.

Backward relations for entry Hoshea (16/120) are generated.

Optimize dates...

```

Pekah      D Knd S      from:      to:|
3008. 8.21. 3018.12.29. B 0 B      21        21||
3006. 3.22. 3018.12.29. B 1 E      22        21||
3008. 8.21. 3020.12.29. B 3 B      26        21||
3006. 3.22. 3019.12.29. B 5 E      21        21||
3004. 3.22. 3020.12.29. B 9 α     17        21||
3005. 8.21. 3018.12.29. B 9 α     19        21||
                        0 B      0         0||
3008. 8.21. 3018.12.29. B 0 B      0         21||
3008. 8.21. 3018.12.29. 997th position to E Pekahiah      22
3027. 8.21. 3038.12.29. 998th position to E Pekah      21
3024. 8.21. 3036.12.29. 999th position to α Ahaz      17
3009. 8.21. 3019.12.29. 1000th position to α Jotham      19

```

16492 Bytes free.

(979th/1000) position: 3006. 8.21. 3017.12.29. B Pekahiah 22

Forward relations for entry Pekahiah (22/120) are generated.

Backward relations for entry Pekah (21/120) are generated.

Optimize dates...

```

Pekahiah      D Knd S      from:      to:|
3006. 8.21. 3017.12.29. B 0 B      22        22||
3003. 3.22. 3017.12.29. B 1 E      23        22||
3006. 8.21. 3018.12.29. B 3 B      26        22||
3005. 8.21. 3017.12.29. B 5 E      22        22||
                        0 B      0         0||
3006. 8.21. 3017.12.29. B 0 B      0         22||
3006. 8.21. 3017.12.29. 1001st position to E Menahem      23

```

16492 Bytes free.

(980th/1001) position: 2995. 8.21. 3007. 9.29. B Menahem 23

Forward relations for entry Menahem (23/120) are generated.

Backward relations for entry Pekahiah (22/120) are generated.

Optimize dates...

```

Menahem      D Knd S      from:      to:|

```

```

2995. 8.21. 3007. 9.29. B 0 B      23      23||
2992. 3.22. 3007. 9.29. B 1 E      24      23||
2995. 8.21. 3007.12.29. B 3 B      26      23||
2995. 8.21. 3008.12.29. B 5 E      23      23||
                        0 B          0        0||
2995. 8.21. 3007. 9.29. B 0 B          0        23||
2995. 8.21. 3007. 9.29. 1002nd position to E Shallum      24

```

16492 Bytes free.

```

(981st/1002) position: 2997. 1.21. 3007. 7.29. B Shallum      24
Forward relations for entry Shallum      (24/120) are generated.
Backward relations for entry Menahem      (23/120) are generated.
Optimize dates...

```

```

Shallum          D Knd S      from:      to:|
2997. 1.21. 3007. 7.29. B 0 B      24      24||
2997. 1.21. 3007. 7.29. B 1 E      25      24||
2995. 8.21. 3007.12.29. B 3 B      26      24||
2995. 6.21. 3007. 9.29. B 5 E      24      24||
                        0 B          0        0||
2997. 1.21. 3007. 7.29. B 0 B          0        24||
2997. 1.21. 3007. 9.29. 1003rd position to E Shallum      24

```

16492 Bytes free.

```

(982nd/1003) position: 2997. 1.21. 3007. 7.29. B Shallum      24
Forward relations for entry Shallum      (24/120) are generated.
Backward relations for entry Menahem      (23/120) are generated.
Optimize dates...

```

```

Shallum          D Knd S      from:      to:|
2997. 1.21. 3007. 7.29. B 0 B      24      24||
2997. 1.21. 3007. 7.29. B 1 E      25      24||
2995. 8.21. 3007.12.29. B 3 B      26      24||
2996.11.21. 3007. 9.29. B 5 E      24      24||
                        0 B          0        0||
2997. 1.21. 3007. 7.29. B 0 B          0        24||

```

16492 Bytes free.

```

(983rd/1003) position: 2347. 1.15. 2389.10.30. E Joshua      83
Forward relations for entry Joshua      (83/120) are generated.
Backward relations for entry Chushanrishathaim      (80/120) are generated.
Optimize dates...

```

```

Joshua          D Knd S      from:      to:|
2347. 1.15. 2389.10.30. E 0 E      83      83||
                ≤ 2389.10.30. E 7 B      80      83||
2347. 1.15. 2389.10.30. + 0 +      83      83||
2347. 1.15.≥      + 2 B      81      83||
2345. 1.15.≥      + 5 *      83      83||
                        0 E          0        0||
2347. 1.15. 2389.10.30. E 0 E          0        83||
2236. 1.15. 2280.10.30. 1004th position to * Joshua      83

```

16492 Bytes free.

```

(984th/1004) position: 2694. 8.15. 2707. 7.23. E Samuel      61
Forward relations for entry Samuel      (61/120) are generated.
Backward relations for entry Saul      (60/120) are generated.
Optimize dates...

```

```

Samuel          D Knd S      from:      to:|
2694. 8.15. 2707. 7.23. E 0 E      61      61||
2684.11.15.≥      E 1 E      63      61||

```

```

2694. 8.15. 2707. 7.23. E 7 B      60      61||
                          0 E      0      0||
2694. 8.15. 2707. 7.23. E 0 E      0      61||

```

16492 Bytes free.

```

(985th/1004) position: 2684.11.15. 2707. 7.23.  E Philistines      63
Forward relations for entry Philistines      (63/120) are generated.
Backward relations for entry Samuel          (61/120) are generated.
Backward relations for entry Samson          (62/120) are generated.
Backward relations for entry Saul            (60/120) are generated.

```

Optimize dates...

```

Philistines      D Knd S      from:      to:|
2684.11.15. 2707. 7.23. E 0 E      63      63||
2664.11.15.≥                E 2 E      62      63||
2682.11.15. 2712. 9.29. E 3 B      61      63||
2684.11.15. 2712. 9.29. E 6 B      63      63||
                ≤ 2707. 7.23. E 7 E      61      63||
                ≤ 2707. 7.23. E 8 B      60      63||
                          0 E      0      0||
2684.11.15. 2707. 7.23. E 0 E      0      63||
2664.11.15. 2707. 7.23. 1005th position to E Samson      62
2663.11.15. 2688. 7.23. 1006th position to B Samuel      61
2645.11.15. 2668. 7.23. 1007th position to B Philistines 63

```

16492 Bytes free.

```

(986th/1007) position: 2694. 8.15. 2707. 7.23.  * Ishbosheth      59
Forward relations for entry Ishbosheth      (59/120) are generated.
Backward relations for entry David          (58/120) are generated.

```

Optimize dates...

```

Ishbosheth      D Knd S      from:      to:|
2694. 8.15. 2707. 7.23. * 0 *      59      59||
2694. 8.15. 2707. 7.23. * 9 B      59      59||
                          0 *      0      0||
2694. 8.15. 2707. 7.23. * 0 *      0      59||

```

16492 Bytes free.

```

(987th/1007) position: 2736. 8.15. 2749. 7.23.  E Ishbosheth      59
Forward relations for entry Ishbosheth      (59/120) are generated.
Backward relations for entry David          (58/120) are generated.

```

Optimize dates...

```

Ishbosheth      D Knd S      from:      to:|
2736. 8.15. 2749. 7.23. E 0 E      59      59||
2736. 8.15. 2749. 7.23. E 5 B      59      59||
                ≤ 2753.12.23. E 7 α      58      59||
2736. 8.15. 2749. 7.23. + 0 +      59      59||
                          0 E      0      0||
2736. 8.15. 2749. 7.23. E 0 E      0      59||

```

16492 Bytes free.

```

(988th/1007) position: 2220.11.15. 2231. 3.24.  * Moses      86
Forward relations for entry Moses          (86/120) are generated.
Backward relations for entry Joshua        (83/120) are generated.
Backward relations for entry Aaron         (87/120) are generated.
Backward relations for entry Israel in Egypt (89/120) are generated.

```

Optimize dates...

```

Moses      D Knd S      from:      to:|
2220.11.15. 2231. 3.24. * 0 *      86      86||
2220.11.15. 2231. 3.24. * 6 +      86      86||

```

```

2219.11.15. 2232. 5.23. * 9 B      86      86||
                0 *          0          0||
2220.11.15. 2231. 3.24. * 0 *      0        86||

```

16492 Bytes free.

(989th/1007) position: 2341.11.15. 2351. 3.24. B Joshua 83

Forward relations for entry Joshua (83/120) are generated.

Backward relations for entry Chushanrishathaim (80/120) are generated.

Optimize dates...

```

Joshua          D Knd S   from:   to:|
2341.11.15. 2351. 3.24. B 0 B     83     83||
2341.11.15. 2351. 3.24. B 1 E     86     83||
                0 B       0       0||
2341.11.15. 2351. 3.24. B 0 B       0      83||

```

16492 Bytes free.

(990th/1007) position: 1685. 1.15. 1694. 5.23. \* Isaac 91

Forward relations for entry Isaac (91/120) are generated.

Optimize dates...

```

Isaac          D Knd S   from:   to:|
1685. 1.15. 1694. 5.23. * 0 *     91     91||
1684. 1.15. ≥          * 1 B     92     91||
1685. 1.15. 1697.12.29. * 3 *     96     91||
1683. 1.15. 1697.12.29. * 5 +     91     91||
1683. 1.15. 1697.12.29. * 4 *     95     91||
1683. 1.15. 1694. 5.23. * 9 *     90     91||
                0 *       0       0||
1685. 1.15. 1694. 5.23. * 0 *       0      91||
1684. 1.15. 1694. 5.23. 1008th position to B Fire upon Sodom 92
1586. 1.15. 1595. 5.23. 1009th position to * Abram = Abraham 96
1864. 1.15. 1875. 5.23. 1010th position to + Isaac 91
1594. 1.15. 1605. 5.23. 1011th position to * Sarai = Sarah 95

```

16492 Bytes free.

(991st/1011) position: 2640.11.15. 2652. 3.24. E Philistines + Ammon 69

Forward relations for entry Philistines + Ammon (69/120) are generated.

Backward relations for entry Jephthah (68/120) are generated.

Optimize dates...

```

Philistines + Ammon D Knd S   from:   to:|
2640.11.15. 2652. 3.24. E 0 E     69     69||
2638.11.15. 2655.10.30. E 5 B     69     69||
2640.11.15. 2652. 3.24. E 7 B     68     69||
                0 E       0       0||
2640.11.15. 2652. 3.24. E 0 E       0      69||
2621.11.15. 2635. 3.24. 1012th position to B Philistines + Ammon 69

```

16492 Bytes free.

(992nd/1012) position: 2645.11.15. 2659. 3.24. E Jephthah 68

Forward relations for entry Jephthah (68/120) are generated.

Backward relations for entry Philistines (63/120) are generated.

Backward relations for entry Ibzan (67/120) are generated.

Optimize dates...

```

Jephthah          D Knd S   from:   to:|
2645.11.15. 2659. 3.24. E 0 E     68     68||
2645.11.15. 2659. 3.24. E 6 B     68     68||
                ≤ 2668. 7.23. E 7 B     63     68||
                E 7 B     67     68||
2645.11.15. 2659. 3.24. + 0 +     68     68||

```

```

                0 E      0      0||
2645.11.15. 2659. 3.24. E 0 E      0      68||

```

16492 Bytes free.

(993rd/1012) position: 2872. 8.21. 2881.12.29. E Omri 45

Forward relations for entry Omri (45/120) are generated.

Backward relations for entry Ahab (44/120) are generated.

Optimize dates...

```

Omri          D Knd S   from:   to:|
2872. 8.21. 2881.12.29. E 0 E     45     45||
2872. 8.21. 2883.12.29. E 6 B     45     45||
2871. 8.21. 2881.12.29. E 7 B     44     45||
2872. 8.21. 2881.12.29. + 0 +     45     45||
                0 E     0     0||
2872. 8.21. 2881.12.29. E 0 E     0     45||
2872. 8.21. 2881.12.29. 1013th position to B Ahab 44

```

16492 Bytes free.

(994th/1013) position: 2614.11. 1.> E Tola 71

Forward relations for entry Tola (71/120) are generated.

Backward relations for entry Jair (70/120) are generated.

Optimize dates...

```

Tola          D Knd S   from:   to:|
2614.11. 1.>      E 0 E     71     71||
2614.11. 1.>      E 5 B     71     71||
                E 7 B     70     71||
2614.11. 1.>      + 0 +     71     71||
                0 E     0     0||
2614.11. 1.>      E 0 E     0     71||
2614.11. 1.>      1014th position to B Jair 70

```

16492 Bytes free.

(995th/1014) position: 2547. 1.15. 2589.10.30. B Midianites 74

Forward relations for entry Midianites (74/120) are generated.

Backward relations for entry Gideon = Jerubbaal (73/120) are generated.

Optimize dates...

```

Midianites    D Knd S   from:   to:|
2547. 1.15. 2589.10.30. B 0 B     74     74||
2547. 1.15. 2589.10.30. B 1 E     75     74||
2543.11. 1. 2589.10.30. B 5 E     74     74||
                0 B     0     0||
2547. 1.15. 2589.10.30. B 0 B     0     74||
2553. 1.15. 2595.10.30. 1015th position to E Midianites 74

```

16492 Bytes free.

(996th/1015) position: 3009. 8.21. 3019.12.29. α Jotham 19

Forward relations for entry Jotham (19/120) are generated.

Backward relations for entry Ahaz (17/120) are generated.

Backward relations for entry Ahaz (17/120) are generated.

Optimize dates...

```

Jotham        D Knd S   from:   to:|
3009. 8.21. 3019.12.29. α 0 α     19     19||
3008. 8.21. 3019.12.29. α 1 E     26     19||
3009. 8.21. 3021.12.29. α 3 B     21     19||
3006. 3.22. 3019.12.29. α 10 B    16     19||
                0 α     0     0||
3009. 8.21. 3019.12.29. α 0 α     0     19||
3009. 8.21. 3019.12.29. 1016th position to E Azariah = Uzziah 26

```



3028. 8.21. 3038.12.29. 1017th position to B Hoshea 16

16492 Bytes free.

(997th/1017) position: 3008. 8.21. 3018.12.29. E Pekahiah 22

Forward relations for entry Pekahiah (22/120) are generated.

Backward relations for entry Pekah (21/120) are generated.

Optimize dates...

Pekahiah		D	Kind	S	from:	to:†
3008. 8.21.	3018.12.29.	E	0	E	22	22
3007. 8.21.	3020.12.29.	E	5	B	22	22
3008. 8.21.	3018.12.29.	E	7	B	21	22
3008. 8.21.	3018.12.29.	+	0	+	22	22
			0	E	0	0
3008. 8.21.	3018.12.29.	E	0	E	0	22

16492 Bytes free.

(998th/1017) position: 3027. 8.21. 3038.12.29. E Pekah 21

Forward relations for entry Pekah (21/120) are generated.

Backward relations for entry Hoshea (16/120) are generated.

Optimize dates...

Pekah		D	Kind	S	from:	to:†
3027. 8.21.	3038.12.29.	E	0	E	21	21
3027. 8.21.	3039.12.29.	E	5	B	21	21
3028. 8.21.	3038.12.29.	E	7	B	16	21
3027. 8.21.	3038.12.29.	+	0	+	21	21
1Y			0	E	0	0
3028. 8.21.	3038.12.29.	E	0	E	0	21
3028. 8.21.	3038.12.29.				1018th position to E Pekah	21

16492 Bytes free.

(999th/1018) position: 3024. 8.21. 3036.12.29. α Ahaz 17

Forward relations for entry Ahaz (17/120) are generated.

Backward relations for entry Hezekiah (14/120) are generated.

Forward relations for entry Ahaz (18/120) are generated.

Optimize dates...

Ahaz		D	Kind	S	from:	to:†
3024. 8.21.	3036.12.29.	α	0	α	17	17
3022. 3.22.	3036.12.29.	α	2	Ω	19	17
3024. 8.21.	3036.12.29.	α	3	B	21	17
			0	α	0	0
3024. 8.21.	3036.12.29.	α	0	α	0	17
3024. 8.21.	3036.12.29.				1019th position to Ω Jotham	19

16492 Bytes free.

(1000th/1019) position: 3009. 8.21. 3019.12.29. α Jotham 19

Forward relations for entry Jotham (19/120) are generated.

Backward relations for entry Ahaz (17/120) are generated.

Backward relations for entry Ahaz (17/120) are generated.

Optimize dates...

Jotham		D	Kind	S	from:	to:†
3009. 8.21.	3019.12.29.	α	0	α	19	19
3009. 8.21.	3019.12.29.	α	1	E	26	19
3009. 8.21.	3021.12.29.	α	3	B	21	19
3007. 8.21.	3019.12.29.	α	10	B	16	19
			0	α	0	0
3009. 8.21.	3019.12.29.	α	0	α	0	19

16492 Bytes free.

(1001st/1019) position: 3006. 8.21. 3017.12.29. E Menahem 23  
 Forward relations for entry Menahem (23/120) are generated.  
 Backward relations for entry Pekahiah (22/120) are generated.  
 Optimize dates...

Menahem	D	Kind	S	from:	to:
3006. 8.21. 3017.12.29.	E	0	E	23	23
3004. 8.21. 3018. 9.29.	E	5	B	23	23
3006. 8.21. 3017.12.29.	E	7	B	22	23
3006. 8.21. 3017.12.29.	+	0	+	23	23
		0	E	0	0
3006. 8.21. 3017.12.29.	E	0	E	0	23

16492 Bytes free.

(1002nd/1019) position: 2997. 1.21. 3007. 9.29. E Shallum 24  
 Forward relations for entry Shallum (24/120) are generated.  
 Backward relations for entry Menahem (23/120) are generated.  
 Optimize dates...

Shallum	D	Kind	S	from:	to:
2997. 1.21. 3007. 9.29.	E	0	E	24	24
2997. 1.21. 3007. 9.29.	E	5	B	24	24
2995. 8.21. 3007. 9.29.	E	7	B	23	24
2997. 1.21. 3007. 9.29.	+	0	+	24	24
		0	E	0	0
2997. 1.21. 3007. 9.29.	E	0	E	0	24
2997. 1.21. 3007. 9.29.				1020th position to B Menahem	23

16492 Bytes free.

(1003rd/1020) position: 2997. 1.21. 3007. 9.29. E Shallum 24  
 Forward relations for entry Shallum (24/120) are generated.  
 Backward relations for entry Menahem (23/120) are generated.  
 Optimize dates...

Shallum	D	Kind	S	from:	to:
2997. 1.21. 3007. 9.29.	E	0	E	24	24
2997. 1.21. 3007. 9.29.	E	5	B	24	24
2997. 1.21. 3007. 9.29.	E	7	B	23	24
2997. 1.21. 3007. 9.29.	+	0	+	24	24
		0	E	0	0
2997. 1.21. 3007. 9.29.	E	0	E	0	24

16492 Bytes free.

(1004th/1020) position: 2236. 1.15. 2280.10.30. \* Joshua 83  
 Forward relations for entry Joshua (83/120) are generated.  
 Backward relations for entry Chushanrishathaim (80/120) are generated.  
 Optimize dates...

Joshua	D	Kind	S	from:	to:
2236. 1.15. 2280.10.30.	*	0	*	83	83
2236. 1.15. 2280.10.30.	*	5	+	83	83
		0	*	0	0
2236. 1.15. 2280.10.30.	*	0	*	0	83

16492 Bytes free.

(1005th/1020) position: 2664.11.15. 2707. 7.23. E Samson 62  
 Forward relations for entry Samson (62/120) are generated.  
 Backward relations for entry Philistines (63/120) are generated.  
 Optimize dates...

Samson	D	Kind	S	from:	to:
2664.11.15. 2707. 7.23.	E	0	E	62	62
2664.11.15. 2712. 9.29.	E	5	B	62	62

≤ 2707. 7.23. E 8 E	63	62	
2664.11.15. 2707. 7.23. + 0 +	62	62	
	0 E	0	
2664.11.15. 2707. 7.23. E 0 E	0	62	
2645.11.15. 2688. 7.23. 1021st position to B Samson			62

16492 Bytes free.

(1006th/1021) position: 2663.11.15. 2688. 7.23. B Samuel 61  
 Forward relations for entry Samuel (61/120) are generated.  
 Backward relations for entry Saul (60/120) are generated.  
 Optimize dates...

Samuel	D Knd S	from:	to:	
2663.11.15. 2688. 7.23. B 0 B		61	61	
2663.11.15. 2691. 9.29. B 2 E		64	61	
2663.11.15. 2688. 7.23. B 9 E		63	61	
	0 B	0	0	
2663.11.15. 2688. 7.23. B 0 B		0	61	
2663.11.15. 2688. 7.23. 1022nd position to E Eli				64

16492 Bytes free.

(1007th/1022) position: 2645.11.15. 2668. 7.23. B Philistines 63  
 Forward relations for entry Philistines (63/120) are generated.  
 Backward relations for entry Samuel (61/120) are generated.  
 Backward relations for entry Samson (62/120) are generated.  
 Backward relations for entry Saul (60/120) are generated.  
 Optimize dates...

Philistines	D Knd S	from:	to:	
2645.11.15. 2668. 7.23. B 0 B		63	63	
2645.11.15. ≥	B 1 E	68	63	
2643.11.15. 2668. 7.23. B 6 E		63	63	
	≤ 2688. 7.23. B 7 B	62	63	
	0 B	0	0	
2645.11.15. 2668. 7.23. B 0 B		0	63	

16492 Bytes free.

(1008th/1022) position: 1684. 1.15. 1694. 5.23. B Fire upon Sodom 92  
 Forward relations for entry Fire upon Sodom (92/120) are generated.  
 Backward relations for entry Isaac (91/120) are generated.  
 Optimize dates...

Fire upon Sodom	D Knd S	from:	to:	
1684. 1.15. 1694. 5.23. B 0 B		92	92	
1684. 1.15. 1695. 5.23. B 3 *		96	92	
	≤ 1694. 5.23. B 7 *	91	92	
	0 B	0	0	
1684. 1.15. 1694. 5.23. B 0 B		0	92	

16492 Bytes free.

(1009th/1022) position: 1586. 1.15. 1595. 5.23. \* Abram = Abraham 96  
 Forward relations for entry Abram = Abraham (96/120) are generated.  
 Backward relations for entry Battle in Siddim Vale (94/120) are generated.  
 Optimize dates...

Abram = Abraham	D Knd S	from:	to:	
1586. 1.15. 1595. 5.23. * 0 *		96	96	
1586. 1.15. 1598.12.29. * 3 *		97	96	
1584. 1.15. 1598.12.29. * 5 +		96	96	
1584. 1.15. 1595. 5.23. * 9 *		91	96	
1584. 1.15. 1596. 5.23. * 9 B		92	96	
1584. 1.15. 1598.12.29. * 9 *		93	96	

1585.	1.15.	1598.12.29.	* 10 B	96	96	
			0 *	0	0	
1586.	1.15.	1595. 5.23.	* 0 *	0	96	
1517.	1.15.	1526. 5.23.	1023rd position to *	Terah		97
1760.	1.15.	1771. 5.23.	1024th position to +	Abram = Abraham		96
1671.	1.15.	1682. 5.23.	1025th position to *	Ishmael		93
1661.	1.15.	1671. 5.23.	1026th position to B	Abram = Abraham		96

16492 Bytes free.

(1010th/1026) position: 1864. 1.15. 1875. 5.23. + Isaac 91  
 Forward relations for entry Isaac (91/120) are generated.

Optimize dates...

Isaac	D	Kind	S	from:	to:
1864. 1.15. 1875. 5.23. +	0	+		91	91
1864. 1.15. 1875. 5.23. +	5	*		91	91
	0	+		0	0
1864. 1.15. 1875. 5.23. +	0	+		0	91

16492 Bytes free.

(1011th/1026) position: 1594. 1.15. 1605. 5.23. \* Sarai = Sarah 95  
 Forward relations for entry Sarai = Sarah (95/120) are generated.

Optimize dates...

Sarai = Sarah	D	Kind	S	from:	to:	
1594. 1.15. 1605. 5.23. *	0	*		95	95	
1592. 1.15. 1608.12.29. *	5	+		95	95	
1594. 1.15. 1605. 5.23. *	10	*		91	95	
	0	*		0	0	
1594. 1.15. 1605. 5.23. *	0	*		0	95	
1720. 1.15. 1733. 5.23.			1027th position to +	Sarai = Sarah		95

16492 Bytes free.

(1012th/1027) position: 2621.11.15. 2635. 3.24. B Philistines + Ammon 69  
 Forward relations for entry Philistines + Ammon (69/120) are generated.  
 Backward relations for entry Jephthah (68/120) are generated.

Optimize dates...

Philistines + Ammon	D	Kind	S	from:	to:	
2621.11.15. 2635. 3.24. B	0	B		69	69	
2592.11. 1.≥		B	1 E	72	69	
2621.11.15. 2635. 3.24. B	5	E		69	69	
	0	B		0	0	
2621.11.15. 2635. 3.24. B	0	B		0	69	
2592.11. 1. 2635. 3.24.			1028th position to E	Abimelech		72

16492 Bytes free.

(1013th/1028) position: 2872. 8.21. 2881.12.29. B Ahab 44  
 Forward relations for entry Ahab (44/120) are generated.

Backward relations for entry Ahaziah (Ahab) (41/120) are generated.

Backward relations for entry Elijah (43/120) are generated.

Optimize dates...

Ahab	D	Kind	S	from:	to:
2872. 8.21. 2881.12.29. B	0	B		44	44
2872. 8.21. 2881.12.29. B	1	E		45	44
2871. 8.15. 2883.12.23. B	3	B		51	44
2869. 8.21. 2881.12.29. B	5	E		44	44
≤ 2902.12.29. B	7	B		43	44
2869. 8.21. 2883.12.23. B	9	B		42	44
	0	B		0	0
2872. 8.21. 2881.12.29. B	0	B		0	44

2893. 8.21. 2902.12.29. 1029th position to E Ahab 44  
 2872. 8.21. 2902.12.29. 1030th position to B Elijah 43  
 2875. 8.21. 2886.12.23. 1031st position to B Jehoshaphat 42

16492 Bytes free.

(1014th/1031) position: 2614.11. 1.≥ B Jair 70  
 Forward relations for entry Jair (70/120) are generated.

Optimize dates...

Jair	D	Kind	S	from:	to:	
2614.11. 1.≥	B	0	B	70	70	
2614.11. 1.≥	B	1	E	71	70	
	B	5	E	70	70	
		0	B	0	0	
2614.11. 1.≥	B	0	B	0	70	
2635.11. 1.≥				1032nd position to E Jair		70

16492 Bytes free.

(1015th/1032) position: 2553. 1.15. 2595.10.30. E Midianites 74  
 Forward relations for entry Midianites (74/120) are generated.

Backward relations for entry Gideon = Jerubbaal (73/120) are generated.

Optimize dates...

Midianites	D	Kind	S	from:	to:	
2553. 1.15. 2595.10.30.	E	0	E	74	74	
2553. 1.15. 2597.10.30.	E	5	B	74	74	
2551.11. 1. 2595.10.30.	E	7	B	73	74	
		0	E	0	0	
2553. 1.15. 2595.10.30.	E	0	E	0	74	
2553. 1.15. 2595.10.30.				1033rd position to B Gideon = Jerubbaal		73

16492 Bytes free.

(1016th/1033) position: 3009. 8.21. 3019.12.29. E Azariah = Uzziah 26  
 Forward relations for entry Azariah = Uzziah (26/120) are generated.

Backward relations for entry Jotham (19/120) are generated.

Optimize dates...

Azariah = Uzziah	D	Kind	S	from:	to:	
3009. 8.21. 3019.12.29.	E	0	E	26	26	
3008. 8.21. 3020.12.29.	E	6	B	26	26	
3009. 8.21. 3019.12.29.	E	7	α	19	26	
3009. 8.21. 3019.12.29.	+	0	+	26	26	
		+	2	B	20	26
			0	E	0	0
3009. 8.21. 3019.12.29.	E	0	E	0	26	

16492 Bytes free.

(1017th/1033) position: 3028. 8.21. 3038.12.29. B Hoshea 16  
 Forward relations for entry Hoshea (16/120) are generated.

Backward relations for entry Captivity of Israel (15/120) are generated.

Optimize dates...

Hoshea	D	Kind	S	from:	to:	
3028. 8.21. 3038.12.29.	B	0	B	16	16	
3028. 8.21. 3038.12.29.	B	1	E	21	16	
3025. 3.22. 3038.12.29.	B	3	B	17	16	
3026. 3.22. 3039.12.29.	B	5	E	16	16	
3028. 8.21. 3040.12.29.	B	4	α	19	16	
3027. 3.22. 3038.12.29.	B	9	B	14	16	
3026. 3.22. 3039.12.29.	B	10	B	15	16	
			0	B	0	0
3028. 8.21. 3038.12.29.	B	0	B	0	16	

3015. 8.21. 3025.12.29. 1034th position to B Ahaz 17  
 3036. 8.21. 3047.12.29. 1035th position to E Hoshea 16  
 3036. 8.21. 3047.12.29. 1036th position to B Captivity of Israel 15

16492 Bytes free.

(1018th/1036) position: 3028. 8.21. 3038.12.29. E Pekah 21  
 Forward relations for entry Pekah (21/120) are generated.  
 Backward relations for entry Hoshea (16/120) are generated.  
 Optimize dates...

Pekah	D	Kind	S	from:	to:
3028. 8.21. 3038.12.29.	E	0	E	21	21
3027. 8.21. 3039.12.29.	E	5	B	21	21
3028. 8.21. 3038.12.29.	E	7	B	16	21
3028. 8.21. 3038.12.29.	+	0	+	21	21
		0	E	0	0
3028. 8.21. 3038.12.29.	E	0	E	0	21

16492 Bytes free.

(1019th/1036) position: 3024. 8.21. 3036.12.29. Ω Jotham 19  
 Forward relations for entry Jotham (19/120) are generated.  
 Backward relations for entry Ahaz (17/120) are generated.  
 Backward relations for entry Ahaz (17/120) are generated.  
 Optimize dates...

Jotham	D	Kind	S	from:	to:
3024. 8.21. 3036.12.29.	Ω	0	Ω	19	19
3024. 8.21. 3036.12.29.	Ω	8	α	17	19
3024. 8.21. 3036.12.29.	+	0	+	19	19
		0	Ω	0	0
3024. 8.21. 3036.12.29.	Ω	0	Ω	0	19

16492 Bytes free.

(1020th/1036) position: 2997. 1.21. 3007. 9.29. B Menahem 23  
 Forward relations for entry Menahem (23/120) are generated.  
 Backward relations for entry Pekahiah (22/120) are generated.  
 Optimize dates...

Menahem	D	Kind	S	from:	to:
2997. 1.21. 3007. 9.29.	B	0	B	23	23
2997. 1.21. 3007. 9.29.	B	1	E	24	23
2995. 8.21. 3007.12.29.	B	3	B	26	23
2995. 8.21. 3008.12.29.	B	5	E	23	23
		0	B	0	0
2997. 1.21. 3007. 9.29.	B	0	B	0	23

16492 Bytes free.

(1021st/1036) position: 2645.11.15. 2688. 7.23. B Samson 62  
 Forward relations for entry Samson (62/120) are generated.  
 Backward relations for entry Philistines (63/120) are generated.  
 Optimize dates...

Samson	D	Kind	S	from:	to:
2645.11.15. 2688. 7.23.	B	0	B	62	62
2645.11.15.≥	B	1	B	63	62
2643.11.15. 2688. 7.23.	B	5	E	62	62
		0	B	0	0
2645.11.15. 2688. 7.23.	B	0	B	0	62

16492 Bytes free.

(1022nd/1036) position: 2663.11.15. 2688. 7.23. E Eli 64  
 Forward relations for entry Eli (64/120) are generated.

Backward relations for entry Samuel (61/120) are generated.

Optimize dates...

Eli		D	Kind	S	from:	to:	
2663.11.15.	2688.	7.23.	E	0 E	64	64	
2661.11.15.	2693.	9.29.	E	6 B	64	64	
2663.11.15.	2688.	7.23.	E	8 B	61	64	
2663.11.15.	2688.	7.23.	+	0 +	64	64	
2661.11.15.	2693.	9.29.	+	5 *	64	64	
				0 E	0	0	
2663.11.15.	2688.	7.23.	E	0 E	0	64	
2622.11.15.	2649.	7.23.			1037th position to B	Eli	64
2564.11.15.	2591.	7.23.			1038th position to *	Eli	64

16492 Bytes free.

(1023rd/1038) position: 1517. 1.15. 1526. 5.23. \* Terah 97

Forward relations for entry Terah (97/120) are generated.

Backward relations for entry Abram = Abraham (96/120) are generated.

Optimize dates...

Terah		D	Kind	S	from:	to:	
1517. 1.15.	1526.	5.23.	*	0 *	97	97	
1517. 1.15.	1529.12.29.		*	3 *	98	97	
1515. 1.15.	1528.12.29.		*	5 +	97	97	
1515. 1.15.	1526. 5.23.		*	9 *	96	97	
1515. 1.15.	1529.12.29.		*	10 +	98	97	
				0 *	0	0	
1517. 1.15.	1526. 5.23.		*	0 *	0	97	
1489. 1.15.	1498. 5.23.				1039th position to *	Nahor	98
1661. 1.15.	1672. 5.23.				1040th position to +	Terah	97
1635. 1.15.	1646. 5.23.				1041st position to +	Nahor	98

16492 Bytes free.

(1024th/1041) position: 1760. 1.15. 1771. 5.23. + Abram = Abraham 96

Forward relations for entry Abram = Abraham (96/120) are generated.

Backward relations for entry Battle in Siddim Vale (94/120) are generated.

Optimize dates...

Abram = Abraham		D	Kind	S	from:	to:	
1760. 1.15.	1771. 5.23.	E	0 E		96	96	
1760. 1.15.	1771. 5.23.	+	0 +		96	96	
1760. 1.15.	1771. 5.23.	+	5 *		96	96	
			0 E		0	0	
1760. 1.15.	1771. 5.23.	E	0 E		0	96	

16492 Bytes free.

(1025th/1041) position: 1671. 1.15. 1682. 5.23. \* Ishmael 93

Forward relations for entry Ishmael (93/120) are generated.

Optimize dates...

Ishmael		D	Kind	S	from:	to:	
1671. 1.15.	1682. 5.23.	*	0 *		93	93	
1661. 1.15.≥		*	1 B		94	93	
1671. 1.15.	1682. 5.23.	*	3 *		96	93	
1669. 1.15.	1685.12.29.	*	5 +		93	93	
			0 *		0	0	
1671. 1.15.	1682. 5.23.	*	0 *		0	93	
1661. 1.15.	1682. 5.23.				1042nd position to B	Battle in Siddim Vale	94
1807. 1.15.	1820. 5.23.				1043rd position to +	Ishmael	93

16492 Bytes free.

(1026th/1043) position: 1661. 1.15. 1671. 5.23. B Abram = Abraham 96

Forward relations for entry Abram = Abraham (96/120) are generated.  
 Backward relations for entry Battle in Siddim Vale (94/120) are generated.  
 Optimize dates...

Abram = Abraham	D	Kind	S	from:	to:†	
1661. 1.15. 1671. 5.23. B	0	B		96	96	
1661. 1.15. ≥	B	1	+	97	96	
1660. 1.15. 1671. 5.23. B	4	*		96	96	
≤ 1682. 5.23. B	7	B		94	96	
	0	B		0	0	
1661. 1.15. 1671. 5.23. B	0	B		0	96	
1661. 1.15. 1671. 5.23.				1044th position to + Terah		97

16492 Bytes free.  
 (1027th/1044) position: 1720. 1.15. 1733. 5.23. + Sarai = Sarah 95  
 Forward relations for entry Sarai = Sarah (95/120) are generated.  
 Optimize dates...

Sarai = Sarah	D	Kind	S	from:	to:†	
1720. 1.15. 1733. 5.23. +	0	+		95	95	
1720. 1.15. 1733. 5.23. +	5	*		95	95	
	0	+		0	0	
1720. 1.15. 1733. 5.23. +	0	+		0	95	

16492 Bytes free.  
 (1028th/1044) position: 2592.11. 1. 2635. 3.24. E Abimelech 72  
 Forward relations for entry Abimelech (72/120) are generated.  
 Backward relations for entry Philistines + Ammon (69/120) are generated.  
 Backward relations for entry Tola (71/120) are generated.  
 Optimize dates...

Abimelech	D	Kind	S	from:	to:†	
2592.11. 1. 2635. 3.24. E	0	E		72	72	
2592.11. 1. 2638.10.30. E	5	B		72	72	
≤ 2635. 3.24. E	7	B		69	72	
	E	7	B	71	72	
2592.11. 1. 2635. 3.24. +	0	+		72	72	
	0	E		0	0	
2592.11. 1. 2635. 3.24. E	0	E		0	72	
2590.11. 1. 2633. 3.24.				1045th position to B Abimelech		72

16492 Bytes free.  
 (1029th/1045) position: 2893. 8.21. 2902.12.29. E Ahab 44  
 Forward relations for entry Ahab (44/120) are generated.  
 Backward relations for entry Ahaziah (Ahab) (41/120) are generated.  
 Backward relations for entry Elijah (43/120) are generated.  
 Optimize dates...

Ahab	D	Kind	S	from:	to:†	
2893. 8.21. 2902.12.29. E	0	E		44	44	
2872. 8.21. ≥	E	2	B	43	44	
2893. 8.21. 2904.12.29. E	5	B		44	44	
2892. 8.21. 2902.12.29. E	7	B		41	44	
2893. 8.21. 2902.12.29. +	0	+		44	44	
	0	E		0	0	
2893. 8.21. 2902.12.29. E	0	E		0	44	
2893. 8.21. 2902.12.29.				1046th position to B Ahaziah (Ahab)		41

16492 Bytes free.  
 (1030th/1046) position: 2872. 8.21. 2902.12.29. B Elijah 43  
 Forward relations for entry Elijah (43/120) are generated.  
 Backward relations for entry Elisha (39/120) are generated.



Backward relations for entry Joram (Ahab) (37/120) are generated.  
 Backward relations for entry Ahab (44/120) are generated.

Optimize dates...

Elijah		D	Kind	S	from:	to:
2872. 8.21.	2902.12.29.	B	0	B	43	43
2872. 8.21.≥		B	1	B	44	43
	≤ 2902.12.29.	B	8	E	44	43
			0	B	0	0
2872. 8.21.	2902.12.29.	B	0	B	0	43

16492 Bytes free.

(1031st/1046) position: 2875. 8.21. 2886.12.23. B Jehoshaphat 42

Forward relations for entry Jehoshaphat (42/120) are generated.

Backward relations for entry Jehoram (Jehoshaphat) (40/120) are generated.

Optimize dates...

Jehoshaphat		D	Kind	S	from:	to:
2875. 8.21.	2886.12.23.	B	0	B	42	42
2874. 8.21.	2886.12.23.	B	1	E	51	42
2875. 8.21.	2886.12.29.	B	3	B	44	42
2872. 8.21.	2888.12.23.	B	4	*	42	42
2872. 8.21.	2888.12.23.	B	6	E	42	42
2875. 8.21.	2886.12.29.	B	9	B	41	42
2874. 8.21.	2886.12.29.	B	10	α	37	42
			0	B	0	0
2875. 8.21.	2886.12.23.	B	0	B	0	42
2875. 8.21.	2886.12.23.		1047th	position to E	Asa	51
2839. 8.21.	2852.12.23.		1048th	position to *	Jehoshaphat	42
2899. 8.21.	2912.12.23.		1049th	position to E	Jehoshaphat	42

16492 Bytes free.

(1032nd/1049) position: 2635.11. 1.≥ E Jair 70

Forward relations for entry Jair (70/120) are generated.

Optimize dates...

Jair		D	Kind	S	from:	to:
2635.11. 1.≥		E	0	E	70	70
2635.11. 1.≥		E	5	B	70	70
2635.11. 1.≥		+	0	+	70	70
			0	E	0	0
2635.11. 1.≥		E	0	E	0	70

16492 Bytes free.

(1033rd/1049) position: 2553. 1.15. 2595.10.30. B Gideon = Jerubbaal 73

Forward relations for entry Gideon = Jerubbaal (73/120) are generated.

Backward relations for entry Abimelech (72/120) are generated.

Optimize dates...

Gideon = Jerubbaal		D	Kind	S	from:	to:
2553. 1.15.	2595.10.30.	B	0	B	73	73
2553. 1.15.	2595.10.30.	B	1	E	74	73
2549.11. 1.	2595.10.30.	B	5	E	73	73
			0	B	0	0
2553. 1.15.	2595.10.30.	B	0	B	0	73
2592. 1.15.	2634.10.30.		1050th	position to E	Gideon = Jerubbaal	73

16492 Bytes free.

(1034th/1050) position: 3015. 8.21. 3025.12.29. B Ahaz 17

Forward relations for entry Ahaz (17/120) are generated.

Backward relations for entry Hezekiah (14/120) are generated.

Forward relations for entry Ahaz (18/120) are generated.

Optimize dates...

Ahaz		D	Kind	S	from:	to:	
3015.	8.21.	3025.12.29.	B	0 B	17	17	
3014.	3.22.	3025.12.29.	B	1 E	19	17	
3012.	3.22.	3027.12.29.	B	4 *	17	17	
3015.	8.21.	3027.12.29.	B	9 B	16	17	
3014.	3.22.	3025.12.29.	B	5 E	18	18	
				0 B	0	0	
3015.	8.21.	3025.12.29.	B	0 B	0	17	
3015.	8.21.	3025.12.29.		1051st position to E	Jotham		19
2994.	8.21.	3006.12.29.		1052nd position to *	Ahaz		17

16492 Bytes free.

(1035th/1052) position: 3036. 8.21. 3047.12.29. E Hoshea 16  
 Forward relations for entry Hoshea (16/120) are generated.  
 Backward relations for entry Captivity of Israel (15/120) are generated.

Optimize dates...

Hoshea		D	Kind	S	from:	to:	
3036.	8.21.	3047.12.29.	E	0 E	16	16	
3036.	8.21.	3048.12.29.	E	5 B	16	16	
3036.	8.21.	3047.12.29.	E	7 B	15	16	
				0 E	0	0	
3036.	8.21.	3047.12.29.	E	0 E	0	16	

16492 Bytes free.

(1036th/1052) position: 3036. 8.21. 3047.12.29. B Captivity of Israel 15  
 Forward relations for entry Captivity of Israel (15/120) are generated.

Optimize dates...

Captivity of Israel		D	Kind	S	from:	to:	
3036.	8.21.	3047.12.29.	B	0 B	15	15	
3036.	8.21.	3047.12.29.	B	1 E	16	15	
3036.	3.22.	3047.12.29.	B	3 B	14	15	
3036.	8.21.	3048.12.29.	B	4 B	16	15	
				0 B	0	0	
3036.	8.21.	3047.12.29.	B	0 B	0	15	

16492 Bytes free.

(1037th/1052) position: 2622.11.15. 2649. 7.23. B Eli 64  
 Forward relations for entry Eli (64/120) are generated.  
 Backward relations for entry Samuel (61/120) are generated.

Optimize dates...

Eli		D	Kind	S	from:	to:	
2622.11.15.	2649. 7.23.	B	0 B		64	64	
2622.11.15.	2649. 7.23.	B	6 E		64	64	
			0 B		0	0	
2622.11.15.	2649. 7.23.	B	0 B		0	64	

16492 Bytes free.

(1038th/1052) position: 2564.11.15. 2591. 7.23. \* Eli 64  
 Forward relations for entry Eli (64/120) are generated.  
 Backward relations for entry Samuel (61/120) are generated.

Optimize dates...

Eli		D	Kind	S	from:	to:	
2564.11.15.	2591. 7.23.	*	0 *		64	64	
2564.11.15.	2591. 7.23.	*	5 +		64	64	
			0 *		0	0	
2564.11.15.	2591. 7.23.	*	0 *		0	64	

16492 Bytes free.  
 (1039th/1052) position: 1489. 1.15. 1498. 5.23. \* Nahor 98  
 Forward relations for entry Nahor (98/120) are generated.  
 Optimize dates...

Nahor	D	Kind	S	from:	to:	
1489. 1.15. 1498. 5.23.	*	0	*	98	98	
1489. 1.15. 1501.12.29.	*	3	*	99	98	
1487. 1.15. 1498. 5.23.	*	9	*	97	98	
1487. 1.15. 1501.12.29.	*	10	+	99	98	
		0	*	0	0	
1489. 1.15. 1498. 5.23.	*	0	*	0	98	
1460. 1.15. 1469. 5.23.				1053rd position to	*	Serug 99
1688. 1.15. 1699. 5.23.				1054th position to	+	Serug 99

16492 Bytes free.  
 (1040th/1054) position: 1661. 1.15. 1671. 5.23. + Terah 97  
 Forward relations for entry Terah (97/120) are generated.  
 Backward relations for entry Abram = Abraham (96/120) are generated.  
 Optimize dates...

Terah	D	Kind	S	from:	to:	
1661. 1.15. 1671. 5.23.	+	0	+	97	97	
1661. 1.15. 1672. 5.23.	+	5	*	97	97	
≤ 1671. 5.23.	+	7	B	96	97	
		0	+	0	0	
1661. 1.15. 1671. 5.23.	+	0	+	0	97	

16492 Bytes free.  
 (1041st/1054) position: 1635. 1.15. 1646. 5.23. + Nahor 98  
 Forward relations for entry Nahor (98/120) are generated.  
 Optimize dates...

Nahor	D	Kind	S	from:	to:	
1635. 1.15. 1646. 5.23.	+	0	+	98	98	
1635. 1.15. 1646. 5.23.	+	4	*	97	98	
		0	+	0	0	
1635. 1.15. 1646. 5.23.	+	0	+	0	98	

16492 Bytes free.  
 (1042nd/1054) position: 1661. 1.15. 1682. 5.23. B Battle in Siddim Vale 94  
 Forward relations for entry Battle in Siddim Vale (94/120) are generated.  
 Backward relations for entry Ishmael (93/120) are generated.  
 Optimize dates...

Battle in Siddim Vale	D	Kind	S	from:	to:	
1661. 1.15. 1682. 5.23.	B	0	B	94	94	
1661. 1.15. ≥	B	1	B	96	94	
≤ 1682. 5.23.	B	7	*	93	94	
		0	B	0	0	
1661. 1.15. 1682. 5.23.	B	0	B	0	94	

16492 Bytes free.  
 (1043rd/1054) position: 1807. 1.15. 1820. 5.23. + Ishmael 93  
 Forward relations for entry Ishmael (93/120) are generated.  
 Optimize dates...

Ishmael	D	Kind	S	from:	to:	
1807. 1.15. 1820. 5.23.	+	0	+	93	93	
1807. 1.15. 1820. 5.23.	+	5	*	93	93	
		0	+	0	0	
1807. 1.15. 1820. 5.23.	+	0	+	0	93	

16492 Bytes free.  
 (1044th/1054) position: 1661. 1.15. 1671. 5.23. + Terah 97  
 Forward relations for entry Terah (97/120) are generated.  
 Backward relations for entry Abram = Abraham (96/120) are generated.  
 Optimize dates...

Terah	D	Kind	S	from:	to:
1661. 1.15. 1671. 5.23.	+	0	+	97	97
1661. 1.15. 1672. 5.23.	+	5	*	97	97
≤ 1671. 5.23.	+	7	B	96	97
		0	+	0	0
1661. 1.15. 1671. 5.23.	+	0	+	0	97

16492 Bytes free.  
 (1045th/1054) position: 2590.11. 1. 2633. 3.24. B Abimelech 72  
 Forward relations for entry Abimelech (72/120) are generated.  
 Backward relations for entry Philistines + Ammon (69/120) are generated.  
 Backward relations for entry Tola (71/120) are generated.  
 Optimize dates...

Abimelech	D	Kind	S	from:	to:
2590.11. 1. 2633. 3.24.	B	0	B	72	72
2592. 1.15. 2634.10.30.	B	1	E	73	72
2588.11. 1. 2633. 3.24.	B	5	E	72	72
1Y 2M14D		0	B	0	0
2592. 1.15. 2633. 3.24.	B	0	B	0	72
2592. 1.15. 2633. 3.24.				1055th position to B Abimelech	72
2592. 1.15. 2633. 3.24.				1056th position to E Gideon = Jerubbaal	73
2594. 1.15. 2635. 3.24.				1057th position to E Abimelech	72

16492 Bytes free.  
 (1046th/1057) position: 2893. 8.21. 2902.12.29. B Ahaziah (Ahab) 41  
 Forward relations for entry Ahaziah (Ahab) (41/120) are generated.  
 Backward relations for entry Joram (Ahab) (37/120) are generated.  
 Backward relations for entry Elijah (43/120) are generated.  
 Optimize dates...

Ahaziah (Ahab)	D	Kind	S	from:	to:
2893. 8.21. 2902.12.29.	B	0	B	41	41
2893. 8.21. 2902.12.29.	B	1	E	44	41
2891. 8.21. 2904.12.23.	B	3	B	42	41
2890. 8.21. 2902.12.29.	B	5	E	41	41
		0	B	0	0
2893. 8.21. 2902.12.29.	B	0	B	0	41
2894. 8.21. 2903.12.29.				1058th position to E Ahaziah (Ahab)	41

16492 Bytes free.  
 (1047th/1058) position: 2875. 8.21. 2886.12.23. E Asa 51  
 Forward relations for entry Asa (51/120) are generated.  
 Backward relations for entry Jehoshaphat (42/120) are generated.  
 Optimize dates...

Asa	D	Kind	S	from:	to:
2875. 8.21. 2886.12.23.	E	0	E	51	51
2874. 8.15. 2886.12.23.	E	5	B	51	51
2875. 8.21. 2886.12.23.	E	7	B	42	51
2875. 8.21. 2886.12.23.	+	0	+	51	51
		0	E	0	0
2875. 8.21. 2886.12.23.	E	0	E	0	51

16492 Bytes free.  
 (1048th/1058) position: 2839. 8.21. 2852.12.23. \* Jehoshaphat 42

Forward relations for entry Jehoshaphat (42/120) are generated.  
 Backward relations for entry Jehoram (Jehoshaphat) (40/120) are generated.  
 Optimize dates...

Jehoshaphat	D	Kind	S	from:	to:†
2839. 8.21. 2852.12.23.	*	0	*	42	42
2839. 8.21. 2852.12.23.	*	10	B	42	42
		0	*	0	0
2839. 8.21. 2852.12.23.	*	0	*	0	42

16492 Bytes free.

(1049th/1058) position: 2899. 8.21. 2912.12.23. E Jehoshaphat 42  
 Forward relations for entry Jehoshaphat (42/120) are generated.  
 Backward relations for entry Jehoram (Jehoshaphat) (40/120) are generated.  
 Optimize dates...

Jehoshaphat	D	Kind	S	from:	to:†
2899. 8.21. 2912.12.23.	E	0	E	42	42
2899. 8.21. 2912.12.23.	E	6	B	42	42
2898. 8.21. 2912.12.23.	E	7	α	40	42
2899. 8.21. 2912.12.23.	+	0	+	42	42
		0	E	0	0
2899. 8.21. 2912.12.23.	E	0	E	0	42
2899. 8.21. 2912.12.23.	1059th position to α Jehoram (Jehoshaphat) 40				

16492 Bytes free.

(1050th/1059) position: 2592. 1.15. 2633. 3.24. E Gideon = Jerubbaal 73  
 Forward relations for entry Gideon = Jerubbaal (73/120) are generated.  
 Backward relations for entry Abimelech (72/120) are generated.  
 Optimize dates...

Gideon = Jerubbaal	D	Kind	S	from:	to:†
2592. 1.15. 2633. 3.24.	E	0	E	73	73
2592. 1.15. 2636.10.30.	E	5	B	73	73
2592. 1.15. 2633. 3.24.	E	7	B	72	73
2592. 1.15. 2633. 3.24.	+	0	+	73	73
		0	E	0	0
2592. 1.15. 2633. 3.24.	E	0	E	0	73
2553. 1.15. 2594. 3.24.	1060th position to B Gideon = Jerubbaal 73				

16492 Bytes free.

(1051st/1060) position: 3015. 8.21. 3025.12.29. E Jotham 19  
 Forward relations for entry Jotham (19/120) are generated.  
 Backward relations for entry Ahaz (17/120) are generated.  
 Backward relations for entry Ahaz (17/120) are generated.  
 Optimize dates...

Jotham	D	Kind	S	from:	to:†
3015. 8.21. 3025.12.29.	E	0	E	19	19
3012. 3.22. 3027.12.29.	E	6	B	19	19
3015. 8.21. 3025.12.29.	E	7	B	17	19
		0	E	0	0
3015. 8.21. 3025.12.29.	E	0	E	0	19
2998. 8.21. 3010.12.29.	1061st position to B Jotham 19				

16492 Bytes free.

(1052nd/1061) position: 2994. 8.21. 3006.12.29. \* Ahaz 17  
 Forward relations for entry Ahaz (17/120) are generated.  
 Backward relations for entry Hezekiah (14/120) are generated.  
 Forward relations for entry Ahaz (18/120) are generated.  
 Optimize dates...

Ahaz	D	Kind	S	from:	to:†
------	---	------	---	-------	------

```

2994. 8.21. 3006.12.29. * 0 *      17      17||
2994. 8.21. 3006.12.29. * 10 B     17      17||
                        0 *         0        0||
2994. 8.21. 3006.12.29. * 0 *         0        17||

```

16492 Bytes free.

(1053rd/1061) position: 1460. 1.15. 1469. 5.23. \* Serug 99  
 Forward relations for entry Serug (99/120) are generated.

Optimize dates...

```

Serug          D Knd S   from:   to:|
1460. 1.15. 1469. 5.23. * 0 *     99     99||
1460. 1.15. 1472.12.29. * 3 *     100    99||
1458. 1.15. 1469. 5.23. * 9 *     98     99||
1458. 1.15. 1472.12.29. * 10 +    100    99||
                        0 *         0        0||
1460. 1.15. 1469. 5.23. * 0 *         0     99||
1429. 1.15. 1438. 5.23. 1062nd position to * Reu      100
1666. 1.15. 1677. 5.23. 1063rd position to + Reu      100

```

16492 Bytes free.

(1054th/1063) position: 1688. 1.15. 1699. 5.23. + Serug 99  
 Forward relations for entry Serug (99/120) are generated.

Optimize dates...

```

Serug          D Knd S   from:   to:|
1688. 1.15. 1699. 5.23. + 0 +     99     99||
1688. 1.15. 1699. 5.23. + 4 *     98     99||
                        0 +         0        0||
1688. 1.15. 1699. 5.23. + 0 +         0     99||

```

16492 Bytes free.

(1055th/1063) position: 2592. 1.15. 2633. 3.24. B Abimelech 72  
 Forward relations for entry Abimelech (72/120) are generated.

Backward relations for entry Philistines + Ammon (69/120) are generated.

Backward relations for entry Tola (71/120) are generated.

Optimize dates...

```

Abimelech      D Knd S   from:   to:|
2592. 1.15. 2633. 3.24. B 0 B     72     72||
2592. 1.15. 2633. 3.24. B 1 E     73     72||
2590. 1.15. 2633. 3.24. B 5 E     72     72||
                        0 B         0        0||
2592. 1.15. 2633. 3.24. B 0 B         0     72||

```

16492 Bytes free.

(1056th/1063) position: 2592. 1.15. 2633. 3.24. E Gideon = Jerubbaal 73  
 Forward relations for entry Gideon = Jerubbaal (73/120) are generated.

Backward relations for entry Abimelech (72/120) are generated.

Optimize dates...

```

Gideon = Jerubbaal D Knd S   from:   to:|
2592. 1.15. 2633. 3.24. E 0 E     73     73||
2592. 1.15. 2635. 3.24. E 5 B     73     73||
2592. 1.15. 2633. 3.24. E 7 B     72     73||
2592. 1.15. 2633. 3.24. + 0 +     73     73||
                        0 E         0        0||
2592. 1.15. 2633. 3.24. E 0 E         0     73||

```

16492 Bytes free.

(1057th/1063) position: 2594. 1.15. 2635. 3.24. E Abimelech 72  
 Forward relations for entry Abimelech (72/120) are generated.

Backward relations for entry Philistines + Ammon (69/120) are generated.

Backward relations for entry Tola (71/120) are generated.

Optimize dates...

Abimelech	D	Kind	S	from:	to:	
2594. 1.15. 2635. 3.24.	E	0	E	72	72	
2594. 1.15. 2637. 3.24.	E	5	B	72	72	
≤ 2635. 3.24.	E	7	B	69	72	
	E	7	B	71	72	
2594. 1.15. 2635. 3.24.	+	0	+	72	72	
		0	E	0	0	
2594. 1.15. 2635. 3.24.	E	0	E	0	72	
2594. 1.15. ≥				1064th position to B Tola		71

16492 Bytes free.

(1058th/1064) position: 2894. 8.21. 2903.12.29. E Ahaziah (Ahab) 41

Forward relations for entry Ahaziah (Ahab) (41/120) are generated.

Backward relations for entry Joram (Ahab) (37/120) are generated.

Backward relations for entry Elijah (43/120) are generated.

Optimize dates...

Ahaziah (Ahab)	D	Kind	S	from:	to:	
2894. 8.21. 2903.12.29.	E	0	E	41	41	
2894. 8.21. 2905.12.29.	E	5	B	41	41	
2893. 8.21. 2903.12.29.	E	7	α	37	41	
≤ 2903.12.29.	E	8	E	43	41	
2894. 8.21. 2903.12.29.	+	0	+	41	41	
		0	E	0	0	
2894. 8.21. 2903.12.29.	E	0	E	0	41	
2894. 8.21. 2903.12.29.				1065th position to α Joram (Ahab)		37
2894. 8.21. 2903.12.29.				1066th position to E Elijah		43

16492 Bytes free.

(1059th/1066) position: 2899. 8.21. 2912.12.23. α Jehoram (Jehoshaphat) 40

Forward relations for entry Jehoram (Jehoshaphat) (40/120) are generated.

Backward relations for entry Ahaziah (Joram) (35/120) are generated.

Optimize dates...

Jehoram (Jehoshaphat)	D	Kind	S	from:	to:	
2899. 8.21. 2912.12.23.	α	0	α	40	40	
2899. 8.21. 2912.12.23.	α	1	E	42	40	
		0	α	0	0	
2899. 8.21. 2912.12.23.	α	0	α	0	40	

16492 Bytes free.

(1060th/1066) position: 2553. 1.15. 2594. 3.24. B Gideon = Jerubbaal 73

Forward relations for entry Gideon = Jerubbaal (73/120) are generated.

Backward relations for entry Abimelech (72/120) are generated.

Optimize dates...

Gideon = Jerubbaal	D	Kind	S	from:	to:	
2553. 1.15. 2594. 3.24.	B	0	B	73	73	
2553. 1.15. 2595.10.30.	B	1	E	74	73	
2551. 1.15. 2594. 3.24.	B	5	E	73	73	
		0	B	0	0	
2553. 1.15. 2594. 3.24.	B	0	B	0	73	
2553. 1.15. 2594. 3.24.				1067th position to E Midianites		74

16492 Bytes free.

(1061st/1067) position: 2998. 8.21. 3010.12.29. B Jotham 19

Forward relations for entry Jotham (19/120) are generated.

Backward relations for entry Ahaz (17/120) are generated.

Backward relations for entry Ahaz (17/120) are generated.

Optimize dates...

Jotham	D	Kind	S	from:	to:	
2998. 8.21. 3010.12.29.	B	0	B	19	19	
2995. 3.22. 3012.12.29.	B	4	*	19	19	
2998. 8.21. 3010.12.29.	B	6	E	19	19	
		0	B	0	0	
2998. 8.21. 3010.12.29.	B	0	B	0	19	
2972. 8.21. 2986.12.29.				1068th position to *	Jotham	19

16492 Bytes free.

(1062nd/1068) position: 1429. 1.15. 1438. 5.23. \* Reu 100

Forward relations for entry Reu (100/120) are generated.

Optimize dates...

Reu	D	Kind	S	from:	to:	
1429. 1.15. 1438. 5.23.	*	0	*	100	100	
1429. 1.15. 1441.12.29.	*	3	*	101	100	
1427. 1.15. 1438. 5.23.	*	9	*	99	100	
1427. 1.15. 1441.12.29.	*	10	+	101	100	
		0	*	0	0	
1429. 1.15. 1438. 5.23.	*	0	*	0	100	
1400. 1.15. 1409. 5.23.				1069th position to *	Peleg	101
1637. 1.15. 1648. 5.23.				1070th position to +	Peleg	101

16492 Bytes free.

(1063rd/1070) position: 1666. 1.15. 1677. 5.23. + Reu 100

Forward relations for entry Reu (100/120) are generated.

Optimize dates...

Reu	D	Kind	S	from:	to:	
1666. 1.15. 1677. 5.23.	+	0	+	100	100	
1666. 1.15. 1677. 5.23.	+	4	*	99	100	
		0	+	0	0	
1666. 1.15. 1677. 5.23.	+	0	+	0	100	

16492 Bytes free.

(1064th/1070) position: 2594. 1.15.≥ B Tola 71

Forward relations for entry Tola (71/120) are generated.

Backward relations for entry Jair (70/120) are generated.

Optimize dates...

Tola	D	Kind	S	from:	to:	
2594. 1.15.≥	B	0	B	71	71	
2594. 1.15.≥	B	1	E	72	71	
2590.11. 1.≥	B	5	E	71	71	
		0	B	0	0	
2594. 1.15.≥	B	0	B	0	71	
2616. 1.15.≥				1071st position to E	Tola	71

16492 Bytes free.

(1065th/1071) position: 2894. 8.21. 2903.12.29. α Joram (Ahab) 37

Forward relations for entry Joram (Ahab) (37/120) are generated.

Backward relations for entry Jehu (33/120) are generated.

Backward relations for entry Athaliah (34/120) are generated.

Forward relations for entry Joram (Ahab) (38/120) are generated.

Optimize dates...

Joram (Ahab)	D	Kind	S	from:	to:	
2894. 8.21. 2903.12.29.	α	0	α	37	37	
2894. 8.21. 2903.12.29.	α	1	E	41	37	
2894. 8.21.≥	α	2	E	43	37	



```

2891. 8.21. 2903.12.29. α 3 B 40 37||
2892. 8.21. 2905.12.23. α 4 B 42 37||
           0 α 0 0||
2894. 8.21. 2903.12.29. α 0 α 0 37||
2891. 8.21. 2900.12.29. 1072nd position to B Jehoram (Jehoshaphat) 40

```

16492 Bytes free.

```

(1066th/1072) position: 2894. 8.21. 2903.12.29. E Elijah 43
Forward relations for entry Elijah (43/120) are generated.
Backward relations for entry Elisha (39/120) are generated.
Backward relations for entry Joram (Ahab) (37/120) are generated.
Backward relations for entry Ahab (44/120) are generated.
Optimize dates...

```

```

Elijah D Knd S from: to:|
2894. 8.21. 2903.12.29. E 0 E 43 43||
2894. 8.21. ≥ E 2 E 41 43||
2893. 8.21. 2903.12.29. E 7 B 39 43||
           ≤ 2903.12.29. E 8 α 37 43||
2894. 8.21. 2903.12.29. + 0 + 43 43||
           0 E 0 0||
2894. 8.21. 2903.12.29. E 0 E 0 43||
2894. 8.21. 2903.12.29. 1073rd position to B Elisha 39

```

16492 Bytes free.

```

(1067th/1073) position: 2553. 1.15. 2594. 3.24. E Midianites 74
Forward relations for entry Midianites (74/120) are generated.
Backward relations for entry Gideon = Jerubbaal (73/120) are generated.
Optimize dates...

```

```

Midianites D Knd S from: to:|
2553. 1.15. 2594. 3.24. E 0 E 74 74||
2553. 1.15. 2597.10.30. E 5 B 74 74||
2553. 1.15. 2594. 3.24. E 7 B 73 74||
           0 E 0 0||
2553. 1.15. 2594. 3.24. E 0 E 0 74||
2547. 1.15. 2588. 3.24. 1074th position to B Midianites 74

```

16492 Bytes free.

```

(1068th/1074) position: 2972. 8.21. 2986.12.29. * Jotham 19
Forward relations for entry Jotham (19/120) are generated.
Backward relations for entry Ahaz (17/120) are generated.
Backward relations for entry Ahaz (17/120) are generated.
Optimize dates...

```

```

Jotham D Knd S from: to:|
2972. 8.21. 2986.12.29. * 0 * 19 19||
2972. 8.21. 2986.12.29. * 10 B 19 19||
           0 * 0 0||
2972. 8.21. 2986.12.29. * 0 * 0 19||

```

16492 Bytes free.

```

(1069th/1074) position: 1400. 1.15. 1409. 5.23. * Peleg 101
Forward relations for entry Peleg (101/120) are generated.
Optimize dates...

```

```

Peleg D Knd S from: to:|
1400. 1.15. 1409. 5.23. * 0 * 101 101||
1400. 1.15. 1410.12.29. * 1 B 102 101||
1400. 1.15. 1412.12.29. * 3 * 103 101||
1398. 1.15. 1409. 5.23. * 9 * 100 101||
1398. 1.15. 1412.12.29. * 10 + 103 101||

```

```

0 *      0      0||
1400. 1.15. 1409. 5.23. * 0 *      0      101||
1400. 1.15. 1409. 5.23. 1075th position to B Tower of Babel      102
1367. 1.15. 1376. 5.23. 1076th position to * Eber      103
1829. 1.15. 1840. 5.23. 1077th position to + Eber      103

```

16492 Bytes free.  
 (1070th/1077) position: 1637. 1.15. 1648. 5.23. + Peleg 101  
 Forward relations for entry Peleg (101/120) are generated.

Optimize dates...  
 Peleg D Knd S from: to:|  
 1637. 1.15. 1648. 5.23. + 0 + 101 101||  
 1637. 1.15. 1648. 5.23. + 4 \* 100 101||  
 0 + 0 0||  
 1637. 1.15. 1648. 5.23. + 0 + 0 101||

16492 Bytes free.  
 (1071st/1077) position: 2616. 1.15.≥ E Tola 71  
 Forward relations for entry Tola (71/120) are generated.  
 Backward relations for entry Jair (70/120) are generated.

Optimize dates...  
 Tola D Knd S from: to:|  
 2616. 1.15.≥ E 0 E 71 71||  
 2616. 1.15.≥ E 5 B 71 71||  
 E 7 B 70 71||  
 2616. 1.15.≥ + 0 + 71 71||  
 0 E 0 0||  
 2616. 1.15.≥ E 0 E 0 71||  
 2616. 1.15.≥ 1078th position to B Jair 70

16492 Bytes free.  
 (1072nd/1078) position: 2891. 8.21. 2900.12.29. B Jehoram (Jehoshaphat) 40  
 Forward relations for entry Jehoram (Jehoshaphat) (40/120) are generated.  
 Backward relations for entry Ahaziah (Joram) (35/120) are generated.

Optimize dates...  
 Jehoram (Jehoshaphat) D Knd S from: to:|  
 2891. 8.21. 2900.12.29. B 0 B 40 40||  
 2889. 8.21. 2902.12.29. B 3 B 37 40||  
 2888. 8.21. 2902.12.29. B 4 \* 40 40||  
 2888. 8.21. 2900.12.29. B 6 E 40 40||  
 2891. 8.21. 2902.12.29. B 9 α 37 40||  
 0 B 0 0||  
 2891. 8.21. 2900.12.29. B 0 B 0 40||  
 2858. 8.21. 2869.12.29. 1079th position to \* Jehoram (Jehoshaphat) 40  
 2898. 8.21. 2907.12.29. 1080th position to E Jehoram (Jehoshaphat) 40

16492 Bytes free.  
 (1073rd/1080) position: 2894. 8.21. 2903.12.29. B Elisha 39  
 Forward relations for entry Elisha (39/120) are generated.  
 Backward relations for entry Joash (Jehoahaz) (30/120) are generated.

Optimize dates...  
 Elisha D Knd S from: to:|  
 2894. 8.21. 2903.12.29. B 0 B 39 39||  
 2894. 8.21. 2903.12.29. B 1 E 43 39||  
 0 B 0 0||  
 2894. 8.21. 2903.12.29. B 0 B 0 39||

16492 Bytes free.

(1074th/1080) position: 2547. 1.15. 2588. 3.24. B Midianites 74  
 Forward relations for entry Midianites (74/120) are generated.  
 Backward relations for entry Gideon = Jerubbaal (73/120) are generated.  
 Optimize dates...

Midianites	D	Kn	S	from:	to:	
2547. 1.15. 2588. 3.24.	B	0	B	74	74	
2547. 1.15. 2589.10.30.	B	1	E	75	74	
2545. 1.15. 2588. 3.24.	B	5	E	74	74	
		0	B	0	0	
2547. 1.15. 2588. 3.24.	B	0	B	0	74	
2547. 1.15. 2588. 3.24.				1081st position to E	Deborah and Barak	75

16492 Bytes free.

(1075th/1081) position: 1400. 1.15. 1409. 5.23. B Tower of Babel 102  
 Forward relations for entry Tower of Babel (102/120) are generated.  
 Backward relations for entry Peleg (101/120) are generated.  
 Optimize dates...

Tower of Babel	D	Kn	S	from:	to:	
1400. 1.15. 1409. 5.23.	B	0	B	102	102	
1400. 1.15. 1409. 5.23.	B	7	*	101	102	
		0	B	0	0	
1400. 1.15. 1409. 5.23.	B	0	B	0	102	

16492 Bytes free.

(1076th/1081) position: 1367. 1.15. 1376. 5.23. \* Eber 103  
 Forward relations for entry Eber (103/120) are generated.  
 Optimize dates...

Eber	D	Kn	S	from:	to:	
1367. 1.15. 1376. 5.23.	*	0	*	103	103	
1367. 1.15. 1379.12.29.	*	3	*	104	103	
1365. 1.15. 1376. 5.23.	*	9	*	101	103	
1365. 1.15. 1379.12.29.	*	10	+	104	103	
		0	*	0	0	
1367. 1.15. 1376. 5.23.	*	0	*	0	103	
1338. 1.15. 1347. 5.23.				1082nd position to *	Salah	104
1769. 1.15. 1780. 5.23.				1083rd position to +	Salah	104

16492 Bytes free.

(1077th/1083) position: 1829. 1.15. 1840. 5.23. + Eber 103  
 Forward relations for entry Eber (103/120) are generated.  
 Optimize dates...

Eber	D	Kn	S	from:	to:	
1829. 1.15. 1840. 5.23.	+	0	+	103	103	
1829. 1.15. 1840. 5.23.	+	4	*	101	103	
		0	+	0	0	
1829. 1.15. 1840. 5.23.	+	0	+	0	103	

16492 Bytes free.

(1078th/1083) position: 2616. 1.15.≥ B Jair 70  
 Forward relations for entry Jair (70/120) are generated.  
 Optimize dates...

Jair	D	Kn	S	from:	to:	
2616. 1.15.≥	B	0	B	70	70	
2616. 1.15.≥	B	1	E	71	70	
2612.11. 1.≥	B	5	E	70	70	
		0	B	0	0	
2616. 1.15.≥	B	0	B	0	70	
2637. 1.15.≥				1084th position to E	Jair	70

16492 Bytes free.  
 (1079th/1084) position: 2858. 8.21. 2869.12.29. \* Jehoram (Jehoshaphat) 40  
 Forward relations for entry Jehoram (Jehoshaphat) (40/120) are generated.  
 Backward relations for entry Ahaziah (Joram) (35/120) are generated.  
 Optimize dates...

Jehoram (Jehoshaphat)	D	Kind	S	from:	to:†
2858. 8.21. 2869.12.29.	*	0	*	40	40
2858. 8.21. 2869.12.29.	*	10	B	40	40
		0	*	0	0
2858. 8.21. 2869.12.29.	*	0	*	0	40

16492 Bytes free.  
 (1080th/1084) position: 2898. 8.21. 2907.12.29. E Jehoram (Jehoshaphat) 40  
 Forward relations for entry Jehoram (Jehoshaphat) (40/120) are generated.  
 Backward relations for entry Ahaziah (Joram) (35/120) are generated.  
 Optimize dates...

Jehoram (Jehoshaphat)	D	Kind	S	from:	to:†
2898. 8.21. 2907.12.29.	E	0	E	40	40
2898. 8.21. 2909.12.29.	E	6	B	40	40
2897. 8.21. 2907.12.29.	E	7	B	35	40
2898. 8.21. 2907.12.29.	+	0	+	40	40
		0	E	0	0
2898. 8.21. 2907.12.29.	E	0	E	0	40
2898. 8.21. 2907.12.29.				1085th position to B Ahaziah (Joram)	35

16492 Bytes free.  
 (1081st/1085) position: 2547. 1.15. 2588. 3.24. E Deborah and Barak 75  
 Forward relations for entry Deborah and Barak (75/120) are generated.  
 Backward relations for entry Midianites (74/120) are generated.  
 Optimize dates...

Deborah and Barak	D	Kind	S	from:	to:†
2547. 1.15. 2588. 3.24.	E	0	E	75	75
2547. 1.15. 2591.10.30.	E	5	B	75	75
2547. 1.15. 2588. 3.24.	E	7	B	74	75
		0	E	0	0
2547. 1.15. 2588. 3.24.	E	0	E	0	75
2508. 1.15. 2549. 3.24.				1086th position to B Deborah and Barak	75

16492 Bytes free.  
 (1082nd/1086) position: 1338. 1.15. 1347. 5.23. \* Salah 104  
 Forward relations for entry Salah (104/120) are generated.  
 Optimize dates...

Salah	D	Kind	S	from:	to:†
1338. 1.15. 1347. 5.23.	*	0	*	104	104
1338. 1.15. 1350.12.29.	*	3	*	105	104
1336. 1.15. 1347. 5.23.	*	9	*	103	104
1336. 1.15. 1350.12.29.	*	9	+	106	104
		0	*	0	0
1338. 1.15. 1347. 5.23.	*	0	*	0	104
1304. 1.15. 1313. 5.23.				1087th position to * Arphaxad	105
1740. 1.15. 1751. 5.23.				1088th position to + Arphaxad	106

16492 Bytes free.  
 (1083rd/1088) position: 1769. 1.15. 1780. 5.23. + Salah 104  
 Forward relations for entry Salah (104/120) are generated.  
 Optimize dates...

Salah	D	Kind	S	from:	to:†
-------	---	------	---	-------	------

```

1769. 1.15. 1780. 5.23. + 0 + 104 104||
1769. 1.15. 1780. 5.23. + 4 * 103 104||
                                0 + 0 0||
1769. 1.15. 1780. 5.23. + 0 + 0 104||

```

16492 Bytes free.

(1084th/1088) position: 2637. 1.15.≥ E Jair 70  
 Forward relations for entry Jair (70/120) are generated.  
 Optimize dates...

```

Jair D Knd S from: to:|
2637. 1.15.≥ E 0 E 70 70||
2637. 1.15.≥ E 5 B 70 70||
2637. 1.15.≥ + 0 + 70 70||
                                0 E 0 0||
2637. 1.15.≥ E 0 E 0 70||

```

16492 Bytes free.

(1085th/1088) position: 2898. 8.21. 2907.12.29. B Ahaziah (Joram) 35  
 Forward relations for entry Ahaziah (Joram) (35/120) are generated.  
 Backward relations for entry Jehu (33/120) are generated.  
 Backward relations for entry Athaliah (34/120) are generated.  
 Forward relations for entry Ahaziah (Joram) (36/120) are generated.  
 Optimize dates...

```

Ahaziah (Joram) D Knd S from: to:|
2898. 8.21. 2907.12.29. B 0 B 35 35||
2898. 8.21. 2907.12.29. B 1 E 40 35||
2896. 8.21. 2909.12.29. B 3 B 37 35||
2895. 8.21. 2909.12.29. B 4 * 35 35||
2895. 8.21. 2907.12.29. B 6 E 35 35||
2895. 8.21. 2908.12.29. B 3 B 37 36||
                                0 B 0 0||
2898. 8.21. 2907.12.29. B 0 B 0 35||
2875. 8.21. 2886.12.29. 1089th position to * Ahaziah (Joram) 35
2898. 8.21. 2907.12.29. 1090th position to E Ahaziah (Joram) 35
2886. 8.21. 2896.12.29. 1091st position to B Joram (Ahab) 37

```

16492 Bytes free.

(1086th/1091) position: 2508. 1.15. 2549. 3.24. B Deborah and Barak 75  
 Forward relations for entry Deborah and Barak (75/120) are generated.  
 Backward relations for entry Midianites (74/120) are generated.  
 Optimize dates...

```

Deborah and Barak D Knd S from: to:|
2508. 1.15. 2549. 3.24. B 0 B 75 75||
2508. 1.15. 2550.10.30. B 1 E 76 75||
2506. 1.15. 2549. 3.24. B 5 E 75 75||
                                0 B 0 0||
2508. 1.15. 2549. 3.24. B 0 B 0 75||
2508. 1.15. 2549. 3.24. 1092nd position to E Sisera 76

```

16492 Bytes free.

(1087th/1092) position: 1304. 1.15. 1313. 5.23. \* Arphaxad 105  
 Forward relations for entry Arphaxad (105/120) are generated.  
 Forward relations for entry Arphaxad (106/120) are generated.  
 Optimize dates...

```

Arphaxad D Knd S from: to:|
1304. 1.15. 1313. 5.23. * 0 * 105 105||
1304. 1.15. 1316.12.29. * 3 E 107 105||
1302. 1.15. 1315.11. 3. * 4 * 109 105||

```

1302.	1.15.	1313.	5.23.	* 9 *	104	105	
1302.	1.15.	1316.12.29.		* 10 +	109	105	
				0 *	0	0	
1304.	1.15.	1313.	5.23.	* 0 *	0	105	
1303.	1.15.	1312.	5.23.	1093rd position to E	Great Flood		107
1203.	1.15.	1214.	5.23.	1094th position to *	Shem		109
1803.	1.15.	1814.	5.23.	1095th position to +	Shem		109

16492 Bytes free.

(1088th/1095) position: 1740. 1.15. 1751. 5.23. + Arphaxad 106  
 Forward relations for entry Arphaxad (105/120) are generated.  
 Forward relations for entry Arphaxad (106/120) are generated.  
 Optimize dates...

Arphaxad	D	Kind	S	from:	to:
1740. 1.15. 1751. 5.23. +	0	+		105	105
1740. 1.15. 1751. 5.23. +	3	*		104	106
	0	+		0	0
1740. 1.15. 1751. 5.23. +	0	+		0	105

16492 Bytes free.

(1089th/1095) position: 2875. 8.21. 2886.12.29. \* Ahaziah (Joram) 35  
 Forward relations for entry Ahaziah (Joram) (35/120) are generated.  
 Backward relations for entry Jehu (33/120) are generated.  
 Backward relations for entry Athaliah (34/120) are generated.  
 Forward relations for entry Ahaziah (Joram) (36/120) are generated.  
 Optimize dates...

Ahaziah (Joram)	D	Kind	S	from:	to:
2875. 8.21. 2886.12.29. *	0	*		35	35
2875. 8.21. 2886.12.29. *	10	B		35	35
	0	*		0	0
2875. 8.21. 2886.12.29. *	0	*		0	35

16492 Bytes free.

(1090th/1095) position: 2898. 8.21. 2907.12.29. E Ahaziah (Joram) 35  
 Forward relations for entry Ahaziah (Joram) (35/120) are generated.  
 Backward relations for entry Jehu (33/120) are generated.  
 Backward relations for entry Athaliah (34/120) are generated.  
 Forward relations for entry Ahaziah (Joram) (36/120) are generated.  
 Optimize dates...

Ahaziah (Joram)	D	Kind	S	from:	to:	
2898. 8.21. 2907.12.29. E	0	E		35	35	
2898. 8.21. 2909.12.29. E	6	B		35	35	
2897. 8.21. 2907.12.29. E	7	B		33	35	
2897. 8.21. 2907.12.29. E	7	B		34	35	
2898. 8.21. 2907.12.29. +	0	+		35	35	
	0	E		0	0	
2898. 8.21. 2907.12.29. E	0	E		0	35	
2898. 8.21. 2907.12.29.				1096th position to B	Jehu	33
2898. 8.21. 2907.12.29.				1097th position to B	Athaliah	34

16492 Bytes free.

(1091st/1097) position: 2886. 8.21. 2896.12.29. B Joram (Ahab) 37  
 Forward relations for entry Joram (Ahab) (37/120) are generated.  
 Backward relations for entry Jehu (33/120) are generated.  
 Backward relations for entry Athaliah (34/120) are generated.  
 Forward relations for entry Joram (Ahab) (38/120) are generated.  
 Optimize dates...

Joram (Ahab)	D	Kind	S	from:	to:
--------------	---	------	---	-------	-----

```

2886. 8.21. 2896.12.29. B 0 B      37      37||
2885. 8.21. 2896.12.29. B 9 B      35      37||
2886. 8.21. 2897.12.29. B 9 B      36      37||
2885. 8.21. 2896.12.29. B 9 B      40      37||
2884. 8.21. 2896.12.29. B 5 E      38      38||
                        0 B          0        0||
2886. 8.21. 2896.12.29. B 0 B          0        37||

```

16492 Bytes free.

```

(1092nd/1097) position: 2508. 1.15. 2549. 3.24.   E Sisera                76
Forward relations for entry Sisera          (76/120) are generated.
Backward relations for entry Deborah and Barak (75/120) are generated.
Optimize dates...

```

```

Sisera                D Knd S   from:   to:|
2508. 1.15. 2549. 3.24. E 0 E     76     76||
2508. 1.15. 2552.10.30. E 5 B     76     76||
2508. 1.15. 2549. 3.24. E 7 B     75     76||
2508. 1.15. 2549. 3.24. + 0 +     76     76||
                        0 E         0        0||
2508. 1.15. 2549. 3.24. E 0 E         0        76||
2489. 1.15. 2530. 3.24. 1098th position to B Sisera                76

```

16492 Bytes free.

```

(1093rd/1098) position: 1303. 1.15. 1312. 5.23.   E Great Flood            107
Forward relations for entry Great Flood      (107/120) are generated.
Forward relations for entry Great Flood      (108/120) are generated.
Optimize dates...

```

```

Great Flood           D Knd S   from:   to:|
1303. 1.15. 1312. 5.23. E 0 E     107    107||
1301. 1.15. 1312. 5.23. E 9 *     105    107||
1301. 1.15. 1315.11. 3. E 10 +     110    107||
1303. 1.15. 1313.12.30. E 3 *     110    108||
                        0 E         0        0||
1303. 1.15. 1312. 5.23. E 0 E         0       107||
1652. 1.15. 1663. 5.23. 1099th position to + Noah                110
 702.11.19.  712. 3.27. 1100th position to * Noah                110

```

16492 Bytes free.

```

(1094th/1100) position: 1203. 1.15. 1214. 5.23.   * Shem                    109
Forward relations for entry Shem            (109/120) are generated.
Optimize dates...

```

```

Shem                  D Knd S   from:   to:|
1203. 1.15. 1214. 5.23. * 0 *     109    109||
1201.11.19. 1213. 3.27. * 3 *     110    109||
1203. 1.15. 1214. 5.23. * 10 *    105    109||
                        1Y 1M26D 0 *         0        0||
1203. 1.15. 1213. 3.27. * 0 *         0     109||
1203. 1.15. 1213. 3.27. 1101st position to * Shem                109

```

16492 Bytes free.

```

(1095th/1101) position: 1803. 1.15. 1814. 5.23.   + Shem                    109
Forward relations for entry Shem            (109/120) are generated.
Optimize dates...

```

```

Shem                  D Knd S   from:   to:|
1803. 1.15. 1814. 5.23. + 0 +     109    109||
1803. 1.15. 1814. 5.23. + 4 *     105    109||
                        0 +         0        0||
1803. 1.15. 1814. 5.23. + 0 +         0     109||

```

16492 Bytes free.  
 (1096th/1101) position: 2898. 8.21. 2907.12.29. B Jehu 33  
 Forward relations for entry Jehu (33/120) are generated.  
 Backward relations for entry Jehoahaz (Jehu) (31/120) are generated.  
 Optimize dates...

Jehu	D	Kind	S	from:	to:	
2898. 8.21. 2907.12.29.	B	0	B	33	33	
2898. 8.21. 2907.12.29.	B	1	E	35	33	
2897. 8.21. 2907.12.29.	B	2	E	37	33	
2896. 8.21. 2908.12.29.	B	5	E	33	33	
2895. 8.21. 2907.12.29.	B	9	B	32	33	
		0	B	0	0	
2898. 8.21. 2907.12.29.	B	0	B	0	33	
2898. 8.21. 2907.12.29.				1102nd position to E	Joram (Ahab)	37
2904. 8.21. 2913.12.29.				1103rd position to B	Joash (Ahaziah)	32

16492 Bytes free.  
 (1097th/1103) position: 2898. 8.21. 2907.12.29. B Athaliah 34  
 Forward relations for entry Athaliah (34/120) are generated.  
 Backward relations for entry Joash (Ahaziah) (32/120) are generated.  
 Optimize dates...

Athaliah	D	Kind	S	from:	to:	
2898. 8.21. 2907.12.29.	B	0	B	34	34	
2898. 8.21. 2907.12.29.	B	1	E	35	34	
2898. 8.21. 2907.12.29.	B	2	E	37	34	
2896. 8.21. 2908.12.29.	B	5	E	34	34	
		0	B	0	0	
2898. 8.21. 2907.12.29.	B	0	B	0	34	

16492 Bytes free.  
 (1098th/1103) position: 2489. 1.15. 2530. 3.24. B Sisera 76  
 Forward relations for entry Sisera (76/120) are generated.  
 Backward relations for entry Deborah and Barak (75/120) are generated.  
 Optimize dates...

Sisera	D	Kind	S	from:	to:	
2489. 1.15. 2530. 3.24.	B	0	B	76	76	
2489. 1.15. 2531.10.30.	B	1	E	77	76	
2487. 1.15. 2530. 3.24.	B	5	E	76	76	
		0	B	0	0	
2489. 1.15. 2530. 3.24.	B	0	B	0	76	
2489. 1.15. 2530. 3.24.				1104th position to E	Ehud	77

16492 Bytes free.  
 (1099th/1104) position: 1652. 1.15. 1663. 5.23. + Noah 110  
 Forward relations for entry Noah (110/120) are generated.  
 Optimize dates...

Noah	D	Kind	S	from:	to:	
1652. 1.15. 1663. 5.23.	+	0	+	110	110	
1651.11.19. 1663. 3.27.	+	5	*	110	110	
1652. 1.15. 1663. 5.23.	+	4	E	107	110	
		1M26D	0	+	0	0
1652. 1.15. 1663. 3.27.	+	0	+	0	110	
1652. 1.15. 1663. 3.27.				1105th position to +	Noah	110

16492 Bytes free.  
 (1100th/1105) position: 702.11.19. 712. 3.27. \* Noah 110  
 Forward relations for entry Noah (110/120) are generated.



Optimize dates...

Noah	D	Kind	S	from:	to:	
702.11.19.	712.	3.27.	* 0 *	110	110	
700.11.19.	714.12.20.	* 3 *		111	110	
701. 1.15.	714.	3.27.	* 5 +	110	110	
702.11.19.	713.11. 4.	* 9 B		107	110	
702.11.18.	712.	3.27.	* 9 E	108	110	
702. 1.15.	714.	3.27.	* 9 *	109	110	
702.11.18.	713.11. 4.	* 10 Ω		107	110	
700.11.19.	713.12.20.	* 10 +		111	110	
		0 *		0	0	
702.11.19.	712.	3.27.	* 0 *	0	110	
648.11.19.	660.	3.27.	1106th position to * Lamech			111
1302. 1. 6.	1311. 5.14.	1107th position to B Great Flood				107
1302.11.19.	1312. 3.28.	1108th position to Ω Great Flood				107

16492 Bytes free.

(1101st/1108) position: 1203. 1.15. 1213. 3.27. \* Shem 109  
 Forward relations for entry Shem (109/120) are generated.

Optimize dates...

Shem	D	Kind	S	from:	to:	
1203. 1.15.	1213.	3.27.	* 0 *	109	109	
1201.11.19.	1213.	3.27.	* 3 *	110	109	
1203. 1.15.	1214.	5.23.	* 10 *	105	109	
		0 *		0	0	
1203. 1.15.	1213.	3.27.	* 0 *	0	109	

16492 Bytes free.

(1102nd/1108) position: 2898. 8.21. 2907.12.29. E Joram (Ahab) 37  
 Forward relations for entry Joram (Ahab) (37/120) are generated.  
 Backward relations for entry Jehu (33/120) are generated.  
 Backward relations for entry Athaliah (34/120) are generated.  
 Forward relations for entry Joram (Ahab) (38/120) are generated.

Optimize dates...

Joram (Ahab)	D	Kind	S	from:	to:	
2898. 8.21.	2907.12.29.	E 0 E		37	37	
2898. 8.21.	2907.12.29.	E 8 B		33	37	
2898. 8.21.	2907.12.29.	E 8 B		34	37	
2897. 8.21.	2909.12.29.	E 5 B		38	38	
2898. 8.21.	2907.12.29.	+ 0 +		37	37	
		0 E		0	0	
2898. 8.21.	2907.12.29.	E 0 E		0	37	

16492 Bytes free.

(1103rd/1108) position: 2904. 8.21. 2913.12.29. B Joash (Ahaziah) 32  
 Forward relations for entry Joash (Ahaziah) (32/120) are generated.  
 Backward relations for entry Amaziah (28/120) are generated.

Optimize dates...

Joash (Ahaziah)	D	Kind	S	from:	to:	
2904. 8.21.	2913.12.29.	B 0 B		32	32	
2903. 8.21.	2913.12.29.	B 1 E		34	32	
2904. 8.21.	2915.12.29.	B 3 B		33	32	
2901. 8.21.	2913.12.29.	B 5 E		32	32	
2901. 8.21.	2915.12.29.	B 4 *		32	32	
2903. 8.21.	2915.12.29.	B 9 B		30	32	
2901. 8.21.	2913.12.29.	B 9 B		31	32	
		0 B		0	0	
2904. 8.21.	2913.12.29.	B 0 B		0	32	

2904.	8.21.	2913.12.29.	1109th position to E	Athaliah	34
2943.	8.21.	2952.12.29.	1110th position to E	Joash (Ahaziah)	32
2896.	8.21.	2907.12.29.	1111th position to *	Joash (Ahaziah)	32
2926.	8.21.	2935.12.29.	1112th position to B	Jehoahaz (Jehu)	31

16492 Bytes free.

(1104th/1112) position: 2489. 1.15. 2530. 3.24. E Ehud 77

Forward relations for entry Ehud (77/120) are generated.

Backward relations for entry Sisera (76/120) are generated.

Optimize dates...

Ehud	D	Kind	S	from:	to:
2489. 1.15. 2530. 3.24.	E	0	E	77	77
2489. 1.15. 2533.10.30.	E	5	B	77	77
2489. 1.15. 2530. 3.24.	E	7	B	76	77
		0	E	0	0
2489. 1.15. 2530. 3.24.	E	0	E	0	77
2410. 1.15. 2451. 3.24.				1113th position to B	Ehud 77

16492 Bytes free.

(1105th/1113) position: 1652. 1.15. 1663. 3.27. + Noah 110

Forward relations for entry Noah (110/120) are generated.

Optimize dates...

Noah	D	Kind	S	from:	to:
1652. 1.15. 1663. 3.27.	+	0	+	110	110
1651.11.19. 1663. 3.27.	+	5	*	110	110
1652. 1.15. 1663. 5.23.	+	4	E	107	110
		0	+	0	0
1652. 1.15. 1663. 3.27.	+	0	+	0	110

16492 Bytes free.

(1106th/1113) position: 648.11.19. 660. 3.27. \* Lamech 111

Forward relations for entry Lamech (111/120) are generated.

Backward relations for entry Great Flood (107/120) are generated.

Optimize dates...

Lamech	D	Kind	S	from:	to:
648.11.19. 660. 3.27.	*	0	*	111	111
647. 1. 6. 661.12.20.	*	3	*	112	111
647.11.19. 660.12.20.	*	5	+	111	111
648.11.19. 660. 3.27.	*	9	*	110	111
646.11.19. 660.12.20.	*	10	+	112	111
		0	*	0	0
648.11.19. 660. 3.27.	*	0	*	0	111

16492 Bytes free.

(1107th/1113) position: 1302. 1. 6. 1311. 5.14. B Great Flood 107

Forward relations for entry Great Flood (107/120) are generated.

Forward relations for entry Great Flood (108/120) are generated.

Optimize dates...

Great Flood	D	Kind	S	from:	to:
1302. 1. 6. 1311. 5.14.	B	0	B	107	107
1301.11.19.≥	B	1	+	111	107
1300.11.19.≥	B	2	+	112	107
1302. 1. 5. 1311. 5.14.	B	3	*	110	107
1302. 1. 6.≥	B	1	+	114	108
		0	B	0	0
1302. 1. 6. 1311. 5.14.	B	0	B	0	107
1301.11.19. 1311. 5.14.				1114th position to +	Lamech 111
1300.11.19. 1311. 5.14.				1115th position to +	Methuselah 112

1302. 1. 6. 1311. 5.14. 1116th position to + Jared 114

16492 Bytes free.

(1108th/1116) position: 1302.11.19. 1312. 3.28. Ω Great Flood 107

Forward relations for entry Great Flood (107/120) are generated.

Forward relations for entry Great Flood (108/120) are generated.

Optimize dates...

Great Flood		D	Kind	S	from:	to:†
1302.11.19.	1312. 3.28.	Ω	0	Ω	107	107
1302.11.19.	1312. 3.28.	Ω	4	*	110	107
			0	Ω	0	0
1302.11.19.	1312. 3.28.	Ω	0	Ω	0	107

16492 Bytes free.

(1109th/1116) position: 2904. 8.21. 2913.12.29. E Athaliah 34

Forward relations for entry Athaliah (34/120) are generated.

Backward relations for entry Joash (Ahaziah) (32/120) are generated.

Optimize dates...

Athaliah		D	Kind	S	from:	to:†
2904. 8.21.	2913.12.29.	E	0	E	34	34
2903. 8.21.	2914.12.29.	E	5	B	34	34
2904. 8.21.	2913.12.29.	E	7	B	32	34
2904. 8.21.	2913.12.29.	+	0	+	34	34
			0	E	0	0
2904. 8.21.	2913.12.29.	E	0	E	0	34

16492 Bytes free.

(1110th/1116) position: 2943. 8.21. 2952.12.29. E Joash (Ahaziah) 32

Forward relations for entry Joash (Ahaziah) (32/120) are generated.

Backward relations for entry Amaziah (28/120) are generated.

Optimize dates...

Joash (Ahaziah)		D	Kind	S	from:	to:†
2943. 8.21.	2952.12.29.	E	0	E	32	32
2943. 8.21.	2954.12.29.	E	5	B	32	32
2942. 8.21.	2952.12.29.	E	7	B	28	32
2943. 8.21.	2952.12.29.	+	0	+	32	32
			0	E	0	0
2943. 8.21.	2952.12.29.	E	0	E	0	32
2943. 8.21.	2952.12.29.				1117th position to B Amaziah	28

16492 Bytes free.

(1111th/1117) position: 2896. 8.21. 2907.12.29. \* Joash (Ahaziah) 32

Forward relations for entry Joash (Ahaziah) (32/120) are generated.

Backward relations for entry Amaziah (28/120) are generated.

Optimize dates...

Joash (Ahaziah)		D	Kind	S	from:	to:†
2896. 8.21.	2907.12.29.	*	0	*	32	32
2896. 8.21.	2907.12.29.	*	10	B	32	32
			0	*	0	0
2896. 8.21.	2907.12.29.	*	0	*	0	32

16492 Bytes free.

(1112th/1117) position: 2926. 8.21. 2935.12.29. B Jehoahaz (Jehu) 31

Forward relations for entry Jehoahaz (Jehu) (31/120) are generated.

Backward relations for entry Joash (Jehoahaz) (30/120) are generated.

Optimize dates...

Jehoahaz (Jehu)		D	Kind	S	from:	to:†
2926. 8.21.	2935.12.29.	B	0	B	31	31

```

2925. 8.21. 2935.12.29. B 1 E 33 31||
2926. 8.21. 2937.12.29. B 3 B 32 31||
2923. 8.21. 2935.12.29. B 5 E 31 31||
                0 B 0 0||
2926. 8.21. 2935.12.29. B 0 B 0 31||
2926. 8.21. 2935.12.29. 1118th position to E Jehu 33
2942. 8.21. 2951.12.29. 1119th position to E Jehoahaz (Jehu) 31

```

16492 Bytes free.

```

(1113th/1119) position: 2410. 1.15. 2451. 3.24. B Ehud 77
Forward relations for entry Ehud (77/120) are generated.
Backward relations for entry Sisera (76/120) are generated.
Optimize dates...

```

```

Ehud D Knd S from: to:|
2410. 1.15. 2451. 3.24. B 0 B 77 77||
2410. 1.15. 2452.10.30. B 1 E 78 77||
2408. 1.15. 2451. 3.24. B 5 E 77 77||
                0 B 0 0||
2410. 1.15. 2451. 3.24. B 0 B 0 77||
2410. 1.15. 2451. 3.24. 1120th position to E Eglon 78

```

16492 Bytes free.

```

(1114th/1120) position: 1301.11.19. 1311. 5.14. + Lamech 111
Forward relations for entry Lamech (111/120) are generated.
Backward relations for entry Great Flood (107/120) are generated.
Optimize dates...

```

```

Lamech D Knd S from: to:|
1301.11.19. 1311. 5.14. + 0 + 111 111||
1300.11.19. 1314. 3.27. + 5 * 111 111||
1301.11.19. 1313. 3.27. + 4 * 110 111||
                ≤ 1311. 5.14. + 7 B 107 111||
                0 + 0 0||
1301.11.19. 1311. 5.14. + 0 + 0 111||
648.11.19. 659. 5.14. 1121st position to * Lamech 111

```

16492 Bytes free.

```

(1115th/1121) position: 1300.11.19. 1311. 5.14. + Methuselah 112
Forward relations for entry Methuselah (112/120) are generated.
Backward relations for entry Great Flood (107/120) are generated.
Optimize dates...

```

```

Methuselah D Knd S from: to:|
1300.11.19. 1311. 5.14. + 0 + 112 112||
1300. 1. 6. 1314.12.20. + 5 * 112 112||
1300.11.19. 1313. 5.14. + 4 * 111 112||
                ≤ 1311. 5.14. + 8 B 107 112||
                0 + 0 0||
1300.11.19. 1311. 5.14. + 0 + 0 112||
581. 1. 6. 592. 5.14. 1122nd position to * Methuselah 112

```

16492 Bytes free.

```

(1116th/1122) position: 1302. 1. 6. 1311. 5.14. + Jared 114
Forward relations for entry Jared (114/120) are generated.
Backward relations for entry Great Flood (108/120) are generated.
Optimize dates...

```

```

Jared D Knd S from: to:|
1302. 1. 6. 1311. 5.14. + 0 + 114 114||
1302. 1. 6. 1314. 1. 7. + 5 * 114 114||
1301. 1. 6. 1314.12.20. + 4 * 113 114||

```

≤ 1311. 5.14. + 7 B	108	114	
0 +	0	0	
1302. 1. 6. 1311. 5.14. + 0 +	0	114	
456. 1. 6. 465. 5.14.	1123rd position to *	Jared	114
517. 1. 6. 527. 5.14.	1124th position to *	Enoch	113

16492 Bytes free.

(1117th/1124) position: 2943. 8.21. 2952.12.29. B Amaziah 28  
 Forward relations for entry Amaziah (28/120) are generated.  
 Backward relations for entry Azariah = Uzziah (26/120) are generated.  
 Forward relations for entry Amaziah (29/120) are generated.

Optimize dates...

Amaziah	D	Kind	S	from:	to:	
2943. 8.21. 2952.12.29. B	0	B		28	28	
2943. 8.21. 2952.12.29. B	1	E		32	28	
2942. 8.21. 2954.12.29. B	3	B		30	28	
2940. 8.21. 2954.12.29. B	4	*		28	28	
2940. 8.21. 2954.12.29. B	6	E		28	28	
2940. 8.21. 2952.12.29. B	9	B		27	28	
	0	B		0	0	
2943. 8.21. 2952.12.29. B	0	B		0	28	
2917. 8.21. 2928.12.29.				1125th position to *	Amaziah	28
2971. 8.21. 2982.12.29.				1126th position to E	Amaziah	28
2957. 8.21. 2966.12.29.				1127th position to B	Jeroboam (Joash)	27

16492 Bytes free.

(1118th/1127) position: 2926. 8.21. 2935.12.29. E Jehu 33  
 Forward relations for entry Jehu (33/120) are generated.  
 Backward relations for entry Jehoahaz (Jehu) (31/120) are generated.

Optimize dates...

Jehu	D	Kind	S	from:	to:	
2926. 8.21. 2935.12.29. E	0	E		33	33	
2925. 8.21. 2936.12.29. E	5	B		33	33	
2926. 8.21. 2935.12.29. E	7	B		31	33	
2926. 8.21. 2935.12.29. +	0	+		33	33	
	0	E		0	0	
2926. 8.21. 2935.12.29. E	0	E		0	33	

16492 Bytes free.

(1119th/1127) position: 2942. 8.21. 2951.12.29. E Jehoahaz (Jehu) 31  
 Forward relations for entry Jehoahaz (Jehu) (31/120) are generated.  
 Backward relations for entry Joash (Jehoahaz) (30/120) are generated.

Optimize dates...

Jehoahaz (Jehu)	D	Kind	S	from:	to:	
2942. 8.21. 2951.12.29. E	0	E		31	31	
2942. 8.21. 2953.12.29. E	5	B		31	31	
2941. 8.21. 2951.12.29. E	7	B		30	31	
2942. 8.21. 2951.12.29. +	0	+		31	31	
	0	E		0	0	
2942. 8.21. 2951.12.29. E	0	E		0	31	
2942. 8.21. 2951.12.29.				1128th position to B	Joash (Jehoahaz)	30

16492 Bytes free.

(1120th/1128) position: 2410. 1.15. 2451. 3.24. E Eglon 78  
 Forward relations for entry Eglon (78/120) are generated.  
 Backward relations for entry Ehud (77/120) are generated.

Optimize dates...

Eglon	D	Kind	S	from:	to:	
-------	---	------	---	-------	-----	--

```

2410. 1.15. 2451. 3.24. E 0 E      78      78||
2410. 1.15. 2454.10.30. E 5 B      78      78||
2410. 1.15. 2451. 3.24. E 7 B      77      78||
2410. 1.15. 2451. 3.24. + 0 +      78      78||
                          0 E      0      0||
2410. 1.15. 2451. 3.24. E 0 E      0      78||
2393. 1.15. 2434. 3.24. 1129th position to B Eglon      78

```

16492 Bytes free.

```

(1121st/1129) position: 648.11.19. 659. 5.14. * Lamech      111
Forward relations for entry Lamech (111/120) are generated.
Backward relations for entry Great Flood (107/120) are generated.
Optimize dates...

```

```

Lamech          D Knd S   from:   to:|
648.11.19.     659. 5.14. * 0 *   111    111||
647. 1. 6.     660. 5.14. * 3 *   112    111||
647.11.19.     659. 5.14. * 5 +   111    111||
648.11.19.     660. 3.27. * 9 *   110    111||
646.11.19.     659. 5.14. * 10 +  112    111||
                          0 *     0      0||
648.11.19.     659. 5.14. * 0 *     0      111||

```

16492 Bytes free.

```

(1122nd/1129) position: 581. 1. 6. 592. 5.14. * Methuselah      112
Forward relations for entry Methuselah (112/120) are generated.
Backward relations for entry Great Flood (107/120) are generated.
Optimize dates...

```

```

Methuselah     D Knd S   from:   to:|
581. 1. 6.     592. 5.14. * 0 *   112    112||
581. 1. 6.     593. 5.14. * 3 *   113    112||
579.11.19.     592. 5.14. * 5 +   112    112||
580.11.19.     593. 5.14. * 9 *   111    112||
580. 1. 6.     595.12.20. * 10 +  113    112||
                          0 *     0      0||
581. 1. 6.     592. 5.14. * 0 *     0      112||
881. 1. 6.     893. 5.14. 1130th position to + Enoch      113

```

16492 Bytes free.

```

(1123rd/1130) position: 456. 1. 6. 465. 5.14. * Jared      114
Forward relations for entry Jared (114/120) are generated.
Backward relations for entry Great Flood (108/120) are generated.
Optimize dates...

```

```

Jared          D Knd S   from:   to:|
456. 1. 6.     465. 5.14. * 0 *   114    114||
456. 1. 6.     466. 1. 7. * 3 *   115    114||
454. 1. 6.     465. 5.14. * 5 +   114    114||
454. 1. 6.     466. 5.14. * 9 *   113    114||
455. 1. 6.     467. 1. 7. * 10 +  115    114||
                          0 *     0      0||
456. 1. 6.     465. 5.14. * 0 *     0      114||

```

16492 Bytes free.

```

(1124th/1130) position: 517. 1. 6. 527. 5.14. * Enoch      113
Forward relations for entry Enoch (113/120) are generated.
Optimize dates...

```

```

Enoch          D Knd S   from:   to:|
517. 1. 6.     527. 5.14. * 0 *   113    113||
517. 1. 6.     528. 5.14. * 3 *   114    113||

```

515.	1.	6.	529.	5.14.	*	5	+	113	113	
515.	1.	6.	528.	5.14.	*	9	*	112	113	
516.	1.	6.	527.	5.14.	*	10	+	114	113	
						0	*	0	0	
517.	1.	6.	527.	5.14.	*	0	*	0	113	

16492 Bytes free.

(1125th/1130) position: 2917. 8.21. 2928.12.29. \* Amaziah 28  
 Forward relations for entry Amaziah (28/120) are generated.  
 Backward relations for entry Azariah = Uzziah (26/120) are generated.  
 Forward relations for entry Amaziah (29/120) are generated.

Optimize dates...

Amaziah	D	Kind	S	from:	to:		
2917. 8.21.	2928.12.29.	*	0	*	28	28	
2917. 8.21.	2928.12.29.	*	10	B	28	28	
			0	*	0	0	
2917. 8.21.	2928.12.29.	*	0	*	0	28	

16492 Bytes free.

(1126th/1130) position: 2971. 8.21. 2982.12.29. E Amaziah 28  
 Forward relations for entry Amaziah (28/120) are generated.  
 Backward relations for entry Azariah = Uzziah (26/120) are generated.  
 Forward relations for entry Amaziah (29/120) are generated.

Optimize dates...

Amaziah	D	Kind	S	from:	to:		
2971. 8.21.	2982.12.29.	E	0	E	28	28	
2971. 8.21.	2982.12.29.	E	6	B	28	28	
2971. 8.21.	2982.12.29.	+	0	+	28	28	
2970. 8.21.	2982.12.29.	+	3	+	30	29	
			0	E	0	0	
2971. 8.21.	2982.12.29.	E	0	E	0	28	

16492 Bytes free.

(1127th/1130) position: 2957. 8.21. 2966.12.29. B Jeroboam (Joash) 27  
 Forward relations for entry Jeroboam (Joash) (27/120) are generated.  
 Backward relations for entry Zachariah (25/120) are generated.

Optimize dates...

Jeroboam (Joash)	D	Kind	S	from:	to:		
2957. 8.21.	2966.12.29.	B	0	B	27	27	
2956. 8.21.	2966.12.29.	B	1	E	30	27	
2957. 8.21.	2968.12.29.	B	3	B	28	27	
2954. 8.21.	2966.12.29.	B	5	E	27	27	
			0	B	0	0	
2957. 8.21.	2966.12.29.	B	0	B	0	27	
2957. 8.21.	2966.12.29.				1131st position to E Joash (Jehoahaz)	30	
2997. 8.21.	3006.12.29.				1132nd position to E Jeroboam (Joash)	27	

16492 Bytes free.

(1128th/1132) position: 2942. 8.21. 2951.12.29. B Joash (Jehoahaz) 30  
 Forward relations for entry Joash (Jehoahaz) (30/120) are generated.  
 Backward relations for entry Jeroboam (Joash) (27/120) are generated.  
 Backward relations for entry Elisha (39/120) are generated.

Optimize dates...

Joash (Jehoahaz)	D	Kind	S	from:	to:		
2942. 8.21.	2951.12.29.	B	0	B	30	30	
2942. 8.21.	2951.12.29.	B	1	E	31	30	
2940. 8.21.	2951.12.29.	B	3	B	32	30	
2940. 8.21.	2951.12.29.	B	5	E	30	30	

```

≤ 2966.12.29. B 8 E      39      30||
2940. 8.21. 2951.12.29. B 9 B      28      30||
                          0 B      0      0||
2942. 8.21. 2951.12.29. B 0 B      0      30||
2942. 8.21. 2966.12.29. 1133rd position to E Elisha      39

```

```

16492 Bytes free.
(1129th/1133) position: 2393. 1.15. 2434. 3.24. B Eglon      78
Forward relations for entry Eglon      (78/120) are generated.
Backward relations for entry Ehud      (77/120) are generated.
Optimize dates...

```

```

Eglon      D Knd S      from:      to:|
2393. 1.15. 2434. 3.24. B 0 B      78      78||
2393. 1.15. 2435.10.30. B 1 E      79      78||
2391. 1.15. 2434. 3.24. B 5 E      78      78||
                          0 B      0      0||
2393. 1.15. 2434. 3.24. B 0 B      0      78||
2393. 1.15. 2434. 3.24. 1134th position to E Othniel      79

```

```

16492 Bytes free.
(1130th/1134) position: 881. 1. 6. 893. 5.14. + Enoch      113
Forward relations for entry Enoch      (113/120) are generated.
Optimize dates...

```

```

Enoch      D Knd S      from:      to:|
881. 1. 6. 893. 5.14. + 0 +      113      113||
881. 1. 6. 893. 5.14. + 5 *      113      113||
880. 1. 6. 893. 5.14. + 4 *      112      113||
                          0 +      0      0||
881. 1. 6. 893. 5.14. + 0 +      0      113||

```

```

16492 Bytes free.
(1131st/1134) position: 2957. 8.21. 2966.12.29. E Joash (Jehoahaz)      30
Forward relations for entry Joash (Jehoahaz)      (30/120) are generated.
Backward relations for entry Jeroboam (Joash)      (27/120) are generated.
Backward relations for entry Elisha      (39/120) are generated.
Optimize dates...

```

```

Joash (Jehoahaz)      D Knd S      from:      to:|
2957. 8.21. 2966.12.29. E 0 E      30      30||
2942. 8.21. ≥      E 2 +      39      30||
2957. 8.21. 2968.12.29. E 5 B      30      30||
2957. 8.21. 2966.12.29. E 7 B      27      30||
2957. 8.21. 2966.12.29. + 0 +      30      30||
2955. 8.21. 2968.12.29. + 9 +      29      30||
                          0 E      0      0||
2957. 8.21. 2966.12.29. E 0 E      0      30||

```

```

16492 Bytes free.
(1132nd/1134) position: 2997. 8.21. 3006.12.29. E Jeroboam (Joash)      27
Forward relations for entry Jeroboam (Joash)      (27/120) are generated.
Backward relations for entry Zachariah      (25/120) are generated.
Optimize dates...

```

```

Jeroboam (Joash)      D Knd S      from:      to:|
2997. 8.21. 3006.12.29. E 0 E      27      27||
2997. 8.21. 3008.12.29. E 5 B      27      27||
2996. 8.21. 3006.12.29. E 7 B      25      27||
2997. 8.21. 3006.12.29. + 0 +      27      27||
                          0 E      0      0||
2997. 8.21. 3006.12.29. E 0 E      0      27||

```



2997. 8.21. 3006.12.29. 1135th position to B Zachariah 25

16492 Bytes free.

(1133rd/1135) position: 2942. 8.21. 2966.12.29. E Elisha 39

Forward relations for entry Elisha (39/120) are generated.

Backward relations for entry Joash (Jehoahaz) (30/120) are generated.

Optimize dates...

Elisha	D	Kind	S	from:	to:†
2942. 8.21. 2966.12.29.	E	0	E	39	39
2942. 8.21. ≥	E	2	B	30	39
2942. 8.21. 2966.12.29. +	0	+		39	39
≤ 2966.12.29. +	8	E		30	39
	0	E		0	0
2942. 8.21. 2966.12.29.	E	0	E	0	39

16492 Bytes free.

(1134th/1135) position: 2393. 1.15. 2434. 3.24. E Othniel 79

Forward relations for entry Othniel (79/120) are generated.

Backward relations for entry Eglon (78/120) are generated.

Optimize dates...

Othniel	D	Kind	S	from:	to:†
2393. 1.15. 2434. 3.24.	E	0	E	79	79
2393. 1.15. 2437.10.30.	E	5	B	79	79
2393. 1.15. 2434. 3.24.	E	7	B	78	79
2393. 1.15. 2434. 3.24. +	0	+		79	79
	0	E		0	0
2393. 1.15. 2434. 3.24.	E	0	E	0	79
2354. 1.15. 2395. 3.24.				1136th position to B Othniel	79

16492 Bytes free.

(1135th/1136) position: 2997. 8.21. 3006.12.29. B Zachariah 25

Forward relations for entry Zachariah (25/120) are generated.

Backward relations for entry Shallum (24/120) are generated.

Optimize dates...

Zachariah	D	Kind	S	from:	to:†
2997. 8.21. 3006.12.29.	B	0	B	25	25
2997. 8.21. 3006.12.29.	B	1	E	27	25
2994. 8.21. 3006.12.29.	B	3	B	26	25
2996. 6.21. 3007. 2.29.	B	5	E	25	25
	0	B		0	0
2997. 8.21. 3006.12.29.	B	0	B	0	25
2958. 8.21. 2967.12.29.				1137th position to B Azariah = Uzziah	26
2998. 1.21. 3007. 7.29.				1138th position to E Zachariah	25

16492 Bytes free.

(1136th/1138) position: 2354. 1.15. 2395. 3.24. B Othniel 79

Forward relations for entry Othniel (79/120) are generated.

Backward relations for entry Eglon (78/120) are generated.

Optimize dates...

Othniel	D	Kind	S	from:	to:†
2354. 1.15. 2395. 3.24.	B	0	B	79	79
2354. 1.15. 2396.10.30.	B	1	E	80	79
2352. 1.15. 2395. 3.24.	B	5	E	79	79
	0	B		0	0
2354. 1.15. 2395. 3.24.	B	0	B	0	79
2354. 1.15. 2395. 3.24.				1139th position to E Chushanrishathaim	80

16492 Bytes free.

(1137th/1139) position: 2958. 8.21. 2967.12.29. B Azariah = Uzziah 26  
 Forward relations for entry Azariah = Uzziah (26/120) are generated.  
 Backward relations for entry Jotham (19/120) are generated.  
 Optimize dates...

Azariah = Uzziah	D	Kind	S	from:	to:	
2958. 8.21. 2967.12.29.	B	0	B	26	26	
2957. 8.21. 2967.12.29.	B	1	Ω	28	26	
2955. 8.21. 2969.12.29.	B	3	*	27	26	
2955. 8.21. 2969.12.29.	B	4	*	26	26	
2956. 8.21. 2968.12.29.	B	6	E	26	26	
2955. 8.21. 2967.12.29.	B	9	B	21	26	
2955. 8.21. 2968.12.29.	B	9	B	22	26	
2957. 1.21. 2969. 9.29.	B	9	B	23	26	
2957. 1.21. 2969. 7.29.	B	9	B	24	26	
2958. 8.21. 2969.12.29.	B	9	B	25	26	
		0	B	0	0	
2958. 8.21. 2967.12.29.	B	0	B	0	26	
2958. 8.21. 2967.12.29.				1140th position to Ω	Amaziah	28
2930. 8.21. 2941.12.29.				1141st position to *	Jeroboam (Joash)	27
2941. 8.21. 2952.12.29.				1142nd position to *	Azariah = Uzziah	26
3009. 8.21. 3018.12.29.				1143rd position to B	Pekah	21
3007. 8.21. 3017.12.29.				1144th position to B	Pekahiah	22

16492 Bytes free.  
 (1138th/1144) position: 2998. 1.21. 3007. 7.29. E Zachariah 25  
 Forward relations for entry Zachariah (25/120) are generated.  
 Backward relations for entry Shallum (24/120) are generated.  
 Optimize dates...

Zachariah	D	Kind	S	from:	to:	
2998. 1.21. 3007. 7.29.	E	0	E	25	25	
2998. 1.21. 3007. 7.29.	E	5	B	25	25	
2997. 1.21. 3007. 7.29.	E	7	B	24	25	
2998. 1.21. 3007. 7.29.	+	0	+	25	25	
		0	E	0	0	
2998. 1.21. 3007. 7.29.	E	0	E	0	25	
2998. 1.21. 3007. 7.29.				1145th position to B	Shallum	24

16492 Bytes free.  
 (1139th/1145) position: 2354. 1.15. 2395. 3.24. E Chushanrishathaim 80  
 Forward relations for entry Chushanrishathaim (80/120) are generated.  
 Backward relations for entry Othniel (79/120) are generated.  
 Optimize dates...

Chushanrishathaim	D	Kind	S	from:	to:	
2354. 1.15. 2395. 3.24.	E	0	E	80	80	
2354. 1.15. 2398.10.30.	E	5	B	80	80	
2354. 1.15. 2395. 3.24.	E	7	B	79	80	
		0	E	0	0	
2354. 1.15. 2395. 3.24.	E	0	E	0	80	
2347. 1.15. 2388. 3.24.				1146th position to B	Chushanrishathaim	80

16492 Bytes free.  
 (1140th/1146) position: 2958. 8.21. 2967.12.29. Ω Amaziah 28  
 Forward relations for entry Amaziah (28/120) are generated.  
 Backward relations for entry Azariah = Uzziah (26/120) are generated.  
 Forward relations for entry Amaziah (29/120) are generated.  
 Optimize dates...

Amaziah	D	Kind	S	from:	to:
2958. 8.21. 2967.12.29.	Ω	0	Ω	28	28

```

2958. 8.21. 2967.12.29. Ω 7 B      26      28||
                                0 Ω      0      0||
2958. 8.21. 2967.12.29. Ω 0 Ω      0      28||

```

16492 Bytes free.

```

(1141st/1146) position: 2930. 8.21. 2941.12.29. * Jeroboam (Joash)      27
Forward relations for entry Jeroboam (Joash) (27/120) are generated.
Backward relations for entry Zachariah (25/120) are generated.
Optimize dates...

```

```

Jeroboam (Joash)      D Knd S      from:      to:|
2930. 8.21. 2941.12.29. * 0 *      27      27||
2930. 8.21. 2941.12.29. * 9 B      26      27||
                                0 *      0      0||
2930. 8.21. 2941.12.29. * 0 *      0      27||

```

16492 Bytes free.

```

(1142nd/1146) position: 2941. 8.21. 2952.12.29. * Azariah = Uzziah      26
Forward relations for entry Azariah = Uzziah (26/120) are generated.
Backward relations for entry Jotham (19/120) are generated.
Optimize dates...

```

```

Azariah = Uzziah      D Knd S      from:      to:|
2941. 8.21. 2952.12.29. * 0 *      26      26||
2941. 8.21. 2952.12.29. * 10 B     26      26||
                                0 *      0      0||
2941. 8.21. 2952.12.29. * 0 *      0      26||

```

16492 Bytes free.

```

(1143rd/1146) position: 3009. 8.21. 3018.12.29. B Pekah      21
Forward relations for entry Pekah (21/120) are generated.
Backward relations for entry Hoshea (16/120) are generated.
Optimize dates...

```

```

Pekah      D Knd S      from:      to:|
3009. 8.21. 3018.12.29. B 0 B      21      21||
3008. 8.21. 3018.12.29. B 1 E      22      21||
3009. 8.21. 3020.12.29. B 3 B      26      21||
3007. 8.21. 3019.12.29. B 5 E      21      21||
3006. 8.21. 3020.12.29. B 9 α      17      21||
3006. 8.21. 3018.12.29. B 9 α      19      21||
                                0 B      0      0||
3009. 8.21. 3018.12.29. B 0 B      0      21||
3009. 8.21. 3018.12.29. 1147th position to E Pekahiah      22
3025. 8.21. 3036.12.29. 1148th position to α Ahaz      17
3010. 8.21. 3019.12.29. 1149th position to α Jotham      19

```

16492 Bytes free.

```

(1144th/1149) position: 3007. 8.21. 3017.12.29. B Pekahiah      22
Forward relations for entry Pekahiah (22/120) are generated.
Backward relations for entry Pekah (21/120) are generated.
Optimize dates...

```

```

Pekahiah      D Knd S      from:      to:|
3007. 8.21. 3017.12.29. B 0 B      22      22||
3006. 8.21. 3017.12.29. B 1 E      23      22||
3007. 8.21. 3018.12.29. B 3 B      26      22||
3006. 8.21. 3017.12.29. B 5 E      22      22||
                                0 B      0      0||
3007. 8.21. 3017.12.29. B 0 B      0      22||
3007. 8.21. 3017.12.29. 1150th position to E Menahem      23

```

16492 Bytes free.  
 (1145th/1150) position: 2998. 1.21. 3007. 7.29. B Shallum 24  
 Forward relations for entry Shallum (24/120) are generated.  
 Backward relations for entry Menahem (23/120) are generated.  
 Optimize dates...

Shallum	D	Kind	S	from:	to:	
2998. 1.21. 3007. 7.29.	B	0	B	24	24	
2998. 1.21. 3007. 7.29.	B	1	E	25	24	
2996. 8.21. 3007.12.29.	B	3	B	26	24	
2996.11.21. 3007. 9.29.	B	5	E	24	24	
		0	B	0	0	
2998. 1.21. 3007. 7.29.	B	0	B	0	24	
2998. 1.21. 3007. 9.29.				1151st position to E Shallum		24

16492 Bytes free.  
 (1146th/1151) position: 2347. 1.15. 2388. 3.24. B Chushanrishathaim 80  
 Forward relations for entry Chushanrishathaim (80/120) are generated.  
 Backward relations for entry Othniel (79/120) are generated.  
 Optimize dates...

Chushanrishathaim	D	Kind	S	from:	to:	
2347. 1.15. 2388. 3.24.	B	0	B	80	80	
2347. 1.15. ≥	B	1	E	83	80	
2345. 1.15. 2388. 3.24.	B	5	E	80	80	
		0	B	0	0	
2347. 1.15. 2388. 3.24.	B	0	B	0	80	
2347. 1.15. 2388. 3.24.				1152nd position to E Joshua		83

16492 Bytes free.  
 (1147th/1152) position: 3009. 8.21. 3018.12.29. E Pekahiah 22  
 Forward relations for entry Pekahiah (22/120) are generated.  
 Backward relations for entry Pekah (21/120) are generated.  
 Optimize dates...

Pekahiah	D	Kind	S	from:	to:	
3009. 8.21. 3018.12.29.	E	0	E	22	22	
3008. 8.21. 3020.12.29.	E	5	B	22	22	
3009. 8.21. 3018.12.29.	E	7	B	21	22	
3009. 8.21. 3018.12.29.	+	0	+	22	22	
		0	E	0	0	
3009. 8.21. 3018.12.29.	E	0	E	0	22	

16492 Bytes free.  
 (1148th/1152) position: 3025. 8.21. 3036.12.29. α Ahaz 17  
 Forward relations for entry Ahaz (17/120) are generated.  
 Backward relations for entry Hezekiah (14/120) are generated.  
 Forward relations for entry Ahaz (18/120) are generated.  
 Optimize dates...

Ahaz	D	Kind	S	from:	to:	
3025. 8.21. 3036.12.29.	α	0	α	17	17	
3024. 8.21. 3036.12.29.	α	2	Ω	19	17	
3025. 8.21. 3036.12.29.	α	3	B	21	17	
		0	α	0	0	
3025. 8.21. 3036.12.29.	α	0	α	0	17	
3025. 8.21. 3036.12.29.				1153rd position to Ω Jotham		19

16492 Bytes free.  
 (1149th/1153) position: 3010. 8.21. 3019.12.29. α Jotham 19  
 Forward relations for entry Jotham (19/120) are generated.  
 Backward relations for entry Ahaz (17/120) are generated.

Backward relations for entry Ahaz (17/120) are generated.

Optimize dates...

Jotham	D	Kind	S	from:	to:	
3010. 8.21. 3019.12.29.	α	0	α	19	19	
3009. 8.21. 3019.12.29.	α	1	E	26	19	
3010. 8.21. 3021.12.29.	α	3	B	21	19	
3007. 8.21. 3019.12.29.	α	10	B	16	19	
		0	α	0	0	
3010. 8.21. 3019.12.29.	α	0	α	0	19	
3010. 8.21. 3019.12.29.				1154th position to E Azariah = Uzziah		26
3029. 8.21. 3038.12.29.				1155th position to B Hoshea		16

16492 Bytes free.

(1150th/1155) position: 3007. 8.21. 3017.12.29. E Menahem 23

Forward relations for entry Menahem

(23/120) are generated.

Backward relations for entry Pekahiah

(22/120) are generated.

Optimize dates...

Menahem	D	Kind	S	from:	to:	
3007. 8.21. 3017.12.29.	E	0	E	23	23	
3006. 1.21. 3018. 9.29.	E	5	B	23	23	
3007. 8.21. 3017.12.29.	E	7	B	22	23	
3007. 8.21. 3017.12.29.	+	0	+	23	23	
		0	E	0	0	
3007. 8.21. 3017.12.29.	E	0	E	0	23	

16492 Bytes free.

(1151st/1155) position: 2998. 1.21. 3007. 9.29. E Shallum 24

Forward relations for entry Shallum

(24/120) are generated.

Backward relations for entry Menahem

(23/120) are generated.

Optimize dates...

Shallum	D	Kind	S	from:	to:	
2998. 1.21. 3007. 9.29.	E	0	E	24	24	
2998. 1.21. 3007. 9.29.	E	5	B	24	24	
2997. 1.21. 3007. 9.29.	E	7	B	23	24	
2998. 1.21. 3007. 9.29.	+	0	+	24	24	
		0	E	0	0	
2998. 1.21. 3007. 9.29.	E	0	E	0	24	
2998. 1.21. 3007. 9.29.				1156th position to B Menahem		23

16492 Bytes free.

(1152nd/1156) position: 2347. 1.15. 2388. 3.24. E Joshua 83

Forward relations for entry Joshua

(83/120) are generated.

Backward relations for entry Chushanrishathaim

(80/120) are generated.

Optimize dates...

Joshua	D	Kind	S	from:	to:	
2347. 1.15. 2388. 3.24.	E	0	E	83	83	
≤ 2388. 3.24.	E	7	B	80	83	
2347. 1.15. 2388. 3.24.	+	0	+	83	83	
2347. 1.15. ≥	+	2	B	81	83	
2345. 1.15. 2391.10.30.	+	5	*	83	83	
		0	E	0	0	
2347. 1.15. 2388. 3.24.	E	0	E	0	83	
2236. 1.15. 2279. 3.24.				1157th position to * Joshua		83

16492 Bytes free.

(1153rd/1157) position: 3025. 8.21. 3036.12.29. Ω Jotham 19

Forward relations for entry Jotham

(19/120) are generated.

Backward relations for entry Ahaz

(17/120) are generated.

Backward relations for entry Ahaz (17/120) are generated.

Optimize dates...

Jotham		D	Kind	S	from:	to:
3025. 8.21.	3036.12.29.	Ω	0	Ω	19	19
3025. 8.21.	3036.12.29.	Ω	8	α	17	19
3025. 8.21.	3036.12.29.	+	0	+	19	19
			0	Ω	0	0
3025. 8.21.	3036.12.29.	Ω	0	Ω	0	19

16492 Bytes free.

(1154th/1157) position: 3010. 8.21. 3019.12.29. E Azariah = Uzziah 26

Forward relations for entry Azariah = Uzziah (26/120) are generated.

Backward relations for entry Jotham (19/120) are generated.

Optimize dates...

Azariah = Uzziah		D	Kind	S	from:	to:	
3010. 8.21.	3019.12.29.	E	0	E	26	26	
3009. 8.21.	3020.12.29.	E	6	B	26	26	
3010. 8.21.	3019.12.29.	E	7	α	19	26	
3010. 8.21.	3019.12.29.	+	0	+	26	26	
			+	2	B	20	26
			0	E	0	0	
3010. 8.21.	3019.12.29.	E	0	E	0	26	

16492 Bytes free.

(1155th/1157) position: 3029. 8.21. 3038.12.29. B Hoshea 16

Forward relations for entry Hoshea (16/120) are generated.

Backward relations for entry Captivity of Israel (15/120) are generated.

Optimize dates...

Hoshea		D	Kind	S	from:	to:
3029. 8.21.	3038.12.29.	B	0	B	16	16
3028. 8.21.	3038.12.29.	B	1	E	21	16
3026. 8.21.	3038.12.29.	B	3	B	17	16
3026. 8.21.	3039.12.29.	B	5	E	16	16
3029. 8.21.	3040.12.29.	B	4	α	19	16
3027. 3.22.	3038.12.29.	B	9	B	14	16
3026. 8.21.	3039.12.29.	B	10	B	15	16
			0	B	0	0
3029. 8.21.	3038.12.29.	B	0	B	0	16
3029. 8.21.	3038.12.29.				1158th position to E Pekah	21
3016. 8.21.	3025.12.29.				1159th position to B Ahaz	17
3037. 8.21.	3047.12.29.				1160th position to E Hoshea	16
3031. 8.21.	3040.12.29.				1161st position to B Hezekiah	14
3037. 8.21.	3047.12.29.				1162nd position to B Captivity of Israel	15

16492 Bytes free.

(1156th/1162) position: 2998. 1.21. 3007. 9.29. B Menahem 23

Forward relations for entry Menahem (23/120) are generated.

Backward relations for entry Pekahiah (22/120) are generated.

Optimize dates...

Menahem		D	Kind	S	from:	to:
2998. 1.21.	3007. 9.29.	B	0	B	23	23
2998. 1.21.	3007. 9.29.	B	1	E	24	23
2996. 8.21.	3007.12.29.	B	3	B	26	23
2996. 8.21.	3008.12.29.	B	5	E	23	23
			0	B	0	0
2998. 1.21.	3007. 9.29.	B	0	B	0	23

16492 Bytes free.

(1157th/1162) position: 2236. 1.15. 2279. 3.24. \* Joshua 83  
 Forward relations for entry Joshua (83/120) are generated.  
 Backward relations for entry Chushanrishathaim (80/120) are generated.  
 Optimize dates...

Joshua	D	Kind	S	from:	to:
2236. 1.15. 2279. 3.24.	*	0	*	83	83
2236. 1.15. 2279. 3.24.	*	5	+	83	83
		0	*	0	0
2236. 1.15. 2279. 3.24.	*	0	*	0	83

16492 Bytes free.

(1158th/1162) position: 3029. 8.21. 3038.12.29. E Pekah 21  
 Forward relations for entry Pekah (21/120) are generated.  
 Backward relations for entry Hoshea (16/120) are generated.  
 Optimize dates...

Pekah	D	Kind	S	from:	to:
3029. 8.21. 3038.12.29.	E	0	E	21	21
3028. 8.21. 3039.12.29.	E	5	B	21	21
3029. 8.21. 3038.12.29.	E	7	B	16	21
3029. 8.21. 3038.12.29.	+	0	+	21	21
		0	E	0	0
3029. 8.21. 3038.12.29.	E	0	E	0	21

16492 Bytes free.

(1159th/1162) position: 3016. 8.21. 3025.12.29. B Ahaz 17  
 Forward relations for entry Ahaz (17/120) are generated.  
 Backward relations for entry Hezekiah (14/120) are generated.  
 Forward relations for entry Ahaz (18/120) are generated.  
 Optimize dates...

Ahaz	D	Kind	S	from:	to:
3016. 8.21. 3025.12.29.	B	0	B	17	17
3015. 8.21. 3025.12.29.	B	1	E	19	17
3013. 8.21. 3027.12.29.	B	4	*	17	17
3016. 8.21. 3027.12.29.	B	9	B	16	17
3014. 3.22. 3025.12.29.	B	5	E	18	18
		0	B	0	0
3016. 8.21. 3025.12.29.	B	0	B	0	17
3016. 8.21. 3025.12.29.				1163rd position to E Jotham	19
2995. 8.21. 3006.12.29.				1164th position to * Ahaz	17
3031. 8.21. 3040.12.29.				1165th position to E Ahaz	18

16492 Bytes free.

(1160th/1165) position: 3037. 8.21. 3047.12.29. E Hoshea 16  
 Forward relations for entry Hoshea (16/120) are generated.  
 Backward relations for entry Captivity of Israel (15/120) are generated.  
 Optimize dates...

Hoshea	D	Kind	S	from:	to:
3037. 8.21. 3047.12.29.	E	0	E	16	16
3037. 8.21. 3048.12.29.	E	5	B	16	16
3037. 8.21. 3047.12.29.	E	7	B	15	16
		0	E	0	0
3037. 8.21. 3047.12.29.	E	0	E	0	16

16492 Bytes free.

(1161st/1165) position: 3031. 8.21. 3040.12.29. B Hezekiah 14  
 Forward relations for entry Hezekiah (14/120) are generated.  
 Backward relations for entry Manasseh (12/120) are generated.  
 Backward relations for entry Isaiah (20/120) are generated.

Optimize dates...

Hezekiah	D	Kind	S	from:	to:†	
3031. 8.21. 3040.12.29.	B	0	B	14	14	
3031. 8.21. 3040.12.29.	B	1	E	17	14	
3031. 8.21. 3042.12.29.	B	3	B	16	14	
3029. 3.22. 3042.12.29.	B	4	*	14	14	
3031. 3.22. 3040.12.29.	B	6	E	14	14	
3030. 1.15. 3042.12.29.	B	9	B	13	14	
3030. 8.21. 3042.12.29.	B	9	B	15	14	
		0	B	0	0	
3031. 8.21. 3040.12.29.	B	0	B	0	14	
3005. 8.21. 3016.12.29.		1166th position to * Hezekiah				14

16492 Bytes free.

(1162nd/1166) position: 3037. 8.21. 3047.12.29. B Captivity of Israel 15  
 Forward relations for entry Captivity of Israel (15/120) are generated.

Optimize dates...

Captivity of Israel	D	Kind	S	from:	to:†	
3037. 8.21. 3047.12.29.	B	0	B	15	15	
3037. 8.21. 3047.12.29.	B	1	E	16	15	
3036. 8.21. 3047.12.29.	B	3	B	14	15	
3037. 8.21. 3048.12.29.	B	4	B	16	15	
		0	B	0	0	
3037. 8.21. 3047.12.29.	B	0	B	0	15	

16492 Bytes free.

(1163rd/1166) position: 3016. 8.21. 3025.12.29. E Jotham 19

Forward relations for entry Jotham (19/120) are generated.  
 Backward relations for entry Ahaz (17/120) are generated.  
 Backward relations for entry Ahaz (17/120) are generated.

Optimize dates...

Jotham	D	Kind	S	from:	to:†	
3016. 8.21. 3025.12.29.	E	0	E	19	19	
3013. 8.21. 3027.12.29.	E	6	B	19	19	
3016. 8.21. 3025.12.29.	E	7	B	17	19	
		0	E	0	0	
3016. 8.21. 3025.12.29.	E	0	E	0	19	
2999. 8.21. 3010.12.29.		1167th position to B Jotham				19

16492 Bytes free.

(1164th/1167) position: 2995. 8.21. 3006.12.29. \* Ahaz 17

Forward relations for entry Ahaz (17/120) are generated.  
 Backward relations for entry Hezekiah (14/120) are generated.  
 Forward relations for entry Ahaz (18/120) are generated.

Optimize dates...

Ahaz	D	Kind	S	from:	to:†	
2995. 8.21. 3006.12.29.	*	0	*	17	17	
2995. 8.21. 3006.12.29.	*	10	B	17	17	
		0	*	0	0	
2995. 8.21. 3006.12.29.	*	0	*	0	17	

16492 Bytes free.

(1165th/1167) position: 3031. 8.21. 3040.12.29. E Ahaz 18

Forward relations for entry Ahaz (17/120) are generated.  
 Backward relations for entry Hezekiah (14/120) are generated.  
 Forward relations for entry Ahaz (18/120) are generated.

Optimize dates...

Ahaz	D	Kind	S	from:	to:†	
------	---	------	---	-------	------	--



```

3031. 8.21. 3040.12.29. Ω 0 Ω      17      17||
3031. 8.21. 3040.12.29. E 0 E      17      17||
3031. 8.21. 3040.12.29. E 7 B      14      17||
3031. 8.21. 3042.12.29. E 5 B      18      18||
3031. 8.21. 3040.12.29. + 0 +      17      17||
                               0 Ω      0      0||
3031. 8.21. 3040.12.29. Ω 0 Ω      0      17||

```

16492 Bytes free.

```

(1166th/1167) position: 3005. 8.21. 3016.12.29. * Hezekiah      14
Forward relations for entry Hezekiah      (14/120) are generated.
Backward relations for entry Manasseh     (12/120) are generated.
Backward relations for entry Isaiah       (20/120) are generated.

```

Optimize dates...

```

Hezekiah          D Knd S   from:   to:|
3005. 8.21. 3016.12.29. * 0 *     14     14||
3005. 8.21. 3016.12.29. * 10 B    14     14||
                               0 *     0      0||
3005. 8.21. 3016.12.29. * 0 *     0      14||

```

16492 Bytes free.

```

(1167th/1167) position: 2999. 8.21. 3010.12.29. B Jotham      19
Forward relations for entry Jotham        (19/120) are generated.
Backward relations for entry Ahaz         (17/120) are generated.
Backward relations for entry Ahaz         (17/120) are generated.

```

Optimize dates...

```

Jotham           D Knd S   from:   to:|
2999. 8.21. 3010.12.29. B 0 B     19     19||
2996. 8.21. 3012.12.29. B 4 *     19     19||
2999. 8.21. 3010.12.29. B 6 E     19     19||
                               0 B     0      0||
2999. 8.21. 3010.12.29. B 0 B     0      19||
2973. 8.21. 2986.12.29. 1168th position to * Jotham      19

```

16492 Bytes free.

```

(1168th/1168) position: 2973. 8.21. 2986.12.29. * Jotham      19
Forward relations for entry Jotham        (19/120) are generated.
Backward relations for entry Ahaz         (17/120) are generated.
Backward relations for entry Ahaz         (17/120) are generated.

```

Optimize dates...

```

Jotham           D Knd S   from:   to:|
2973. 8.21. 2986.12.29. * 0 *     19     19||
2973. 8.21. 2986.12.29. * 10 B    19     19||
                               0 *     0      0||
2973. 8.21. 2986.12.29. * 0 *     0      19||

```

Calculation begin: 10-13-2016 21:50:54

Calculation end: 10-13-2016 21:56:01

1168 records in list file

C:\DOKUME~1\Sued\LOKALE~1\Temp\HISTORY.TMP\BIBLE .LST

17640 Bytes yet free.